

- Mazumder A, 1994. Phosphorus-chlorophyll relationships under contrasting zooplankton community structure: potential mechanisms. *Can. J. Fish. Aquat. Sci.* 51:401-407.
- McCutchan JH, Lewis WM, Kendall C, McGrath CC, 2003. Variation in trophic shift for stable isotopes ratios of carbon, nitrogen, and sulfur. *Oikos* 102:378-390.
- Meili M, Kling GW, Fry B, Bell RT, Ahlgren I, 1996. Sources and partitioning of organic matter in a pelagic microbial food web inferred from the isotopic composition ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) of zooplankton species. *Arch. Hydrobiol. Spec. Issues Advanc. Limnol.* 48:53-61.
- Murphy J, Riley JP, 1962. A modified single solution method for the determination of phosphate in natural waters. *Anal. Chim. Acta* 27:31-36.
- Ning J, 2013. The study on organic carbon sources supporting food webs in Liuxihe reservoir and Dashahe reservoir. PhD Thesis, Jinan University, Guangzhou, China. Available from: <http://thesis.jnu.edu.cn/search/article?id=19259>
- Ning J, Liu H, Gu B, Liu Z, 2012. Carbon and nitrogen stable isotope characteristics of particulate organic matter and zooplankton in Liuxihe Reservoir. *Acta Ecol. Sin.* 32:1502-1509.
- Oksanen J, Blanchet FG, Friendly M, 2017. Vegan: Community Ecology Package. Available from: <http://github.com/vegandevs/vegan>.
- Parnell A, Inger R, 2016. Package 'simmr'. Available from: <https://cran.r-project.org/web/packages/simmr/simmr.pdf>
- Peterson BJ, Fry B, 1987. Stable isotopes in ecosystem studies. *Ann. Rev. Ecol. Syst.* 18:293-320.
- Post DM, 2002. Using stable isotopes to estimate trophic position: models, methods, and assumptions. *Ecology* 83:703-718.
- Rautio M, Mariash H, Forsström L, 2011. Seasonal shifts between autochthonous and allochthonous carbon contribution to zooplankton diets in a subtropical lake. *Limnol. Oceanogr.* 56:1513-1524.
- R Development Core Team, 2015. R: a language and environment for statistical computing, Ver. 3.2.2. R Foundation for Statistical Computing, Vienna, Austria.
- Sarnelle O, 1992. Nutrient enrichment and grazer effects on phytoplankton in lakes. *Ecology* 73:551-560.
- Sentis A, Hemptinne J, Brodeur J, 2014. Towards a mechanistic understanding of temperature and enrichment effects on species interaction strength, omnivory and food-web structure. *Ecol. Lett.* 17:785-793.
- Shen CJ, Song DX, 1979. Calanoida. In: C.J. Shen (ed.), *Freshwater copepoda*. Science Press, Beijing.
- Šimek K, Armengol J, Comerma M, Garcia JC, Kopeck P, Nedoma J, Hejzlar J, 2001. Changes in the epilimnetic bacterial community composition, production, and protist-induced mortality along the longitudinal axis of a highly eutrophic reservoir. *Microb. Ecol.* 42:359-371.
- Siuda ANS, Dam HG, 2010. Effects of omnivory and predator-prey elemental stoichiometry on planktonic trophic interactions. *Limnol. Oceanogr.* 55:2107-2116.
- Stibor H, Vadstein O, Diehl S, Gelzleichter A, Hansen T, Hantzsche F, Katechakis A, Lippert B, Løseth K, Peters C, Roederer W, Sandow M, Sundt-Hansen L, Olsen Y, 2004. Copepods act as a switch between alternative marine trophic cascades in pelagic food webs. *Ecol. Lett.* 7:321-328.
- Straškraba M, Tundisi JG, 1999. Guidelines of lake management: Reservoir water quality management. International Lake Environment Committee Foundation, Shiga.
- Sommer U, Sommer F, 2006. Cladocerans versus copepods: the cause of contrasting top-down controls on freshwater and marine phytoplankton. *Oecologia* 147: 83-194.
- Sommer U, Sommer F, Santer B, Jamieson C, Boersma M, Becker C, Hansen T, 2001. Complementary impact of copepods and cladocerans on phytoplankton. *Ecol. Lett.* 4:545-550.
- Spears BM, Carvalho L, Doney B, May L, 2013. Variation in chlorophyll a to total phosphorus ratio across 94 UK and Irish lakes: Implications for lake management. *J. Environ. Manage.* 115:287-294.
- Taipale S, Kumpala P, Tirola M, Jones RI, 2008. Whole-Lake dissolved inorganic ^{13}C additions reveal seasonal shifts in zooplankton diet. *Ecology* 89:463-474.
- Thornton KW, 1990. Perspectives on reservoir limnology, p. 1-13. In: K.W. Thornton, B.L. Kimmel and F.E. Payne (eds.), *Reservoir limnology: Ecological perspectives*. J. Wiley & Sons, New York.
- Ueda H, Reid JW, 2003. Copepoda: Cyclopoida genera *Mesocyclops* and *Thermocyclops*. Backhuys Publishers, Leiden: 318 pp.
- Vanni MJ, Findlay DL, 1990. Trophic cascades and phytoplankton community structure. *Ecology* 71: 921-937.
- Wang S, Qian X, Han B-P, Wang Q-H, Ding Z-F, 2011. Physical limnology of a typical subtropical reservoir in south China. *Lake and Reserv. Manag.* 27:149-161.
- Wang S, Qian X, Wang Q-H, Xiong W, 2012. Modeling turbidity intrusion processes in flooding season of a canyon-shaped reservoir, South China. *Procedia Environ. Sci.* 13:1327-1337.
- Wilkinson GM, Carpenter SR, Cole JJ, Pace ML, 2014. Use of deep autochthonous resources by zooplankton: Results of a metalimnetic addition of ^{13}C to a small lake. *Limnol. Oceanogr.* 59:986-996.
- Xiao L-J, Wang T, Hu R, Han B-P, Wang S, Qian X, Padisák J, 2011. Succession of phytoplankton functional groups regulated by monsoonal hydrology in a large canyon-shaped reservoir. *Water Res.* 45:5099-5109.
- Zigah PK, Minor EC, Werne JP, Leigh McCallister S, 2012. An isotopic ($\Delta^{14}\text{C}$, $\delta^{13}\text{C}$, and $\delta^{15}\text{N}$) investigation of the composition of particulate organic matter and zooplankton food sources in Lake Superior and across a size-gradient of aquatic systems. *Biogeosciences* 9:3663-3678.