A georeferenced dataset for occurrence records of the phylum Rotifera in Africa

Zacarias Fresno Lopez,[1,2] Tommaso Cancellario,[2,3] Diego Fontaneto,[2,4] Lyudmila Kamburska,[2,4] Karimullah Karimullah,[2] Robert L. Wallace,[5] Elizabeth J. Walsh,[6] Radoslav Smolak[7*]

[1]Department of Earth and Environmental Sciences, University of Milano-Bicocca, Piazza dell'Ateneo Nuovo 1, 20126 Milan, Italy; [2]National Research Council, Water Research Institute (CNR-IRSA), Largo Tonolli 50, 28922 Verbania Pallanza, Italy; [3]Department of Biology, University of the Balearic Islands, Ctra. Valldemossa km 7.5, 07122 Palma, Spain; [4]National Biodiversity Future Center (NBFC), 90133 Palermo, Italy; [5]Department of Biology, Ripon College, 300 W. Seward St., Ripon, WI 54971, USA; [6]Department of Biological Sciences, University of Texas at El Paso, 500 W. University Ave, El Paso, TX 79968, USA; [7]Department of Ecology, Faculty of Humanities and Natural Sciences, University of Presov, Ul. 17. novembra 1, 08001 Presov, Slovakia

ABSTRACT

We report a dataset of all known and published occurrence records of animals of the phylum Rotifera, including Bdelloidea, Monogononta, and Seisonacea (with the exclusion of Acanthocephala) for Africa and surrounding islands and archipelagos. The dataset includes 27,455 records of 957 taxa (subspecies: 39; species: 819; species group: 1; genus: 81; family: 17), gathered from 706 published papers. The published literature spans from 1854 to 2022, with the highest number of records in the decades 1990-1999 and 2010-2019. The African countries with the highest number of taxa are Nigeria, Algeria, South Africa, and the Democratic Republic of the Congo, whereas no records are yet available for a dozen countries. The number of species known from each country can be explained mostly by sampling efforts, measured as the number of papers published for each country up to now. The dataset is available through the Open Science Framework (OSF) and in the Global Biodiversity Information Facility (GBIF).

INTRODUCTION

Because microscopic animals have been assumed to be widely distributed, they have been viewed to possess little biogeographical interest (Artois *et al*., 2011). Yet, in recent times cosmopolitanism has been refuted for micrometazoans; as a result of this new interpretation detailed biogeographic data is needed to improve our understanding of biodiversity across multiple taxa. Yet, except for tardigrades (Mcinnes *et al*., 2017; Michalczyk *et al*., 2022), detailed lists of occurrences for different areas of the world are still lacking for many microscopic taxa.

Since Rousselet's (1909) pronouncement of their cosmopolitan distribution, rotifers have been considered to be biogeographically irrelevant (Dumont, 1983). Further complicating our understanding of rotifer biogeography is the fact that knowledge of their distribution is biased by the distribution of taxonomists studying them (Fontaneto *et al*., 2012) and by the occurrence of species complexes that may blur geographical differences between genetically distinct species, undistinguishable using morphology only (Fontaneto *et al*., 2009; Gilbert and Walsh, 2005; Gomez *et al*., 2002; Kordbacheh *et al*., 2007; Mills *et al*., 2017).

The phylum Rotifera comprises about 2,000 species of microscopic animals living in any type of water, including freshwater, brackish, and marine environments, but also limno-terrestrial habitats such as the thin water layers surrounding mosses, lichens, and soil particles (Wallace *et al*., 2006). Also for rotifers, reviews of occurrence records have been published in the last century: the first example is from Africa (De Ridder, 1986, 1991a), and it was then followed by a similar work for all the world except Africa (De Ridder and Segers, 1997). Recent studies also have focused on smaller regions: e.g. Mexico (Sarma *et al*., 2021), Greece (Stamou *et al*., 2022), and Italy (Fontaneto *et al*., 2022). But few of those studies report datasets of georeferenced records to be used for biogeographical inference: e.g. for Antarctica (Garlasché *et*

Corresponding author: radoslav.smolak@unipo.sk

Key words: Africa; Darwin Core; GBIF; occurrence dataset; rotifers.

Citation: Fresno Lopez Z, Cancellario T, Fontaneto D, et al. A georeferenced dataset for occurrence records of the phylum Rotifera in Africa. *J. Limnol. 2023;82:2116.*

Edited by: Michela Rogora, *National Research Council, Water Research Institute (CNR-IRSA), Verbania Pallanza, Italy.*

Received: 15 December 2022.
Accepted: 23 February 2023.

J. Limnol., 2023; 82(s1):2116
DOI: 10.4081/jlimnol.2023.2116

al., 2020), Africa (Smolak *et al*., 2023), and Italy (Ferrari *et al.*, 2023). The aim of our study is to produce a georeferenced dataset of rotifers on Africa and many of its surrounding islands. Our extensive screening of the published literature allowed us to report 957 taxa from the area and make the dataset freely available online through the Open Science Framework (OSF) and the Global Biodiversity Information Facility (GBIF). The number of known species from Africa increased from the 639 reported in the first review from 1986 (De Ridder, 1986) to the 765 in the most recent compilation in 2022 (Smolak *et al*., 2023). Segers (2008) reported 591 rotifer species (453 Monogononta, 138 Bdelloidea) from the Afrotropical biogeographic region, partially overlapping with the geographic scope of the current review.

Summary statistics

The dataset of known rotifer records in Africa and surrounding islands was built starting from 706 published papers, spanning from 1854 to 2022. The distribution of papers by year reveals 1990-1999 and 2010-2019 as the decades with the highest number of faunistic studies on African rotifers (Fig. 1).

The dataset includes 27,455 records of 957 valid taxa of rotifers: 39 at subspecies, 819 taxa at species, 1 at species group, 81 at genus, and 17 at family level. This detailed literature search increased the number of known rotifer taxa at species, subspecies, form and variety level reported in previous reviews, which were 639 in 1986 (De Ridder, 1986) and 765 in 2022 (Smolak *et al.*, 2023). Of the taxa reported in the current dataset, 167 (18%) are Bdelloidea, 665 (69%) Ploima, 97 (10%) Flosculariaceae, 27 (3%) Collothecacea and one representative of Seisonacea, the marine epizoic rotifer *Seison africanus* Sørensen, Segers & Funch, 2005 described and recorded only from coastal waters of Kenya (Sørensen *et al*., 2005).

The countries with the highest number of taxa and of records are Nigeria, Algeria, South Africa, Democratic Republic of Congo and Egypt, whereas no records are currently known for eight countries of the continent of Africa: Central African Republic, Congo, Djibouti, Gabon, Guinea-Bissau, Liberia, Swaziland, Togo, and four nearby islands: Cape Verde, Mauritius, Mayotte, Sao Tome and Principe (Fig. 2, Tab. 1). The number of species known for each country correlates with the number of papers published for the same region (Fig. 3), supporting the strong effect of sampling bias in the current knowledge on biodiversity and biogeography for rotifers (Dumont, 1983; Fontaneto *et al*., 2012).



Fig. 1. Number of publications mentioning rotifer occurrence records in Africa and surrounding islands from 1854 to 2022 at the rank of subspecies, species, genus, and family.

The dataset is freely available from the Open Science Framework, OSF (link: https://osf.io/p9b7d/): it includes 22 columns reporting metadata and additional information on taxonomy and habitat data (Tab. 2). All 27,455 records of valid subspecies, species, genus, and family level (without *species inquirendae*, *nomina nuda*, and *genera inquirenda*) have been uploaded to the Global Biodiversity Information Facility, GBIF (https://doi.org/10.15468/ve5ygw).

Dataset description

The data were structured based on the Darwin Core standard (Wieczorek *et al.*, 2012). The dataset is structured to have in each row every record of a rotifer taxon from a sample from Africa and surrounding islands, as cited in the literature. The columns report the original and updated taxon name, additional taxonomic information together with origin of the data and habitat (Tab. 2).
Object name: African rotifer records.
Dataset citation: African rotifer records.
Character encoding: UTF-8.
Format name: csv.
Format version: 1.8.
Distribution (permanent link), OSF: https://osf.io/p9b7d/, GBIF: https://www.gbif.org/dataset/218eaa87-c912-4c04-ac24-020ada9c594c
Date of creation: 15 October 2022.
Date of last revision: 20 February 2023.
Date of publication: 13 December 2022.
Update policy: The dataset at OSF cannot be updated, but any new record uploaded in GBIF, uploaded by anyone, will contribute to updating the data on georeferenced records of African rotifers.
Language: English.
Licence of use: both access and use are free to any user. The authors would appreciate users providing a link to the original dataset (OSF: https://osf.io/p9b7d/, GBIF: https://doi.org/10.15468/ve5ygw) or when researchers use the data to cite the present paper. Stakeholders interested in additional information can contact authors *via* the contact information provided in the metadata.
Metadata language: English.
Metadata managers: Diego Fontaneto (diego.fontaneto



Fig. 2. Sampling sites distributed along the African continent and surrounding islands. Shades of grey are proportional to taxon richness (at the rank of subspecies, species, genus, and family) for each country. Purple circles represent georeferenced sampling sites.

@cnr.it), Lyudmila Kamburska (lyudmila.kamburska@irsa.cnr.it), Tommaso Cancellario (tommaso.cancellario@gmail.com).

Management details

Project title: A georeferenced dataset of known African rotifer records.
Database managers: Lyudmila Kamburska, Tommaso Cancellario.
Temporal coverage: the present dataset refers to all the records of rotifers published in the literature until December 2022. The current range spans from 1854 to December 2022.
Record basis: Literature records.
IT specialists: Lyudmila Kamburska, Tommaso Cancellario.

Geographic coverage

Study area: Sites are distributed along the African political countries and surrounding areas (Fig. 1). The data are georeferenced according to WGS 84 datum. Georeferenced information was gathered directly from the published information, when possible. Alternatively, if precise geographic information was reported in the literature, the georeferenced data was inferred with the highest possible precision. In several cases, no georeferenced information is available.
Bounding box: min Longitude: 31.26 – min Latitude: 46.98 – max Longitude: 63.50 – max Latitude: 39.72.
Geographical subdivisions: Records were attributed to the African continent and surrounding islands.
Sampling design: The general strategy was to try to obtain all the published literature records of rotifers known from the African territory, to cover different freshwater, marine, brackish, and limno-terrestrial habitats.
Habitat type: Information on habitat types was gathered from the original literature and reported as such. No attempt to standardise habitat types was performed and the different habitats are reported in the OSF dataset as in the original literature.
Biogeographic region: Afrotropical region, and the southern parts of the Palearctic region.
Country: All African countries for which rotifer records exist (Tab. 1).
Quality control for geographic data: Quality control was performed using Google maps identification of sites, and latitude and longitude coordinates provided in the literature or inferred from it. Geographic coordinate format, coordinates within country boundaries, and absence of ASCII anomalous characters in the dataset were additionally controlled.

Literature search

General description: The information on occurrence records of rotifer species at each site comes from published scientific papers, as well as grey literature such as theses and notes in technical reports from local authorities.



Fig. 3. Correlation plot between number of published papers and rotifer taxon richness for each African country.

Tab. 1. List of references reporting records of rotifers at the rank of subspecies, species, genus, and family, divided by country or islands, sorted alphabetically. References are in alphabetical order within each geographical unit.

Country	Reference
Algeria	Beadle, 1943; Bouazzara *et al*., 2021; Cherbi *et al.*, 2008; D'Hondt, 1974; De Ridder, 1987a, 1991b; Djezzar *et al.*, 2014; Gauthier, 1928; Gurney, 1908; Haimaidi-Chergui *et al*., 2013; Hamaidi *et al*., 2008; Hamil *et al*., 2021, 2022; Samraoui *et al*., 1998; Segers, 1995; Seurat, 1930; Smaoune *et al*., 2021
Angola	Kalous *et al*., 2009
Azores	Barrois, 1887, 1896; Barrois and von Daday, 1894; Bērziņš, 1973; de Guerne, 1888; De Ridder, 1991a; Fontaneto *et al*., 2021; Jörger *et al*., 2021; Richard, 1896
Benin	Adamou *et al.*, 2022; Adandedjan *et al*., 2017; Akélé *et al*., 2022; Elegbe *et al*., 2016, 2017; Houssou, 2012; Houssou *et al*., 2015, 2016, 2018, 2020
Botswana	Brain *et al*., 1995; Green, 2003; Hart, 1997; West, 2016; West and van As, 2021
Burkina Faso	De Ridder, 1985b; Ouéda *et al*., 2007, 2017; Ouedraogo *et al*., 2015
Burundi	Baribwegure and Segers, 2000, 2001; Buhungu *et al*., 2019a, 2019b, 2020, 2021; Gillard, 1957; Segers, 1995; Segers and Baribwegure, 1996
Cameroon	Akum *et al*., 2001; Chiambeng *et al*., 1991, 1994, 2004; Corbet *et al*., 1973; Dakwen *et al*., 2019; Essomba *et al*., 2021; Green, 1972b; Green *et al*., 1974; Kling, 1987; Mogue *et al.*, 2022; Nana *et al*., 2018; Onana *et al*., 2014; Pouomogne *et al*., 2022; Prudence *et al*., 2015; Segers, 1995; Segers and Mertens, 1997; Tchapgnouo *et al*., 2012, 2021; Zébazé Togouet *et al*., 2005, 2006, 2009
Canary Islands	Martinez *et al.*, 2019; Velasco, 1990
Chad	Burgis and Symoens, 1987; De Ridder, 1987a, 1991b; Gras *et al*., 1967; Iltis and Riou-Duwat, 1971; Pourriot, 1968, 1971; Pourriot *et al*., 1967; Robinson and Robinson, 1971; Saint-Jean, 1983; Segers, 1995; Tahir *et al*., 2020
Comoros	Leboulanger *et al*., 2011; Segers, 1992
Democratic Republic of the Congo	Baribwegure and Segers, 2001; Darchambeau *et al*., 2012; De Beauchamp, 1932a, 1939; De Ridder, 1981, 1987a, 1991a; De Smet, 1988, 1989, 1990; De Smet and Bafort, 1992; Evens, 1947, 1949; Gillard, 1952a, 1952b, 1957, 1959; Green, 1967; Isumbisho Mwapu, 2006; Kondo and Hori, 1986; Lehman *et al.*, 1998; Luo and Segers, 2013, 2020; Magis, 1967; Reyntjens, 1982; Segers, 1995; Van Oye, 1926a, 1926b; Wulfert, 1965; Zanga *et al*., 2022
Egypt	Abdel Aziz, 2002, 2005; Abdel Aziz and Aboul Ezz, 2004; Abdel Aziz and Gharib, 2006; Abdel Aziz *et al.*, 2011; Abdel-Aziz, 2000; Abdel-Aziz and Aboul-Ezz, 2003; Abdel-Aziz and Dorgham, 2001; Abdel-Malek and Ishak, 1980; Abo-Taleb, 2014, 2017; Aboul Ezz *et al.*, 2014; Ahmed, 1994; Ahmed *et al*., 2017; Ali, 2008; Alprol *et al.*, 2021; Barrois and von Daday, 1894; Burgis and Symoens, 1987; Crul and Roest, 1995; Daday, 1910; De Ridder, 1987a; Dumont and El Shabrawy, 2008; El-Bassat, 2008; El-Bassat and Taylor, 2007; El-Damhogy *et al.*, 2016; El-Feky, 2017; El-Gindy *et al*., 2008; El-Maghraby *et al*., 1963; El-Naggar, 2015; El-Otify and Iskaros, 2015, 2018; El-Serafy *et al*., 2009; El-Shabrawy, 2000, 2001, 2006, 2009; El-Shabrawy and Bek, 2018; El-Shabrawy and Dumont, 2003, 2009; El-Shabrawy and Germoush, 2014; El-Shabrawy and Gohar, 2008; El-Shabrawy *et al*., 2015, 2017; El-Tohamy, 2015; El-Tohamy and Abdel-Baki, 2019; El-Tohamy *et al*., 2017, 2018; Elfeky and Sayed, 2014; Fishar *et al.,* 2019; Fouda *et al*., 1987; Guerguess, 1993; Hassan *et al*., 2017; Hauer, 1963; Hegab *et al*., 2020; Helal, 1981; Helal, 2006; Heneash, 2015; Heneash *et al*., 2015; Iskaros *et al*., 2008; Khalifa, 2014; Khalifa and Bendary, 2016; Khalifa and El-Hady, 2010; Khalifa and Mageed, 2002; Khalifa and Sabae, 2012, 2013; Khalifa *et al*., 2015; Khalil, 1990; Klimowicz, 1961a, 1961b, 1962; Mageed, 1992, 1995, 2000, 2005, 2006, 2007a, 2007b; Mageed and Heikal, 2006; Mageed and Konsowa, 2002; McLaren, 1982; Mohammad *et al.*, 2021; Mola, 2011; Mola and Ahmed, 2015; Mola and El-Rashid, 2012; Mola *et al.*, 2018; Obuid-Allah *et al*., 2016; Ramdani *et al*., 2001; Rashid, 1995; Saad *et al.*, 2013; Salem, 2021; Salem and Mageed, 2021; Schmarda, 1854; Sellami *et al.*, 2008; Segers, 1995; Shaltou and Khalil, 2005; Sleem and Hassan, 2010; Soliman, 2006; Wawrik, 1966; Zaghloul, 1985, 1988; Zakaria, 2007; Zakaria and El-Naggar, 2019; Zakaria *et al*., 2007a, 2007b, 2019a, 2019b, 2019c
Equatorial Guinea	Schabetsberger *et al*., 2004
Eritrea	De Ridder, 1984a
Ethiopia	Abera Hirpo, 2021; Ahlstrom, 1940; Akoma, 2010; Akoma *et al*., 2014; Anamunda, 2015; Assefa, 2009; Assefa and Mengistou, 2011; Beyene *et al*., 2022; Brunelli and Cannicci, 1940, 1941; Bryce, 1931; Burgis and Symoens, 1987; Dagne, 2004, 2010; Dagne and Tadesse, 2021; Dagne *et al*., 2008; De Ridder, 1987a, 1991a; Degefu and Schagerl, 2015; Degefu *et al*., 2014; Enawgaw and Lemma, 2018; Fasil *et al*., 2011; Fetahi, 2010; Fetahi and Mengistou, 2012; Fetahi *et al*., 2011; Gebrehiwot, 2020; Getnet *et al*., 2020; Girma, 2011; Tamire, 2006; Green, 1986; Green and Mengestou, 1991; Haileselasie *et al*., 2012; Imoobe and Akoma, 2008; Imoobe and Christopher, 2010; Kahsay *et al*., 2022; Krylov *et al*., 2020a, 2020b; Lemma, 2003a, 2003b; Melack, 1983; Mengestou *et al*., 1991; Mengistou, 2016; Mequanent *et al*., 2022; Merga *et al*., 2020; Mesfin *et al*., 1988; Negassa and Prabu, 2008; Pattnaik, 2014, 2015; Schagerl and Burian, 2016; Segers, 1995; Sendek and Aynalem, 2020; Tamire and Mengistou, 2013; Tariku *et al*., 1997; Wagaw *et al*., 2019, 2022; Wodajo and Belay, 1984; Wondie and Mengistou, 2012; Wondie and Mengistu, 2017
Gambia	Bērziņš, 1957; Segers, 1995
Ghana	De Ridder, 1985b, 1991a; Obeng, 1973; Obeng-Asamoa, 1977; Russell, 1956; Sanful *et al*., 2013, 2017
Guinea	De Ridder, 1991a; Koste and Tobias, 1989

To be continued on next page

Tab. 1. Continued from previous page.

Country	Reference
Ivory Coast	Aka *et al*., 2000, 2016; Arfi et al., 1987; Augustin *et al*., 2018; Berté *et al*., 2019; De Beauchamp, 1955; De Ridder, 1984b, 1985b, 1991a; De Ridder and Pourriot, 1984; Diomandé *et al*., 2018; Etilé *et al*., 2009, 2015; Fofana *et al*., 2019, 2020; Monney *et al*., 2015, 2016; N'da *et al.*, 2015; Pagano *et al.*, 2003; Rahm, 1964; Saint-Jean and Pagano, 1987; Soro *et al*., 2019; Yao *et al*., 2015; Yte *et al*., 1983
Kenya	Ahlstrom, 1940; Beadle, 1932; Brunelli and Cannicci, 1940, 1941; Burian, 2010; Burian *et al*., 2013, 2014, 2016; Burgis and Symoens, 1987; Chemoiwa *et al*., 2015; De Beauchamp, 1932a, 1932b; De Ridder, 1987a, 1991a; Epp *et al*., 2010; Finlay *et al*., 1987; Gichuki *et al*., 2006; Gophen, 2015; Gophen *et al*., 1995; Källqvist and Meadows, 1978; Kiggundu *et al*., 2020; Masai *et al*., 2006; Matagi, 2004; Mavuti, 1990, 1992; Mavuti and Litterick, 1980, 1991; Mbogo, 2002; Mengistou, 2016; Meremo *et al*., 2022; Milbrink, 1977; Mills *et al*., 2017; Mironga *et al*., 2014; Murray, 1911c; Mutune *et al*., 2006; Mwashote and Shimbira, 1994; Mwebaza-Ndawula *et al*., 2004; Mwirigi *et al*., 2005; Nogrady, 1983; Ogello *et al*., 2016; Omondi *et al*., 2011; Ong'ondo *et al*., 2013; Owili, 1999; Owili *et al*., 2006; Oyoo-Okoth *et al*., 2011; Okuku *et al.*, 2016; Pejler, 1974; Raini, 2006; Sørensen *et al*., 2005; Schagerl and Burian, 2016; Segers, 1995; Segers *et al*., 1994; Smolak and Walsh, 2022; Stelzer *et al*., 2011; Thomasson, 1965; Uku and Mavuti, 1994; Vareschi, 1978; Vareschi and Jacobs, 1984; Vareschi and Vareschi, 1984; Wakwabi *et al*., 2006; Worthington and Ricardo, 1936
Lesotho	Green, 2001
Libya	Khan, 2010a; Khan and Zarmouh, 1989; Manfredi, 1939
Madagascar	Bērziņš, 1960, 1982; Burgis and Symoens, 1987; Koste, 1996b; Murray, 1908, 1911c; Schabetsberger *et al*., 2009, 2013; Segers, 1992, 1994, 1995, 1996
Madeira	Velasco, 1990
Malawi	Burgis and Symoens, 1987; Daday, 1907; De Ridder, 1987a; Hall et al., 1976; Kalk, 1979a, 1979b; Kalk and Schulten-Senden, 1970; Rousselet, 1910; Segers, 1995
Mali	De Ridder, 1987a, 1991a, 1992; Koste and Tobias, 1987, 1989
Mauritania	Coussement and Dumont, 1980; De Ridder, 1987b, 1991a; Sako, 2017; Sako *et al.*, 2019; Segers, 1995
Morocco	Badsi *et al*., 2010; Coussement and Dumont, 1980; Dumont *et al*., 1973; Gee and Duigan, 1993; Ramdani *et al*., 2001; Segers, 1995
Mozambique	Hall *et al*., 1976; Hutchinson *et al*., 1932; Segers, 1995
Namibia	Brain and Koste, 1993; Foissner *et al*., 2002; Koste, 1996a; Rayner *et al*., 1995; Segers, 1995; West, 2016
Niger	Dumont, 2019; Souley Adamou *et al*., 2021, 2022
Nigeria	Abdul *et al*., 2016; Abubakar and Abubakar, 2013; Adadu *et al*., 2019; Adebayo and Ayoade, 2019; Adebayo *et al*., 2021; Adedeji and Adeniyi, 2006; Adedeji *et al*., 2013, 2017, 2019; Adelayo and Ifeanyi, 2019; Adeniyi and Adedeji, 2007; Adeniyi *et al*., 2020; Adesalu *et al*., 2015; Adewumi *et al*., 2012; Adeyemi *et al*., 2009; Adeyemi-Ale *et al*., 2014; Adukwu *et al.*, 2019; Agouru and Audu, 2012; Ajah, 2013; Ajani, 2010; Akin-Oriola, 2003; Akinbuwa and Adeniyi, 1991, 1996; Akindele, 2013; Akindele and Adeniyi, 2013a, 2013b; Akindele and Olutona, 2014; Alagoa *et al*., 2015, 2019; Anago *et al.*, 2013; Anadu *et al*., 1990; Anyanwu *et al*., 2013; 2020, 2021a, 2021b, 2022; Arazu and Ogbeibu, 2017; Arimoro and Oganah, 2010; Asibor and Adeniyi, 2022; Atobatele *et al*., 2007; Ayoade and Aderogba, 2020; Ayodele and Adeniyi, 2006; Bako and Blarabe, 2006; Balogun and Ajani, 2021; Balogun *et al*., 2005; Bamaiyi *et al.*, 2021; Barau *et al*., 2020; Bolawa *et al*., 2018; Bonjoru *et al*., 2020; Bwala *et al.*, 2010; Chris and Amaewhule, 2022; Chukwuka and Uka, 2007; Clarke, 1978; Clarke *et al*., 2013; Damilola, 2013; Dauda *et al*., 2022; Davies, 2009; Davies and Otene, 2009; Davies *et al*., 2009a, 2009b; De Ridder, 1987a, 1991a; Dimowo, 2013; Dirisu *et al*., 2019; Donner and Adeniji, 1977; Echoke *et al.*, 2018; Edegbene *et al*., 2022; Edema *et al*., 2002; Edward and Ugwumba, 2010; Egborge, 1981, 1994; Egborge and Chigbu, 1988; Egborge and Ogbekene, 1986; Egborge and Sagay, 1979; Egborge and Tawari, 1987; Ekpo, 2013; Ekpo *et al*., 2015, 2020, 2022; Ekwu and Sikoki, 2005; Emmanuel and Onyema, 2007; Erhenhi and Omoigberale, 2019; Esenowo *et al*., 2017; Evulobi *et al.*, 2017; Eyo *et al*., 2013; Ezekiel *et al.*, 2011; Fafioye and Omoyinmi, 2006; Green, 1960, 1972a, 1987; Hassan *et al*., 2019; Holden and Green, 1960; Ibemenuga, 2020; Ibrahim, 2009; Ibrahim and Abdullahi, 2008; Ikhuoriah *et al*., 2015; Ikomi *et al*., 2010; Iloba, 2017, 2019; Iloba and Akawo, 2013; Iloba and Arebun, 2020; Iloba and Egborge, 2002; Iloba and Ruejoma, 2014; Imam *et al*., 2011; Imevbore, 1967; Imoobe, 2011a, 2011b; Imoobe and Adeyinka, 2009; Isibor, 2017; James and Ajah, 2021; Jeje and Fernando, 1992; Jonah *et al*., 2020a, 2020b; Joshua *et al*., 2018; Kennie *et al.*, 2017; Khan, 2010b; Khan and Agugo, 1990; Khan and Ejike, 1984; Kigbu *et al.*, 2017; Kolo *et al*., 2010; Kutama *et al*., 2014; Kwen *et al*., 2019; Lawal *et al*., 2016; Maria *et al*., 2022; Mohammed *et al*., 2016, 2019; Murray, 1908; Musa *et al*., 2021; Mustapha, 2009, 2010; Nafi'u and Ibrahim, 2017; Nkwoji *et al*., 2010; Nwabueze, 2015; Nwamaka *et al*., 2016; Nwinyimagu *et al*., 2021; Nwonumara and Idumah, 2019, 2022; Nwonumara and Okogwu, 2013; Nwosu *et al.*, 2013; Obialor and Antai, 2022; Obot *et al*., 2020; Offem *et al*., 2009, 2011; Ogamba *et al*., 2017, 2019; Ogbeibu and Edutie, 2002; Ogbeibu and Osokpor, 2021; Ogbuagu and Ayoade, 2012a, 2012b; Okogwu, 2010; Okogwu and Nwani, 2009; Okogwu and Ugwumba, 2006; Okogwu *et al*., 2010; Okorafor *et al*., 2013; Olaleye and Adedeji, 2005; Olasehinde and Abeke, 2012; Omoboye *et al.*, 2022; Omoigberale and Aikhuele, 2011; Omoigberale and Oransaye, 2011; Omoregie, 2017; Onwudinjo and Egborge, 1994; Onyema and Ojo, 2008; Oparaku *et al*., 2022; Oriakpono, 2018; Otene *et al*., 2019; Ovie and Adeniji, 1994; Ovie and Sarma, 1993; Ovie *et al*., 2011; Rabiu *et al.*, 2011; Segers, 1993, 1995, 1996; Segers *et al*., 1993; Shayebi *et al*., 2020; Solomon *et al*., 2009; Stephen *et al*., 2011; Suleiman *et al.*, 2021; Taiwo, 2014; Tusayi *et al*., 2020; Uka *et al*., 2007; Ukaonu *et al.*, 2017; Usman, 2015; Wanganeo and Kumar, 2020; Wulfert, 1965; Yakup *et al*., 2012; Zabbey *et al*., 2008

To be continued on next page

Tab. 1. Continued from previous page.

Country	Reference
Réunion	De Smet, 2006
Rwanda	Ahlstrom, 1940; Damas, 1955; De Beauchamp, 1939; Dumont, 1986; Gillard, 1959; Isumbisho *et al*., 2006; Isumbisho Mwapu, 2006
Senegal	Bērziņš, 1959; De Ridder, 1983, 1985a, 1987a, 1987b; Kâ et al., 2006, 2011; Segers, 1995
Seychelles	De Ridder, 1991a; Gerlach, 2011; Maas *et al*., 1994; Segers, 1995
Sierra Leone	Burgis and Symoens, 1987; De Ridder, 1987a; Green, 1979; Segers, 1995
Somalia	Dumont *et al*., 1994
South Africa	Ahlstrom, 1940, 1943; Bird *et al*., 2019; Brain *et al*., 1995; Burgis and Symoens, 1987; Carrasco and Perissinotto, 2012, 2015; Combrink, 1994; De Ridder, 1984c, 1987a, 1991a; Harding and Wright, 1999; Harding *et al*., 2012; Harrison, 1962; Harrison *et al*., 1960; Huber-Pestalozzi, 1929; Hutchinson, 1931; Hutchinson *et al*., 1932; Jarvis, 1987; Jerling, 2005; Kirkman, 1901, 1906; Martin and Cyrus, 1991; Milne, 1916; Mofu *et al*., 2021; Murray, 1911a, 1911b, 1911c, 1911d; Perissinotto, 1989; Riato *et al*., 2014; Robarts *et al*., 1994; Rousselet, 1906; Sartory, 1981a, 1981b; Scharler *et al*., 2020; Schuurman, 1932; Seaman, 1977; Seaman *et al*., 1991; Stegmann *et al*., 1981
South Sudan	Burgis and Symoens, 1987; De Ridder, 1984a; Green, 1984; Green *et al*., 1979; Monakov, 1969
Sudan	Abdellatif *et al*., 1993; Abu Gideiri, 1969a, 1969b; Abu Gideiri and Ali, 1975; Abu Gideiri and Yousif, 1974; Bērziņš, 1956; De Ridder, 1981, 1984a, 1987a, 1989, 1991a; El Moghraby, 1972, 1977; Green *et al*., 1984; Hanna and Schiemer, 1993; Kiggundu *et al*., 2020; Löffler, 1963; Salem and Mageed, 2021; Tailing and Rzoska, 1967
Tanzania	Ahlstrom, 1940; Bailey *et al*., 1978; Chande, 2007; Collin, 1897; Cunnington, 1920; Daday, 1907; De Ridder, 1991a; De Smet and Bafort, 1990; Fontaneto *et al*., 2007; Gillard, 1957; Hamisi *et al*., 2017; Katunzi *et al*., 2017; Mwebaza-Ndawula *et al*., 2004; Narita *et al*., 1986; Ngupula *et al*., 2010; Ngupula, 2013; Rousselet, 1910; Segers, 1995; Segers *et al*., 1996; Thomasson, 1965; Wakwabi *et al*., 2006; Waya, 2001, 2004; Waya and Chande, 2004; Waya and Mwambungu, 2004; Waya *et al*., 2017
Tunisia	De Ridder, 1984c; Gómez *et al*., 2002; Gauthier, 1928; Mills *et al*., 2017; Ramdani *et al*., 2001; Sellami *et al*., 2008, 2009, 2010, 2011, 2012, 2016
Uganda	Burgis, 1969, 1971; Burgis and Symoens, 1987; Collin, 1898; De Beauchamp, 1932a, 1939; De Ridder, 1991a; Dunn *et al*., 1969; Green, 1965, 1967, 1972b, 1976, 1987; Jackson, 2004; Kiggundu *et al*., 2012, 2020; Kizito, 1998; Kizito and Nauwerck, 1995; Magezi *et al*., 2012; Murray, 1908, 1911c; Mwebaza-Ndawula *et al*., 2001, 2004, 2005a, 2005b; Ndawula and Kiggundu, 2000; Ndawula *et al*., 2000; Nkambo *et al*., 2015; Ogutu-Ohwayo and Ndawula, 2000; Pejler, 1974; Ricci, 1980; Rousselet, 1910; Segers, 1995; Ssanyu *et al*., 2011; Thomasson, 1955; Tibihika *et al*., 2016; Wakwabi *et al*., 2006; Waya and Chande, 2004; Worthington and Ricardo, 1936
Western Sahara	Dumont and Coussement, 1976
Zambia	Anamunda and Lamtane, 2022; De Ridder, 1981, 1987a; Gillard, 1957; Hall *et al*., 1976; Kondo *et al*., 1997; Rousselet, 1906; Segers, 1995; Thomasson, 1960, 1965, 1980; Wulfert, 1965
Zimbabwe	Anusa *et al*., 2012; Basima, 2005; Basima *et al*., 2006; Bird *et al*., 2019; De Ridder, 1984c, 1991a; Dalu *et al*., 2013; Elenbaas and Grundel, 1994; Green, 1985, 1987, 1990; Huber-Pestalozzi, 1929; Magadza, 1980; Marshall, 1997; Masundire, 1989, 1992; Mhlanga *et al*., 2017, 2020; Msiteli-Shumba *et al*., 2017; Munro, 1966; Ndebele-Murisa, 2011; Nhiwatiwa and Marshall, 2007; Rousselet, 1906; Segers, 1995; Shumba, 2018; Thomasson, 1965, 1980; Utete *et al*., 2017; Vanschoenwinkel, 2011

Literature search methods: All relevant literature was obtained first by searching through search engines (Google Scholar, Scopus, Web of Science, Zoological Records) with combinations of keywords to identify the target organisms, such as rotifer* or rotatoria or monogonont* or bdelloid* or seison*, and a combination of geographic targets, such as Africa* or the name of all African countries and surrounding islands and archipelagos, including names of former historical countries not existing anymore. Additional references were searched through the grey literature with online searches outside the academic databases. All of the literature found as outcome of these searches was screened for records, and the additional references cited in them were searched and screened too. We do not claim that the checklist is absolutely complete, but that it is the best we could do. The dynamic nature of the GBIF portal online will allow including potentially overlooked records whenever they become available.

Literature list: Of 765 papers found by the literature search, only 706 references contained records of rotifers at least at the family level (Tab. 1). The records reported in four reviews, for the continent (De Ridder, 1986; Dumont, 1983; Smolak *et al.*, 2023) and for a smaller area (Gondwe *et al.*, 2021), were not included, given that they would represent only duplicate records, having gathered data from previous studies already included in our dataset. Unfortunately, we did not have access to 109 papers (Supplementary File SF1) and thus we could not code the data they contained: adding data from these papers may still change the picture of known diversity in Africa and sur-

rounding islands. The other 55 papers mentioned rotifers from Africa, but only at higher taxonomic ranks (Supplementary File SF2).
The literature search was completed with papers published until December 2022.
Quality control for literature data: The search for additional literature was considered completed when no new references could be found in the reference list of the screened papers.

Taxonomic coverage

General description: The dataset covers only animals of the phylum Rotifera in its traditional meaning, with the exclusion of Acanthocephala (Fontaneto and Plewka, 2021).
Taxonomic ranks: Data from variety and subspecies levels to species, genus, and family rank were included in the dataset, whereas records mentioning only higher ranks (e.g., Ploima, Bdelloidea, Monogononta, Rotifera) were excluded.
Taxonomic methods: All names reported in the published literature were included and reported in the column 'originalName'. Given the continuous changes in biological nomenclature (Minelli, 1995), all names were updated to the currently accepted nomenclature, following the Rotifer List of Available Names, LAN (Segers *et al*., 2012), for all scientific names published before year 2000, whereas no update was performed for all scientific names published after that year. For these, we followed the nomenclature of the Rotifer World Catalog (Jersabek and Leitner, 2013). All valid names were updated in the column 'acceptedName' for taxa at species, genus and family level. All *species inquirendae*, *nomina nuda*, and *genera inquirenda* were reported as such in the complete dataset in OSF, but they were not included in the records uploaded to GBIF. The rotifer LAN stabilised nomenclature by performing revision of names with synonyms and delimitation of genera (Segers *et al.*, 2012). All names were also checked against the backbone of GBIF. The dataset we uploaded in GBIF uses only the updated nomenclature, with no mention of the original names reported in the published literature.
Taxon specialists: Diego Fontaneto, Radoslav Smolak, Robert L. Wallace, Elizabeth J. Walsh.
Quality control for taxonomic data: Nomenclature validation and cleaning were based on the rotifer LAN for ac-

Tab. 2. Description of the dataset available in OSF with specific information for each column, relative to definitions, units and storage.

Attribute	Column_name	Description	Units	Attribute Type
ID	ID	Unique number corresponding to specific occurrence		Integer
Kingdom	kingdom	Taxonomic rank below Domain		Text
Phylum	phylum	Taxonomic rank below Kingdom		Text
Class	class	Taxonomic rank below Phylum		Text
Order	order	Taxonomic rank below Class		Text
Family	family	Taxonomic rank below Order		Text
Genus	genus	Taxonomic rank below Family and first element in the Latin binomial name		Text
Specific epithet	specificEpithet	Second element in the Latin binomial name		Text
Infraspecific epithet	infraspecificEpithet	Third element in the Latin trinomial name		Text
Original species name	speciesOriginal	Species name retrieved in the original work		Text
Accepted name	acceptedName	Reviewed species name		Text
Accepted author name	acceptedAuthor	Accepted author associated with "Accepted Name"		Text
Scientific name	scientificName	Binomial nomenclature and authorship		Text
Taxonomic rank	taxonRank	Taxonomic rank information (e.g., genus, species)		Text
Latitude	latitude	Coordinate that specifies the N–S position of a point on the Earth surface	Decimal degrees, WGS84	Numeric
Longitude	longitude	Coordinate that specifies the E–W position of a point on the Earth surface	Decimal degrees, WGS84	Numeric
Administrative country	country	Administrative country		Text
Locality	locality	Particular area where the taxon was found		Text
Habitat	habitat	Habitat where the taxon was found		Text
Reference	reference	Short reference		Text
Administrative country	ADM0_NAME	Standardised administrative country		Text
Continent	Continent	Continent (Africa, Europe)		Text

cepted species and genus names (Segers *et al.*, 2012), on Rotifer World Catalog (Jersabek and Leitner, 2013), and on the taxonomic backbone of GBIF.

Data and code availability

All data and code are available at OSF: https://osf.io/p9b7d/
All data for valid taxa are available at GBIF: https://doi.org/10.15468/ve5ygw

ACKNOWLEDGMENTS

We are greatly indebted to all the people who published rotifer records from Africa and surrounding islands and contributed to increase the knowledge on this group of animals in the area. We also thank all the colleagues who provided us with the literature that we could not access. We acknowledge the push that the GBIF call for datasets in freshwater biodiversity gave us to finalise the dataset and in particular we thank Andrea Hahn for facilitating and uploading the data into GBIF. Funding was provided in part by the U.S. National Science Foundation, Division of Environmental Biology (2051704 to E.J.W., 2051710 to R.L.W.); by Funds for Faculty Development, Ripon College to R.L.W.; by the Slovak Scientific Grant Agency (VEGA-1/0012/20 to R.S.); by the Italian Ministry of University and Research for the National Biodiversity Future Center (NBFC), PNRR, Missione 4 Componente 2, "Dalla ricerca all'impresa", Investimento 1.4, Project CN00000033 to D.F. and L.K.

REFERENCES

Abdel Aziz NE, 2002. Impact of water circulation and discharged wastes on zooplankton dynamics in the Western Harbour of Alexandria, Egypt. Egypt. J. Aquat. Biol. & Fish. 6:1-21.

Abdel Aziz NE, 2005. Short term variations of zooplankton community in the West Naubaria canal, Alexandria, Egypt. J. Aquat. Res. 31:119-131.

Abdel Aziz NE, Aboul Ezz SM, 2004. The structure of zooplankton community in Lake Maryout, Alexandria, Egypt. Egypt. J. Aquat. Res. 30:160-170.

Abdel Aziz NE, Aboul Ezz SM, Abou Zaid MM, Abo Taleb HA, 2011. Temporal and spatial dynamics of rotifers in the Rosetta Estuary, Egypt. Egypt. J. Aquat. Res. 37:59-70.

Abdel Aziz NE, Gharib SM, 2006. The interaction between phytoplankton and zooplankton in a Lake-Sea connection, Alexandria, Egypt. Int. J. Oceans Oceanogr. 1:151-165.

Abdel-Aziz NE, 2000. Zooplankton dynamics and ecology of an eutrophic area, Egypt. Arab. Gulf J. Sci. Res. 18:110-121.

Abdel-Aziz NE, Aboul-Ezz SM, 2003. Zooplankton community of the Egyptian Mediterranean coast. Egypt. J. Aquat. Biol. Fish. 7:91-108.

Abdel-Aziz NE, Dorgham MM, 2001. Rotifers as indicators of land-based effluents in the Mediterranean coastal waters of Egypt. Egypt. J. Aquat. Biol. Fish. 5:187-203.

Abdellatif EM, Ali OM, Khalil IF, Nyonje BM, 1993. Effects of sewage disposal into the White Nile on the plankton community. Hydrobiologia 259:195-201.

Abdel-Malek SA, 1980. Food and feeding relationship between fishes in Lake Qarun. J. Ichthyol. 20:72-276.

Abdul WO, Adekoya EO, Ademolu KO, Omoniyi IT, Odulate DO, Akindokun TE, Olajide AE, 2016. The effects of environmental parameters on zooplankton assemblages in tropical coastal estuary, South-west, Nigeria. Egypt. J. Aquat. Res. 42:281-287.

Abera Hirpo L, 2021. Assessment of limnological parameters, fish species composition and gear selectivity in Belbella Reservoir. Afr. J. Fish. Sci. 9:001-006.

Abo-Taleb H, 2014. Zooplankton in the Mediterranean Sea and River Nile, Egypt. Lambert Academic Publishing pp. 190.

Abo-Taleb HA, Shaban WM, Hellal AM, Sboul Ezz SM, Sharaf MB, 2017. Assessing the ecological status of Edku Lake by using Rotifera as bio-indicators. Al Azhar Bull. Sci. 9:235-249.

Aboul Ezz SM, Abdel Aziz NE, Abou Zaid MM, El Raey M, Abo-Taleb HA, 2014. Environmental assessment of El-Mex Bay, Southeastern Mediterranean by using Rotifera as a plankton bio-indicator. Egypt. J. Aquat. Res. 40:43-57.

Abu Gideiri YB, 1969a. The development and distribution of plankton in the Northern part of the White Nile. Hydrobiologia 33:369-378.

Abu Gideiri YB, 1969b. Observations on zooplankton distribution at the 'Mogran', Khartoum. Rev. Zool. Bot. Afr. 79:207-212.

Abu Gideiri YB, Ali MT, 1975. A preliminary biological survey of Lake Nubia. Hydrobiologia 46:535-541.

Abu Gideiri YB, Yousif AM, 1974. The influence of *Eichhornia crassipes* Solm. on planktonic development in the White Nile. Arch. Hydrobiol. 74:463-467.

Abubakar MM, Abubakar JY, 2013. Some aspects of the limnology of Nguru lake, northeastern Nigeria. Int. J. Basic Appl. Sci. 2:140-144.

Adadu MO, Garba AA, Yusufu II, 2019. Seasonal variation in macroinvertebrate community of river Okpokwu. Int. J. Fish. Aquat. 7:182-189.

Adandedjan D, Makponse E, Hinvi LC, Laleye P, 2017. Preliminary data on the diversity of the zooplankton of Lake Nokoue (South Benin). J. Appl. Biosci. 115:11476-11489.

Adebayo AT, Adewole HA, Akindele EO, Olaleye VF, 2021. Planktonic flora and fauna of Opa Reservoir wetlands, Obafemi Awolowo University, Ile-Ife, Nigeria. J. Basic Appl. Zool. 82:1-10.

Adebayo E, Ayoade A, 2019. Ecological assessment of Itapaji Reservoir status in Itapaji using plankton assemblage. Ethiop. J. Environ. Stud. Manag. 12:13-31.

Adedeji A, Adeniyi IF, 2006. The Rotifera Fauna of Waterbodies in The Gongola River Drainage Basin, Nigeria. Sci. Focus 11:66-71.

Adedeji AA, Adedeji IF, Masundire H, 2013. Zooplankton abundance and diversity of fishponds exposed to different management practices. Int. J. Biol. Chem. Sci. 7:631-640.

Adedeji AA, Adesakin TA, Oni TM, Oyebamiji SP, Olowogboyega VT, 2019. Spatio-temporal distribution, abundance and diversity of zooplankton community structure in River Shasha, Southwestern Nigeria. WNOFNS 24:299-321.

Adedeji AA, Olajide JS, Aluko TI, Muhibbu-Din IO, 2017. Plank-

ton Abundance and Physico-chemical Water Quality of Effluent Impacted Waterbodies in Ile-Ife, Nigeria. Not. Sci. Biol. 9:169-176.

Adelayo AA, Ifeanyi OE, 2019. Spatio-Temporal Distribution and Abundance of Zooplankton Fauna of Ede-Erinle Reservoir. Int. J. Sci. Res. Publ. 9:975-986.

Adeniyi AO, Akinwole AO, Abiodun-Solanke AO, Oshoke JO, 2020. The Zooplankton diversity of the Lower River Niger at Agenebode, Edo State. Nigeria. Niger. J. Fish. 7:1823-1828.

Adeniyi IF, Adedeji AA, 2007. The Rotifera Fauna Of Gongola River Basin, Northeast Nigeria. Ife J. Sci. Technol. 9:1-15.

Adesalu TA, Kunrunmi OA, Lawal MO, 2015. Plankton and Microbenthos Communities of Freshwater Habitats in Kogi State, North-Central Nigeria. Centrepoint J. 21:35-53.

Adewumi AA, Adedeji AA, Agunbiade RO, 2012. Zooplankton-fish relationships in Isinla fish farm, Ado-Ekiti, Nigeria. Eur. J. Sci. Res. 83:84-90.

Adeyemi SO, Adikwu IA, Akombu PM, Iyela JT, 2009. Survey of Zooplanktons and Macro-Invertebrates of Gbedikere Lake, Bassa Local Government Area, Kogi State Nigeria. IJOTAFS 3:274-278.

Adeyemi-Ale OA, Aladesida AA, Esenowo IK, 2014. The effect of detergent effluent on the physico-chemical characteristics and plankton diversity of Osere Stream, Ilorin, Kwara State, Nigeria. J. Appl. Sci. Environ. Manage. 18:99-103.

Agouru CU, Audu G, 2012. Studies on the Range of Plankton in River Benue, North Central, Nigeria, Western Africa. Greener J. Biol. Sci. 2:028-034.

Ahlstrom EH, 1940. A Revision of the Rotatorinan Genera *Brachionus* and *Platyias* with Descriptions of One New Species and Two New Varieties. Bull. Am. Mus. Nat. Hist. 128:143-184.

Ahlstrom EH, 1943. A revision of the rotatorian genus *Keratella*, with descriptions of three new species and five new varieties. Bull. Am. Mus. Nat. Hist. 130:411-457.

Ahmed MH, El-Hamed A, Nadia NB, Shalby NI, 2017. Impact of physico-chemical parameters on composition and diversity of zooplankton community in Nozha hydrodrome, Alexandria, Egypt. Egypt. J. Aquat. Biol. Fish. 21:49-62.

Ahmed NK, 1994. Ecological studies on zooplankton in Lake Qarun, Fayum Egypt. M. Sci. Thesis. Faculty of Sciences, Cairo University, Egypt: 178 pp.

Ajah PO, 2013. The limnology of Ohana Lake, a potential manmade aquaculture system in Nigeria. Open J. Appl. Sci. 3:232-246.

Ajani GE, 2010. Species composition and distribution of zooplankton species in selected parts of the Lagos Lagoon, Nigeria. J. Biol. Sci. 2:45-56.

Aka M, Pagano M, Saint-Jean L, Arfi R, Bouvy M, Cecchi P, Corbin D, Thomas S, 2000. Zooplankton variability in 49 shallow tropical reservoirs of Ivory Coast (West Africa). Internat. Rev. Hydrobiol. 85:491-504.

Aka MN, Etilé RN, Blahoua GK, 2016. Anthropogenic activities impact on zooplankton community in a tropical coastal lagoon (Ebrié, Côte d'Ivoire). IJCAS 3:43-63.

Akélé D, Gougbédji A, Agadjihouédé H, Lalèyè P, 2022. Diet of the mangrove Oyster *Crassostrea gasar* (Adanson, 1757) and plankton diversity in Lake Nokoué. Int. J. Dev. Res. 12:56073-56076.

Akinbuwa O, Adeniyi IF, 1991. The rotifera fauna of Opa reservoir, Ile-Ife, Nigeria. J. Afr. Zool. 105:383-391.

Akinbuwa O, Adeniyi IF, 1996. Seasonal variation, distribution and interrelationships of rotifers in Opa Reservoir, Nigeria. Afr. J. Ecol. 34:351-363.

Akindele EO, 2013. Relationships between the physico-chemical water parameters and zooplankton fauna of Tiga Lake, Kano, Nigeria. BAJOPAS 6:95-100.

Akindele EO, Adeniyi IF, 2013a. Zooplankton composition and community structure in Lake Tiga, Kano, Nigeria. Afr. J. Aquat. Sci. 38:279-286.

Akindele EO, Adeniyi IF, 2013b. A study of the physico-chemical water quality, hydrology and zooplankton fauna of Opa Reservoir catchment area, Ile-Ife, Nigeria. Afr. J. Environ. Sci. Technol. 7:192-203.

Akindele EO, Olutona GO, 2014. Water Physicochemistry and zooplankton fauna of Aiba Reservoir headwater streams, Iwo, Nigeria. J. Ecosyst. 2014:1-11.

Akin-Oriola GA, 2003. Zooplankton associations and environmental factors in Ogunpa and Ona rivers, Nigeria. Rev. Biol. Trop. 51:391-398.

Akoma OC, 2010. Hydrobiological survey of the Bahir Dar Gulf of Lake Tana, Ethiopia. Afr. Res. Rev. 4:57-70.

Akoma OC, Goshu G, Imoobe TOT, 2014. Variations in zooplankton diversity and abundance in five research fish ponds in northwest Amhara region, Ethiopia. Ife J. Sci. Technol. 16:81-89.

Akum C, Chiambeng CY, Segers H, Folack J, Eyabi E, 2001. New records of rotifera for the Cameroon fauna, from Korup Park and its environs. J. Cameroon Acad. Sci. 1:77-85.

Alagoa KJ, Adigwe P, Daworiye PS, 2019. A Survey of Zooplankton Community Structure in Taylor Creek, Zarama Axises, Bayelsa State, Nigeria. Greener J. Biol. Sci. 9:1-7.

Alagoa KJ, Ngodigha SA, Ipeteikemoh B, 2015. Spatial and temporal variations of zooplankton in Taylor Creek, Biseni, Niger Delta, Nigeria. Int. J. Curr. Res. 3:325-333.

Alprol AE, Heneash AMM, Soliman AM, Ashour M, Alsanie WF, Gaber A, Mansour AT, 2021. Assessment of water quality, eutrophication, and zooplankton community in Lake Burullus, Egypt. Diversity 13:268.

Amedu A, Bwala R, Ogunshakin Y, Eze J, Ajayi O, 2019. Zooplankton composition and abundance in Goronyo Reservoir, Sokoto State, Nigeria. J. Environ. Sci. Toxicol. Food Technol. 13:32-35.

Anadu DI, Obioha A, Ejike C, 1990. Water quality and plankton periodicity in two contrasting mine lakes in Jos, Nigeria. Hydrobiologia 208:17-25.

Anago IJ, Esenowo IK, Ugwumba AAA, 2013. The physico-chemistry and plankton diversity of Awba Reservoir University of Ibadan, Ibadan Nigeria. Res. J. Environ. Earth Sci. 5:638-644.Anamunda A, 2015. Relationships between abundance of zooplankton and physico-chemical parameters in lake Mweru-Wantipa, Zambia. Doctoral dissertation, Sokoine University of Agriculture, Tanzania: 59 pp.

Anamunda A, Lamtane HA, 2022. Relationship between physicochemical parameters and the abundance of zooplankton in Lake Mweru-Wantipa, Zambia. Intl. J. Bonorowo Wetlands 12:33-40.

Anusa A, Ndagurwa HGT, Magadza CHD, 2012. The influence of pool size on species diversity and water chemistry in temporary rock pools on Domboshawa Mountain, northern Zim-

babwe. Afr. J. Aquat. Sci. 37:89-99.
Anyanwu ED, Adetunji OG, Umeham SN, 2021. Water quality and zooplankton community of the Eme River, Umuahia, Southeast Nigeria. Limnol. Freshw. Biol. 4:1186-1194.
Anyanwu ED, Ikomi RB, Arimoro FO, 2013. Water quality and zooplankton of the Ogba River, Benin City, Nigeria. Afr. J. Aquat. Sci. 38:193-199.
Anyanwu ED, Orjikwe CJ, Chinasa PO, 2022. Water quality and zooplankton assessment of Iyiakwu River, SouthEast Nigeria. Ekologia 41:9-16.
Anyanwu IN, Ezema CA, Ebi S, Nwajiuba CA, Nworie O, Anorue CO, 2021b. Seasonal variation in water quality, plankton diversity and microbial load of tropical freshwater lakes in Nigeria. Afr. J. Aquat. Sci. 46:414-427.
Anyanwu JC, Onyedilefu UG, Nwobu EA, 2020. Study of physicochemical properties and zooplankton diversity of Oguta lake in Oguta local government area of Imo state. IJEAST 4:328-336.
Arazu VDN, Ogbeibu AE, 2017. The composition, abundance and distribution of zooplankton of River Niger at Onitsha Stretch, Nigeria. Anim. Res. Int. 14:2629-2643.
Arfi R, Pagano M, Saint-Jean L, 1987. Communautés zoo-planctoniques dans une lagune tropicale (Lagune Ebrié, Côte d'Ivoire): variations spatio-temporelles. Rev. Hydrobiol. Trop. 20:21-35.
Arimoro FO, Oganah AO, 2010. Zooplankton community responses in a perturbed tropical stream in the Niger Delta, Nigeria. The Open Environ. Biol. Monit. J. 3:1-11.
Artois T, Fontaneto D, Hummon W D, McInnes S J, Todaro M A, Sørensen MV, Zullini A, 2011. Ubiquity of microscopic animals? Evidence from the morphological approach in species identification, p. 244-283. In: D. Fontaneto (ed.), Biogeography of microscopic organisms: Is everything small everywhere? Cambridge University Press.
Asibor G, Adeniyi F, 2022. Zooplankton composition and community structure in Asejire Reservoir, Southwest Nigeria. Int. J. Fauna Biol. Stud. 9:50-57.
Assefa E, Mengistou S, 2011. Seasonal variation of biomass and secondary production of *Thermocyclops* (Cyclopoida) and *Brachionus* (Rotifera) spp. in a shallow tropical Lake Kuriftu, Ethiopia. SINET: Ethiop. J. Sci. 34:73-88.
Assefa, E, 2009. Biomass and production of the major zooplankton in Lake Kuriftu, Ethiopia. Master's Thesis, Addis Ababa University, Addis Ababa, Ethiopia: 92 pp.
Atobatele OE, Ugwumba OA, Morenikeji OA, 2007. Taxa composition, abundance, distribution and diversity of the planktonic organisms of River Ogunpa, Ibadan, Nigeria. Ife J. Sci. 9:17-22.
Augustin KK, Etilé RN, Blahoua GK, Bi GG, Paul EK, N'douba V, 2018. Composition and distribution of zooplankton in relationship to environmental parameters in tropical river (Sassandra River basin, Côte d'Ivoire). J. Glob. Biosci. 7:5423-5438.
Ayoade AA, Aderogba A, 2020. Spatial and Temporal Distribution of Plankton in a Tropical Reservoir, southwestern Nigeria. Egypt. J. Aquat. Biol. Fish. 24:161-181.
Ayodele HA, Adeniyi IF, 2006. The zooplankton fauna of six impoundments on River Osun, Southwest, Nigeria. Zoologist 1:49-67.
Badsi H, Ali HO, Loudiki M, El Hafa M, Chakli R, Aamiri A, 2010. Ecological factors affecting the distribution of zooplankton community in the Massa Lagoon (Southern Morocco). Afr. J. Environ. Sci. Technol. 4:751-762.
Bailey RG, Churchfield S, Pimm R, 1978. Observations on the zooplankton and littoral macroinvertebrates of Nyumba ya Mungu reservoir, Tanzania. Biol. J. Linn. Soc. Lond. 10:93-107.
Bako SP, Balarabe ML, 2006. Occurrence of aquatic macrophytes in relation to biotic and abiotic factors in a medium sized tropical lake in the Nigerian savanna. In: E.O. Odada, D.O. Olago, W. Ochola, M. Ntiba, S. Wandiga, N. Gichuki and H.O. (eds.), Proceedings of the 11th World Lakes Conference, Nairobi, Kenya. Intern. Lake Environ. Committee 2:330-335.
Balogun JK, Balarabe ML, Igberaese PM, 2005. Some aspects of the limnology of Makwaye (Ahmadu Bello University Farm) Lake, Samaru, Zaria. In: 19th Annual Conference of the Fisheries Society of Nigeria (FISON), Ilorin, Nigeria. FISON Publications 19:851-860.
Balogun KJ, Ajani EK, 2021. Assessment of zooplankton community in an anthropogenic-disturbance coastal creek, southwest Nigeria. Arch. Agri. Environ. Sci. 6:160-169.
Balon EK, Coche AG, 1974. Lake Kariba: a man-made tropical ecosystem in Central Africa, 767 pp. In: J. Illies (ed.), Monographiae Biologicae, vol 24. Dr. W. Junk b.v. Publishers The Hague.
Bamaiyi C, Yusuf SH, Garba M, Musa MA, Kele MK, Umar BD, 2021. Assessment of zooplankton in relation to physicochemical parameters after post-dredging of Ahmadu Bello University (Abu) Reservoir Zaria, Kaduna State, Nigeria. FUW Trends in Science & Technology Journal 6:376-380.
Barau BW, Bature AA, Bingari SM, David DL, Danba EP, Hammanjoda SA, Azuchukwuene CG, Fauziya KM, 2020. Plankton diversity in the upper Benue river of Taraba state, Nigeria. Int. J. Fish. Aquat. 8:120-125.
Baribwegure D, Segers H, 2000. Rotifera from Burundi: the Lecanidae (Rotifera: Monogononta). Ann. Limnol. - Int. J. Lim. 36:241-248.
Baribwegure D, Segers H, 2001. Rotifera from Burundi: the Lepadellidae (Rotifera: Monogononta). Hydrobiologia 446:247-254.
Barrois T, 1887. Matériaux pour servir a l'étude de la faune des eaux douces des Açores, II. Rotifères. Impr. Le Bigot Frères, Rue Nat. 68:1-7.
Barrois T, 1896. Recherches sur la faune des eaux douces des Açores. Mém. Soc. Sc., Agric. et Arts Lille, 5e sér., 6, 172 pp.
Barrois T, Daday E, 1894. Contribution à l'étude des Rotifères de Syrie et description de quelques espèces nouvelles. Rev. biol. n. Fr. 6:391-409.
Basima LB, 2005. An assessment of plankton diversity as a water quality indicator in small man-made reservoirs in the Mzingwane Catchment Limpopo Basin Zimbabwe. Master's Thesis, University of Zimbabwe, Harare, Zimbabwe: 51 pp.
Basima LB, Senzanje A, Marshall B, Shick K, 2006. Impacts of land and water use on plankton diversity and water quality in small man-made reservoirs in the Limpopo basin, Zimbabwe: a preliminary investigation. Phys. Chem. Earth 31:821-831.
Beadle LC, 1932. Scientific results of the Cambridge Expedition to the East African Lakes, 1930-1.—4. The waters of some East African Lakes in relation to their fauna and flora. Journ.

Linn. Soc. Lond. 38:157-211.
Beadle LC, 1943. An ecological survey of some inland saline waters of Algeria. Journ. Linn. Soc. Lond. 41:218-242.
Berté S, Etilé RN, Kamelan MT, Kouamelan PE, 2019. First Data on Zooplankton Community Structure and Abundance of Kankelaba River in Côte d'Ivoire (Bagoe Tributary, Basin Niger). Nat. Sci. 17:125-135.
Bērziņš B, 1956. Rotatoria from the White and Blue Nile at Khartoum and from fishponds. In: J. Rzoska, Third Annual Report of the Hydrobiological Unit, University of Khartoum, 31-32.
Bērziņš B, 1957. Beitrag zur Rotatorienfauna Gambiens. Acta Trop. 14:230-235.
Bērziņš B, 1959. Rotatorien aus Französisch Westafrika. Bull. IFAN 21:921-933.
Bērziņš B, 1960. Neue Rotatorienarten aus Madagascar. Mem. Inst. Sci. Madagascar Sér. A. 14:1-6.
Bērziņš B, 1973. Rotatorien aus den Azoren. Bol. Mus. Munic. Funchal. 27:84-89.
Bērziņš B, 1982. Zur Kenntnis der Rotatorienfauna von Madagascar. Limnologiska institutionen, Lunds universitet, Lund, p. 1-24, 12 pls.
Beyene G, Kifle D, Fetahi T, 2022. Spatial distribution of zooplankton in relation to some selected physicochemical water quality parameters of Lake Hawassa, Ethiopia. Afr. J. Aquat. Sci. 47:163-172.
Bird MS, Mlambo MC, Wasserman RJ, Dalu T, Holland AJ, Day JA, ... Brendonck L, 2019. Deeper knowledge of shallow waters: reviewing the invertebrate fauna of southern African temporary wetlands. Hydrobiologia 827:89-121.
Bolawa OP, Adedeji AA, Taiwo YF, 2018. Temporal and Spatial Variations in Abundance and Diversity of Zooplankton Fauna of Opa Reservoir, Obafemi Awolowo University, Ile-Ife, Southwest Nigeria. Not. Sci. Biol. 10:265-274.
Bonjoru R, Jerry TJ, Bakari GH, 2020. A preliminary checklist of zooplanktons and macroinvertebrates of river Kashimbila, Taraba state, Nigeria. IJFA 8:24-27.
Bouazzara H, Chaibi R, Benaceur F, Nouioua A, Bruno L, 2021. Ecology and Diversity of Freshwater Zooplankton in Laghouat Province (Algeria) and their Relationship with Environmental Factors. Pakistan J. Zool. OFA:1-9.
Brain CK, Fouriel I, Shiel RJ, 1995. Rotifers of the Kalahari Gemsbok National Park, South Africa. Hydrobiologia 313:319-324.
Brain CK, Koste W, 1993. Rotifers of the genus Proales from saline springs in the Namib desert, with the description of a new species. In: J.J. Gilbert, E. Lubzens, M.R. Miracle, (eds.), Rotifer Symposium VI. Developments in Hydrobiology, vol 83. Springer, Dordrecht.
Brunelli G, Cannicci G, 1940. Le caratteristiche biologiche del Lago Tana. Missione di Studio al Lago Tana. Ricerche limnologiche Reale Accademia d'Italia, Centro Studi per l'Africa Orientale italiana. 71-116.
Brunelli G, Cannicci G, 1941. Ricerche sul plancton e sulle caratteristiche biolimnoliche del Lago Margherita. Esplor. Laghi della Fossa Calla. 1:3-26
Bryce DL, 1931. Report on the Rotifera: Mr. Omer-Cooper's Investigation of the Abyssinian Fresh Waters, Dr. Hugh Scott Expedition. In: Proceedings of the Zoological Society of London. Oxford, UK: Blackwell Publishing Ltd. 101:865-878.
Buhungu S, Donou M, Ntakimazi G, Bonou CA, Montchowui E, 2019a. Identification of characteristic zooplankton species in the Kinyankonge River basin, Burundi. Int. J. Aquat. Biol. 7:1-84.
Buhungu S, Montchowui E, Barankanira E, Sibomana C, Ntakimazi G, Bonou CA, 2019b. Caractérisation spatio-temporelle de la qualité de l'eau de la rivière Kinyankonge, affluent du Lac Tanganyika, Burundi. Int. J. Biol. Chem. Sci. 12:576-595.
Buhungu S, Ndikuriyo S., Niyoyitungiye L, Sibomana C, Nahimana D, 2021. Current state of zooplankton diversity in the pelagic zone of Lake Tanganyika offshore of Bujumbura City. Int. J. Biosci. Biochem. Bioinforma. 3:10-16.
Buhungu S, Sibomana C, Adjahouinou DC, Ntakimazi G, Bonou CA, Montchowui E, 2020. Assessment of the ecological status of the Kinyankonge River (Burundi), using a Biotic Integrity Index of zooplankton (BII-zooplankton). Afr. J. Aquat. Sci. 45:442-451.
Burgis MJ, 1969. A preliminary study of the ecology of zooplankton in Lake George, Uganda. Verh. - Int. Ver. Theor. Angew. Limnol. 17:297-302.
Burgis MJ, 1971. The ecology and production of copepods, particularly *Thermocyclops hyalinus*, in the tropical Lake George, Uganda. Freshwater Biol. 1:169-192.
Burgis MJ, Symoens JJ, 1987. African wetlands and shallow water bodies. Editions de l'OSTROM n. 211, pp. 654.
Burian A, 2010. Zooplankton dynamics of two alkaline-saline lakes in the Keyan Rift Valley. Master's Thesis, Universitat Wein, Austria: 96 pp.
Burian A, Kainz MJ, Schagerl M, Yasindi A, 2014. Species-specific separation of lake plankton reveals divergent food assimilation patterns in rotifers. Freshw. Biol. 59:1257-1265.
Burian A, Schagerl M, Yasindi A, 2013. Microzooplankton feeding behaviour: grazing on the microbial and the classical food web of African soda lakes. Hydrobiologia 710:61-72.
Burian A, Schagerl M, Yasindi A, Singer G, Kaggwa MN, Winder M, 2016. Benthic-pelagic coupling drives non-seasonal zooplankton blooms and restructures energy flows in shallow tropical lakes. Limnol. Oceanogr. 61:795-805.
Bwala RL, Ovie SI, Ajayi O, Haruna A, 2010. Preliminary study on the limnology and plankton abundance in relation to fish production in some Niffr reservoirs. Rep. Opin. 2:9-15.
Carrasco NK, Perissinotto R, 2012. Development of a halotolerant community in the St. Lucia Estuary, South Africa during a hypersaline phase. PloS One 7:e29927.
Carrasco NK, Perissinotto R, 2015. Zooplankton community structure during a transition from dry to wet state in a shallow, subtropical estuarine lake. Cont. Shelf Res. 111:294-303.
Clarke EO, Aderinola OJ, Adeboyejo OA, 2013. Dynamics of rotifer populations in a lagoon bordered by heavy industry in Lagos, Nigeria. Am. J. Res. Commun. 1: 172-192.
Clarke NV, 1978. A comparison of the zooplankton of lake Kainji and of the rivers Niger and Swashi. Hydrobiologia 58:17-23.
Collin A, 1897. Rotatorien, Gastrotrichen und Entozoen Ost-Afrikas in Deutsch-Ost-Mrika, 4, 3. Teil, 13 pp.
Collin A, 1898. Rotatorien, Gastrotrichen und Entozoen Ost-Afrikas. Deutsch-Ost-Afrika, Bd. iv. Berlin, 1898.
Combrink S, 1994. The zooplankton of Zeekoevlei and Princess Vlei (Western Cape) - A preliminary assessment. Water SA 20:299-306.
Corbet SA, Green J, Griffith J, Betney E, 1973. Ecological studies on crater lakes in West Cameroun Lakes Kotto and Mboan-

dong. Journ. Zool. London 170:309-324.
Coussement M, Dumont HJ, 1980. Some peculiar elements in the rotifer fauna of the Atlantic Sahara and of the Atlas Mountains. Hydrobiologia 73:249-254.
Crul RC, Roest FC (eds.), 1995. Current status of fisheries and fish stocks of the four largest African reservoirs: Kainji, Kariba, Nasser/Nubia and Volta. CIFA Technical paper, No. 30. FAO, Rome: 134 pp.
Cunnington WA, 1920. 32. The Fauna of the African Lakes: a Study in Comparative Limnology with special reference to Tanganyika. In: Proceedings of the Zoological Society of London. Oxford, UK: Blackwell Publishing Ltd. 90:507-622
D'Hondt JL, 1974. Contribution à l'étude de la microfaune interstitielle des plages de l'ouest algérien. Vie et Milieu 23:227-241.
Daday E, 1907. Planktontiere aus dem Victoria-Nyanza. Sammelausbeute von A. Borgert 1904-1905. Zool. Jb. Syst. 25:245-254.
Daday E, 1910. XV. Beitrage zur Kenntnis der Mikrofauna des Nils. Sitzungsber. K. Akad. Wiss. 119:542-544.
Dagne A, 2004. Zooplankton abundance and species composition in the Ethiopian Rift Valley Lake, Lake Ziway. Master's Thesis, UNESCO-IHE Institute for Water Education, Delft, Netherlands: 71 pp.
Dagne A, 2010. Zooplankton community structure, population dynamics and production and its relation to abiotic and biotic factors in Lake Ziway, Ethiopia. PhD Dissertation, Universität Wien, Austria: 148 pp.
Dagne A, Herzig A, Jersabek CD, Tadesse Z, 2008. Abundance, species composition and spatial distribution of planktonic rotifers and crustaceans in Lake Ziway (Rift Valley, Ethiopia). Int. Rev. Hydrobiol. 93:210-226.
Dagne A, Tadesse H, 2021. Trophic states and plankton compositions of Hawassa and Ziway Lakes, p. 548-561. In: G. Kitaw, T. Jembere and F. Feyissa (eds.), Livestock research results 2020, Vol.9. Ethiopian Institute of Agricultural Research.
Dakwen JP, Togouet SHZ, Chinche SB, Ewoti OVN, Tchouankep MK, Njine T, 2019. Influence of the quality of maintenance of fish ponds on the biomass of zooplankton in situ in tropical zone (Yaoundé-Cameroon-Central Africa). IJNREM 4:62-72.
Dalu T, Clegg B, Nhiwatiwa T. 2013. Temporal variation of the plankton communities in a small tropical reservoir (Malilangwe, Zimbabwe). Trans. Roy. Soc. South Afr. 68:85-96.
Damas H, 1955. Etude Iimnologique de quelques lacs ruandais. III. Le plancton. Mém. Acad. roy. Sc. colon., CI. Sc. nat. et méd., mém. in 8°, nouy. sér., 1, fasc. 3, 67 pp.
Damilola A, 2013. Zooplankton-based appraisal of the trophic condition of a tropical backwoods stream. Adv. Fish. Aquac. Hydrobiol. 1:15-21.
Darchambeau F, Isumbisho M, Descy JP, 2012. Chapter 7. Zooplankton of Lake Kivu, p. 107-126. In: J.-P. Descy, F. Darchambeau and M. Schmid, M. (eds.), Lake Kivu: Limnology and biochemistry of a tropical great lake. Dordrecht: Springer.
Dauda DM, Emere MC, Umar Y, Umar AM, 2022. Effects of Refining and Petrochemical Effluents on Water Quality and Zooplankton Community in River Rido Kaduna, Nigeria. Bull. Environ. Sci. Sust. Manage. 6:19-24.
Davies OA, 2009. Spatio-temporal distribution, abundance and species composition of zooplankton of Woji-okpoka Creek, Port Harcourt, Nigeria. Res. J. Appl. Sci. Eng. Technol. 1:14-34.
Davies OA, Abowei JFN, Otene BB, 2009a. Seasonal abundance and distribution of plankton of Minichinda stream, Niger Delta, Nigeria. Am. J. Sci. Res. 2:20-30.
Davies OA, Otene BB, 2009. Zooplankton community of minichinda stream, port Harcourt, rivers state, Nigeria. Eur. J. Sci. Res. 26:490-498.
Davies OA, Tawari CC, Abowei JFN, 2009b. Zooplankton of Elechi Creek, Niger Delta Nigeria. Environ. Ecol. 26:2441-2346.
De Beauchamp P, 1932a. Scientific results of the Cambridge Expedition to the East African Lakes, 1930-1.—6. Rotifères et Gastrotriches. Zool. J. Linn. Soc. 38:231-248.
De Beauchamp P, 1932b. XIX.—Reports on the Percy Sladen expedition to some Rift Valley Lakes in Kenya in 1929.—III. Rotifères des Lacs de la Vallée du Rift. Ann. Mag. Nat. Hist. 9:158-165.
De Beauchamp P, 1939. Rotifères. In: Exploration du Parc national Albert, mission H.Damas, 1935 - 1936, Fasc.5: 1 - 11. Inst. Parcs Nat. Congo beIge, Bruxelles.
De Beauchamp P, 1955. Sur quelque Rotifères de la Côte d'Ivoire. Acta Trop. XX:67-72.
De Guerne J, 1888. Excursions zoologiques dans les îles de Fayal et de San-Miguel, Açores in Campagnes scientifiques du yacht monégasque l'Hirondelle. Troisième année, 1887. Gauthier-Villars. Paris. 113 pp.
De Ridder M, 1981. Rotifera. In: J.-J. Symoens (ed.), Hydrobiological survey of the Lake Bangweulu Luapula River basin. Cercle Hydrobiologique de Bruxelles, Bruxelles.
De Ridder M, 1983. Recherches écologiques et biogéographiques sur les Rotifères de la Basse-Casamance (Sénégal). Rev. Hydrobiol. Trop. 16:41-55.
De Ridder M, 1984a. A review of the rotifer fauna of the Sudan. Hydrobiologia 110:113-130.
De Ridder M, 1984b. Taxonomical and zoogeographical remarks on Rotifera from the Ivory Coast (W. Africa). Rev. Hydrobiol. Trop. 17:295-299.
De Ridder M, 1984c. Onderzoekingen over de verspreiding der raderdieren in Afrika. 2. Raderdieren uit Zuid-Tbnesie en uit Zuidelijk Afrika. Natuurwet. Tijdschr. 65:155-163.
De Ridder M, 1985a. Contributions to the knowledge of African Rotifers I. Rotifers from Senegal. Hydrobiologia 120:47-51.
De Ridder M, 1985b. Contributions to the knowledge of African rotifers: Rotifers from the Ivory Coast. Hydrobiologia 127:53-61.
De Ridder M, 1986. Annotated checklist of non-marine rotifers (Rotifera) from African inland waters. Zoologische Dokumentatie-Koninklijk Museum voor Midden-Afrika 21:19-117.
De Ridder M, 1987a. Distribution of rotifers in African fresh and inland saline waters. In: L. May, R. Wallace and A. Herzig (eds.), Rotifer Symposium IV. Dr W. Junk Publishers, Springer, Dordrecht. Hydrobiologia 147:9-14.
De Ridder M, 1987b. Contributions to the knowledge of African rotifers: Rotifers from Mauritania (W.-Africa). Hydrobiologia 150:123-131.
De Ridder M, 1989. Rotifers from western Sudan. Hydrobiologia

179:205-209.
De Ridder M, 1991a. Additions to the "Annotated checklist of nonmarine rotifers from African inland waters". Rev. Hydrobiol. Trop. 24:25-46.
De Ridder M, 1991b. Rotifers from Algeria. Rev. Zool. Afric. (1974) 105:473-483.
De Ridder M, 1992. Contribution to the study of african rotifers: rotifers from Mali. Hydrobiologia 237:93-101.
De Ridder M, Pourriot R, 1984. Peuplement en rotifères du bassin du Bandama (Côte d'Ivoire). Rev. Hydrobiol. Trop. 17:287-294.
De Ridder M, Segers H, 1997. Rotifera Monogononta in six zoogeographical regions after publications between 1960 and 1992. Studiedocumenten van het Koninklijk Belgisch Inst. voor Natuurwetenschappen 87: 481 pp.
De Smet WH, 1988. Contributions to the rotifer fauna of the Bas-Zaïre. The Rotifers from some small ponds and a river. Biol. Jaarb. Dodonaea 56:115-131.
De Smet WH, 1989. Contributions to the rotifer fauna of the Bas-Zaire. Species composition and seasonal abundance of rotifers in a shallow pond. Biol. Jaarb. Dodonaea 57:62-77.
De Smet WH, 1990. Contributions to the rotifer fauna of Bas-Zaire. III: Morphometric data on *Keratella tropica* (Apstein, 1907) (Brachionidae, Rotifera) from a shallow pond. Natuurwetenschappelijk Tijdschrift 72:28-39.
De Smet WH, 2006. Some marine Rotifera from Reunion Island, with a description of a new species of *Lindia* Harring and Myers, 1924 and one of *Synchaeta* Ehrenberg, 1832. Zool. Stud. 45:81-92.
De Smet WH, Bafort JM, 1990. Rotifers from the Kilimanjaro. Biol. Jaarb. Dodonaea 58:120-130.
De Smet WH, Bafort JM, 1992. Additions to the rotifer fauna of Lake Kivu (Zaïre) with descriptions of *Wulfertia kindensis kivuensis* subsp. n. and *Ascomorpha dumonti* sp. n. Biol. Jaarb. Dodonaea 60: 110-117.
Degefu F, Herzig A, Jirsa F, Schagerl M, 2014. First limnological records of highly threatened tropical high-mountain crater lakes in Ethiopia. Trop. Conserv. Sci. 7:365-381.
Degefu F, Schagerl M, 2015. Zooplankton abundance, species composition and ecology of tropical high-mountain crater Lake Wonchi, Ethiopia. J. Limnol. 74:324-334.
Dimowo DO, 2013. Monthly spatial occurrence of phytoplankton and zooplankton in River Ogun, Abeokuta, Ogun State, Southwest Nigeria. Int. J. Fish. Aquacult. 5(8):193-203.
Diomandé A, Etilé RN, Kamelan TM, Berté S, Kouamelan EP, 2018. Spatio-temporal variation of the zooplankton population in the Hana River in Taï National Park (West Africa). JBES 13:236-250.
Dirisu AR, Uwagbae MA, Edwin-Wosu NL, Imoobe TOT, 2019. Plankton diversity and community structure of Asarama estuary in the Niger delta in relation to physico-chemistry. Appl. Ecol. Environ. Res. 17:10277-10292.
Djezzar M, Rybarczyk H, Meziane T, Doumandji SE, 2014. Influence of hydrological regime on zooplankton diversity of Harreza Dam (Haut-Cheliff) Ain Defla Algeria. Int.J. Zool. Res. 4:35-48.
Donner J, Adeniji HA, 1977. Eine Jahressukzession von Rotatorien aus dem Plankton des Kainji-Sees in Nigeria. Int. Rev. ges. Hydrobiol. Hydrogr. 62:109-132.
Dumont HJ, 1983. Biogeography of rotifers. In: B. Pejler, R. Starkweather and T. Nogrady (eds.), Proceedings of the Third International Rotifer Symposium. Biology of Rotifers. Hydrobiologia 104:19-30.
Dumont HJ, 1986. The Tanganyika sardine in the Lake Kivu: Another ecodisaster in Africa? Environ. Conserv. 13:143-148.
Dumont HJ, 2019. Zooplankton vertical migration in two Sahara lakes with contrasting biotic environments. Limnetica 38:95-101.
Dumont HJ, Coussement M, 1976. Rotifers from Rio de Oro (North-Western Sahara). Hydrobiologia 51:109-112.
Dumont HJ, El Shabrawy GM, 2008. Seven decades of change in the zooplankton (s.l.) of the Nile Delta Lakes (Egypt), with particular reference to Lake Borullus. Int. Rev. Hydrobiol. 93:44-61.
Dumont HJ, Maas S, Segers H, 1994. Zooplankton of Kismayu, South Somalia. Biol. Jaarb. Dodonaea 61:168-171.
Dumont HJ, Miron I, Dali'asta U, Decraemer W, Glaus C, Somers D, Dumont HJ, 1973. Limnological aspects of some Moroccon atlas lakes, with reference to some physical and chemical variables, the nature and distribution of the phyto- and zooplankton, including a note on possibilities for the development of an inland fishery. Int. Rev. ges. Hydrobiol. Hydrogr. 58:33-60.
Dunn IG, Burgis MJ, Ganf GG, McGowan LM, Viner AB, 1969. Lake George, Uganda: A limnological survey. Verh. - Int. Ver. Theor. Angew. Limnol. 17:284-288.
Edegbene AO, Abdullahi Y, Akamagwuna FC, Ogidiaka E, Catherine Osimen E, Odafe Omovoh B, 2022. Are zooplankton useful indicators of ecological quality in Afrotropical ephemeral stream impacted by human activities? Environ. Monit. Assess. 194:1-13.
Edema CU, Ayeni JO, Aruoture A, 2002. Some observations on the zooplankton and macrobenthos of the Okhuo River, Nigeria. J. Aquat. Sci. 17:145-149.
Edward JB, Ugwumba AAA, 2010. Physico-chemical parameters and plankton community of Egbe Reservoir, Ekiti State, Nigeria. Res. J. Biol. Sci. 5:356-367.
Egborge AB, 1994. Salinity and the distribution of rotifers in the Lagos Harbour — Badagry Creek system, Nigeria. Hydrobiologia 272:95-104.
Egborge AB, Ogbekene L, 1986. Cyclomorphosis in *Keratella tropica* (Apstein) of Lake Asejire, Nigeria. Hydrobiologia 135:179-191.
Egborge AB, Tawari P, 1987. The rotifers of Warri river, Nigeria. J. Plankton Res. 9:1-13.
Egborge ABM, Chigbu P, 1988. The Rotifers of Ikpoba River, Bendel State. The Nigerian Field 53:117-132.
Egborge ABM, Sagay EG, 1979. The distribution of phytoplankton and zooplankton in some Ibadan freshwater ecosystems. Pol. Arch. Hydrobiol. 26:323-336.
Egborge BM, 1981. The composition, seasonal variation and distribution of zooplankton in Lake Asejire, Nigeria. Rev. Zool. Afr. 95:137-180.
Echoke JC, Nadana RW, Idowu RT, 2018. Zooplankton assessment of Usuma Reservoir, in FCT Abuja Nigeria. Direct Res. J.Public Health and Environ. Technol. 3:87-101.
Ekpo I, 2013. Effect of physico-chemical parameters on zooplankton species and density of a tropical rainforest river in Niger Delta, Nigeria using canonical cluster analysis. Int. J. Eng. Sci. 2:13-21.

Ekpo IE, Essien-Ibok MA, Duncan AO, 2015. Densities, spatial distribution and community structure of plankton of Odot Stream. J. Ecol. Nat. Environ. 7:180-187.

Ekpo IE, Obot OI, Adaka GS, Essien-Ibok MA, Joseph II, 2020. Species Composition and Abundance of Zooplankton in a Freshwater Ecotone in Akwa Ibom State, Southeastern Nigeria. SARJAF 2:118-125.

Ekpo PB, Umoyen AJ, Akpan NG, Ekpo IP, Sunday CJ, Abu G, Ekpenyong BB, 2022. The ditribution and seasonal variation of zooplankton species of the Great Kwa River, Calabar, Nigeria: a reassessment approach. Annual Research & Review in Biology 37:10-20.

Ekwu SO, Sikoki FD, 2005. Species composition and distribution of zooplankton in the Lower Cross River Estuary. Afr. J. of Appl. Zool. & Environ. Biol. 7:5-10.

El Moghraby AI, 1972. The zooplankton of the Blue Nile. Ph.D. Thesis, Univ. Khartoum, Sudan: 252 pp.

El Moghraby AI, 1977. A study on diapause of zooplankton in a tropical river-The Blue Nile. Freshw. Biol. 7:207-212.

El-Bassat RA, 2008. Composition and abundance of the zooplankton community in the Bitter Lakes, Egypt, in relation to environmental factors. Afr. J. Aquat. Sci. 33:233-240.

El-Bassat RA, Taylor WD, 2007. The zooplankton community of Lake Abo Zaabal, a newly-formed mining lake in Cairo, Egypt. Afr. J. Aquat. Sci. 32:185-192.

El-Damhogy KA, Nasef AM, Heneash AMM, Khater ME, 2016. Diversity and distribution of *Brachionus* community (Rotifera: Brachionidae) at lake Maryout, Alexandria, Egypt. Int. J. Fish. Aquat. Stud. 4:500-506.

Elegbe HA, Ble CM, Agbohessi PT, Etile RN, Imorou Toko I, Laleye P, 2017. Plankton diversity in a tropical traditional fish farming "Whedos" in the Oueme River (Benin, West Africa) during an experience of compensatory overeating essay on *Clarias gariepinus* and *Oreochromis niloticus*. Int. J. Agric. Innov. Res. 2:432-442.

Elegbe HA, Blé CM, Etilé RND, Chikou A, Toko II, Aka MNG, Agbohessi PT, Laleye P, 2016. Diversity and structure of zooplankton in a tropical traditional aquaculture system "Whedos" in Ouémé river high delta (Benin, West Africa). J. Entomol. Zool. Stud. 4:772-779.

Elenbaas PFM, Grundel C, 1994. Zooplankton composition and abundance in two impoundments in Zimbabwe. Hydrobiologia 272:265-275.

Elfeky FA, Sayed NK, 2014. Distribution and abundance of rotifers in the River Nile, Egypt. WJFMS 6:557-563.

El-Feky MMM, 2017. Effect of zooplankton and environmental parameters on African catfish *Clarias gariepinus* (Burchell, 1822) in Egypt. J. Aquac. Res. Dev. 8:1-7.

El-Gindy AAH, Abdel-Aziz NE, Dorgham MM, 2008. Statistical and fourier analysis of cyclic changes of zooplankton abundance in the eastern harbor of Alexandria. Indian J. Marine Sciences 37:279-290.

El-Maghraby AM, Wahby SD, Shaheen AH, 1963. The ecology of zooplankton in Lake Manzala. Notes and Memoirs, No. 70.

El-Naggar H, 2015. The rotifers as a bioindicators for water pollution in the Nile Delta. Zooplankton ecology and water pollution, Lambert Academic Publishing, pp. 131.

El-Otify AM, Iskaros IA, 2015. Water quality and potamoplankton evaluation of the Nile River in Upper Egypt. Acta Limnol. Bras. 27:171-190.

El-Otify AM, Iskaros IA, 2018. Plankton and Zoobenthos in the Southern Region of the Nile in Egypt: Community Structure, Relative Abundance and Diversity. Asian J. Biol. 5:1-23.

El-Serafy SS, Mageed AA, El-Enany HR, 2009. Impact of flood on the distribution of zooplankton in Lake Nasser khors-Egypt. J. Egypt. Acad. Soc. Environ. Develop. 10:121-141.

El-Shabrawy GM, 2000. Seasonal and spatial variation in zooplankton structure in Lake Nasser. I – Pelagic area of the main channel. Egypt. Egypt. J. Aquat. Biol. Fish. 4:61-84.

El-Shabrawy GM, 2001. Ecological studies on Rotifera in Lake Qarun. J. Egypt. Acad. Soc. Environ. Develop. 2:1-18.

El-Shabrawy GM, 2006. Ecological study on zooplankton community in Bardawill lagoon, Egypt. Thalass. Salentina 29:3-19.

El-Shabrawy GM, 2009. Lake Nasser—Nubia, p. 125-155. In: H.J. Dumont (ed.), Monographiae Biologicae, Vol 89. The Nile Origin, Environments, Limnology and Human Use. Springer Science + Business Media B.V. Dordrecht.

El-Shabrawy GM, Anufriieva EV, Germoush MO, Goher ME, Shadrin NV, 2015. Does salinity change determine zooplankton variability in the saline Qarun Lake (Egypt)? Chin. J. Oceanol. Limnol. 33:1368-1377.

El-Shabrawy GM, Bek MA, 2018. Responses of zooplankton to long-term environmental changes in the Egyptian coastal lakes, p. 147-177. In: A. Negm, M. Bek and S. Abdel-Fattah (eds.), Egyptian Coastal Lakes and Wetlands: Part II. The Handbook of Environmental Chemistry, vol 72. Springer, Cham.

El-Shabrawy GM, Dumon HJ, 2009. The Fayum depression and its lakes, p. 95-124. In: H.J. Dumont (ed.), Monographiae Biologicae, Vol 89. The Nile Origin, Environments, Limnology and Human Use. Springer Science + Business Media B.V. Dordrecht.

El-Shabrawy GM, Dumont HJ, 2003. Spatial and seasonal variation of the zooplankton in the coastal zone and main khors of Lake Nasser (Egypt). Hydrobiologia 491:119-132.

El-Shabrawy GM, El-Feqy FA, Mahmoud NH, Gaber KM, 2017. Comparative analysis of rotifer community in two Rayahs of River Nile, Egypt. J. Egypt. Acad. Soc. Environ. Develop. 18:147- 159.

El-Shabrawy GM, Germoush MO, 2014. Seasonal changes and abundance of rotifers in a shallow Manzalah lake (Egypt). Ecohydrol. Hydrobiol. 14:243-252.

El-Shabrawy GM, Gohar ME, 2008. Physical, chemical, and biotic influences on zooplankton composition in Zaranik Lagoon, Egypt. Thalass. Salentina 31:163-182.

El-Tohamy WS, 2015. Hydrography and Crustacean Zooplankton as Determinants of Rotifer Distribution and Density in Damietta Coast, Egypt. WJZ 10:323-334.

El-Tohamy WS, Abdel-Baki SN, 2019. Mesozooplankton of the Damietta Branch, River Nile, Egypt. Egypt. J. Aquat. Biol. Fish. 23:317-330.

El-Tohamy WS, Alzeny A, Azab YAM, 2017. Zooplankton of a stressed area in the Damietta coast of the Mediterranean Sea. Acta Adriat. 58:245-260.

El-Tohamy WS, Hopcroft RR, Abdel Aziz NE, 2018. Environmental Determinants of Zooplankton Community in the Damietta Estuary of the Nile River, Egypt. Pak. J. Zool. 50:1785-1798.

Emmanuel BE, Onyema IC, 2007. The Plankton and fishes of a tropical creek in South-western Nigeria. TrJFAS 7: 105-113.

Enawgaw Y, Lemma B, 2018. Zooplankton communities as an indicator of ecosystem productivity in Lake Tinishu Abaya, Rift Valley, Ethiopia. IJFA 10:53-70.

Epp LS, Stoof KR, Trauth MH, Tiedemann R, 2010. Historical genetics on a sediment core from a Kenyan lake: intraspecific genotype turnover in a tropical rotifer is related to past environmental changes. J. Paleolimnol. 43:939-954.

Erhenhi OH, Omoigberale OM, 2019. Effects of prevailing anthropogenic and environmental factors on fauna composition and distribution of zooplankton in Ethiope River, Delta State, Nigeria. Int. J. Biosci. 15:313-324.

Esenowo IK, Ugwumba AAA, Akpan AU, 2017. Evaluating the physico-chemical characteristics and plankton diversity of Nwaniba River, South-South Nigeria. AJEE 5:1-8.

Essomba BRE, Noah EOV, Tuekam KRP, Sob NPB, Tchakounté S, Onana FM, Nyamsi TNL, Zebaze Togouet SH, 2021. Zooplankton Dynamics of the Kienke Estuary (Kribi, South Region of Cameroon): Importance of Physico-Chemical Parameters. Open J. Ecol. 11:837-869.

Etilé RN, Kouassi AM, Aka MNG, Pagano M, N'douba V, 2009. Spatio-temporal variations of the zooplankton abundance and composition in a West African tropical coastal lagoon (Grand-Lahou, Côte d'Ivoire). Hydrobiologia 624:171-189.

Etilé RN, Yao SS, Kouassi AM, Aka MN, Pagano M, N'douba V, 2015. Diel variation of zooplankton community composition, abundance and biomass in a West African tropical coastal lagoon (Grand-Lahou, Côte d'Ivoire). IJAIR 3:1641-1655.

Evens F, 1947. Quelques rotateurs nouveaux observés au Congo Belge. Rev. Zool. Bot. Afr. 40:175-184.

Evens F, 1949. Le Plancton du lac Moero at de la region d'Elisabethville. Rev. Zool. Bot. Afr. 41:233 - 277.

Evulobi OOC, Okeke PA, Amuneke KE, Adibe AC, Ibemenuga KN, Okoli MU, 2017. Physico-chemical parameters and zooplankton distribution of Idozu/Ogbujilekwe stream Orauku, Anambra State, Nigeria. Proceedings of the 32nd Annual National Conference of Fisheries Society of Nigeria, 46:216-221.

Eyo VO, Andem AB, Ekpo PB, 2013. Ecology and diversity of zooplankton in the great Kwa River, Cross River State, Nigeria. IJSR 2:67-71.

Ezekiel EN, Ogamba EN, Abowei JFN, 2011. The zooplankton species composition and abundance in Sombreiro River, Niger Delta, Nigeria. Asian J. Agri. Sci. 3:200-204.

Fafioye OO, Omoyinmi GAK 2006. The rotifers of omi river, Ago-iwoye, Nigeria. Afr. J. Agric. Res. 1:186-188.

Fasil D, Kibru T, Gashaw T, Fikadu T, Aschalew L, 2011. Some limnological aspects of Koka reservoir, a shallow tropical artificial lake, Ethiopia. J. Recent Trends Biosci. 1:94-100.

Ferrari V, Gualdi A, Bertani I, Fontaneto D, Kamburska L, Karimullah K, Marrone F, Obertegger U, Rossetti G, Tiberti R, Cancellario T, 2023. A georeferenced dataset of Italian occurrence records of the phylum Rotifera. J. Limnol. 82:2107.

Fetahi T, 2010. Plankton communities and ecology of tropical Lakes Hayq and Awasa, Ethiopia. PhD Thesis, Universität Wien, Austria: 98 pp.

Fetahi T, Mengistou S, 2014. Long-term changes in phyto-and zooplankton communities of Lake Hawassa, Ethiopia. Ethiop. J. Biol. Sci. 13:69-86.

Fetahi T, Mengistou S, Schagerl M, 2011. Zooplankton community structure and ecology of the tropical-highland Lake Hayq, Ethiopia. Limnologica 41:389-397.

Finlay BJ, Curds CR, Bamforth SS, Bafort JM, 1987. Ciliated protozoa and other microorganisms from two African soda lakes (Lake Nakuru and Lake Simbi, Kenya). Arch. Protistenk. 133:81-91.

Fishar MR, Mahmoud NH, El-Feqy FA, Gaber KMG, 2019. Community Composition of Zooplankton in El-Rayah El-Behery, Egypt. Egypt. J. Aquat. Biol. Fish. 23:135-150.

Fofana NM, Etile RN, Bi GG, 2019. Répartition saisonnière du zooplancton en relation avec les caractéristiques environnementale dans le lac Kaby (Bongouanou, Côte d'Ivoire). J. Appl. Biosci. 140:14256-14267.

Fofana NM, Etile RN, Konan AY, Yao SS, Bi GG, 2020. Impact Of Anthropisation On Spatio-Temporal Variations And Zooplanktonic Population: Example Of Bongouanou Withdrawals (West Africa, Cote-D'ivoire). ESJ 16:187-210.

Foissner W, Agatha S, Berger H, 2002. Soil ciliates (Protozoa, Ciliophora) from Namibia (Southwest Africa) with emphasis on two contrasting environments, the Etosha region and the Namib Desert. Denisia 5:1-1459.

Fontaneto D, Barbosa AM, Segers H, Pautasso M, 2012. The 'rotiferologist' effect and other global correlates of species richness in monogonont rotifers. Ecography 35:174-182.

Fontaneto D, Bertani I, Cancellario T, Rossetti G, Obertegger U, 2022. The new checklist of the Italian Fauna: Rotifera. Biogeographia 37:ucl004.

Fontaneto D, Herniou EA, Barraclough TG, Ricci C, 2007. On the global distribution of microscopic animals: new worldwide data on bdelloid rotifers. Zool. Stud. 46:336-346.

Fontaneto D, Kaya M, Herniou EA, Barraclough TG, 2009. Extreme levels of hidden diversity in microscopic animals (Rotifera) revealed by DNA taxonomy. Mol. Phylogenet. Evol. 53:182-189.

Fontaneto D, Plewka M, 2021. Phylum Rotifera. Chapter 17. p. 263-275. In: B.Schierwater and R. DeSalle (eds.), Invertebrate zoology, a tree of life approach. CRC Press.

Fontaneto D, Rodríguez-Gijón A, Garlaschè G, 2021. A survey of azorean rotifers. Açoreana, Suplemento 11:79-84.

Fouda MM, Abboud-Abi Saab M, Saleh MA, 1987. An extensive study of plankton in the Bardawil lagoon, Egypt. Leban. Sci. Bull. 3:5-23.

Garlasché G, Karimullah K, Iakovenko N, Velasco-Castrillón A, Janko K, Guidetti R, ... Fontaneto D, 2020. A data set on the distribution of Rotifera in Antarctica. Biogeographia 35:17-25.

Gauthier H, 1928. Recherches sur la faune des eaux continentales de l'Algérie et de la Tunisie. Dissertation Thesis, Minerva, Alger: 419 pp.

Gebrehiwot M, 2020. The overriding role of hydrological factors on zooplankton community: evidence from a shallow tropical reservoir (Koka, Ethiopia). Environ. Sci. Pollut. Res. 27:29009-29018.

Gee JH, Duigan CA, 1993. The limnology of Lac d'Ifni (High Atlas Mountains, Morocco), an unusually productive mountain lake. Freshw. Biol. 30:447-462.

Gerlach J, 2011. Rotifera, p. 59-69. In: J. Gerlach (ed.), Crustacea, Platyhelminthes, Nematoda, Nemertea, Annelida, Rotifera and Tardigrada of the Seychelles Islands. Siri Scientific Press,

Manshester.
Getnet H, Kifle D, Fetahi T, 2020. Water hyacinth (*Eichhornia crassipes*) affects the composition and abundance of zooplankton in the littoral region of Koka Reservoir. Ethiopia. Afr. J. Aquat. Sci. 45:486-492.
Gichuki J, Maithya J, Masai DM, 2006. Recent ecological changes in of Lake Sare, western Kenya. In: E. Odada and D.O. Olago (eds.), Proceedings of the 11th World Lakes Conference, Nairobi, Kenya 2:340 -347.
Gilbert JJ, Walsh EJ, 2005. *Brachionus calyciflorus* is a species complex: mating behavior and genetic differentiation among four geographically isolated strains. Hydrobiologia 546:257-265.
Gillard A, 1952a. Quelques Nouveaux Rotateurs du Katanga. Rev. Zool. Bot. Afr. 46:179-183.
Gillard A, 1952b. Raderdieren van Katanga, Tweede mededeling. Meded. Landbouwhogesch. Opzoekingsstat. Staat Gent, 18, Nr. 4, pp. 333-352.
Gillard A, 1957. Exploration hydrobiologique du Lac Tanganika, 1946-1947. IRSNB 3:3-26.
Gillard A, 1959. Contribution à l'étude des Rotifères du Congo Belge et du Ruanda. Rev. Zool. Bot. Afr. 60:233-239.
Girma F, 2011. Temporal dynamics of water quality and community structure and photosynthetic production of phytoplankton in Belbela Reservoir, Ethiopia. Master's Thesis, Addis Ababa University, Ethiopia: 74 pp.
Gómez A, Serra M, Carvalho GR, Lunt DH, 2002. Speciation in ancient cryptic species complexes: evidence from the molecular phylogeny of *Brachionus plicatilis* (Rotifera). Evolution 56:1431-1444.
Gondwe MJ, Murray-Hudson M, Mazrui NM, Moses O, Mosimanyana E, Mogobe O, 2021. A review of the limnology of the Okavango Delta, Botswana. Afr. J. Aquat. Sci. 46:251-273.
Gophen M, 2015. Ecological devastation in Lake Victoria: Part B: Plankton and fish communities. Open J. Ecol. 5:315-325.
Gophen M, Ochumba PB, Kaufman LS, 1995. Some aspects of perturbation in the structure and biodiversity of the ecosystem of Lake Victoria (East Africa). Aquat. Living Resour. 8:27-41.
Gras R, Iltis A, Lévêque-Duwat S, 1967. Le plancton du Bas Chari et de la partie Est du lac Tchad. Cah. ORSTOM ser. Hydrobiol. 1:25-97.
Green J, 1960. Zooplankton of the river Sokoto. The rotifera. In: Proceedings of the Zoological Society of London. Blackwell Publishing Ltd. Oxford, UK 135:491-523.
Green J, 1965. Zooplankton of Lakes Mutanda, Bunyonyi and Mulehe. In: Proceedings of the Zoological Society of London. Blackwell Publishing Ltd. Oxford, UK 144:383-400.
Green J, 1967. Associations of Rotifera in the zooplankton of the lake sources of the White Nile. J. Zool. 151:343-378.
Green J, 1972a. Latitudinal variation in associations of planktonic Rotifera. J. Zool. 167:31-39.
Green J, 1972b. Ecological studies on crater lakes in West Cameroon zooplankton of Barombi Mbo, Mboandong, Lake Kotto and Lake Soden. J. Zool. 166:283-301.
Green J, 1976. Changes in the zooplankton of lakes Mutanda, Bunyonyi and Mulehe (Uganda). Freshw. Biol. 6:433-436.
Green J, 1979. The fauna of Lake Sonfon, Sierra Leone. J. Zool. 187:113-133.
Green J, 1984. Zooplankton associations in the swamps of southern Sudan. Hydrobiologia 113:93-98.
Green J, 1985. Horizontal variations in associations of zooplankton in Lake Kariba. J. Zool. 206:225-239.
Green J, 1986. Zooplankton associations in some Ethiopian crater lakes. Freshw. Biol. 16:495-499.
Green J, 1987. *Keratella cochlearis* (Gosse) in Africa. In: L. May, R. Wallace and A. Herzig (eds.), Rotifer Symposium IV. Developments in Hydrobiology, vol 42. Springer, Dordrecht. Hydrobiologia 147:3-8.
Green J, 1990. Zooplankton associations in Zimbabwe. J. Zool. 222:259-283.
Green J, 1993. Zooplankton associations in East African lakes spanning a wide salinity range. Hydrobiologia 267: 249-256.
Green J, 2001. Variability and instability of planktonic rotifer associations in Lesotho, southern Africa. In: L. Sanoamuang, H. Segers, R.J. Shiel and R.D. Gulati (eds.), Rotifera IX. Developments in Hydrobiology, vol 153. Springer, Dordrecht. Hydrobiologia 446/447:187-194.
Green J, 2003. Associations of planktonic and periphytic rotifers in a tropical swamp, the Okavango Delta, Southern Africa. Hydrobiologia 490:197-209.
Green J, Corbet SA, Betney E, 1974. Ecological studies on crater lakes in West Cameroon. Debundsha Lake. J. Zool. 173:199-223.
Green J, El Moghraby AI, Ali OMM, 1984. A faunistic reconnaissance of Lakes Kundi and Keilak, western Sudan. Hydrobiologia 110:33-44.
Green J, El-Moghraby AI, Ali OMM, 1979. Biological observations on the crater lakes of Jebel Marra Sudan. J. Zool. Lond. 189:493-502.
Green J, Mengestou S, 1991. Specific diversity and community structure of Rotifera in a salinity series of Ethiopian inland waters. Hydrobiologia 209:95-106.
Guerguess SK, 1993. Distribution of some rotifers in the Egyptian Inland waters. Bulletin of NIOF 19:249-275.
Gurney R, 1908. A new species of Cirolana from a fresh-water Spring in the algerian Sahara. Zool. Anz. 32:682-685.
Haileselasie TH, Teferi M, Dejenie T, Welegerima K, Abay T, Hiluf SA, Girmay K, 2012. Abundance, species composition and spatial distribution of Zooplankton in Lake Hashengie of Tigray, northern Ethiopia. Curr. Res. J. Biol. 4:389-393.
Hall A, Davies BR, Valente I, 1976. Cabora Bassa: Some preliminary physico-chemical and zooplankton pre-impoundment survey results. Hydrobiologia 50:17-25.
Hamaidi F, Hamaidi MS, Guetarni D, Saidi F, Mohamed Said R, 2008. Rotifères de l'Oued Chiffa (Algérie). Bull. Inst. Sci. Rabat 30:19-27.
Hamaidi-Chergui F, Hamaidi MS, Errahmani MB, Benouaklil F, 2013. Studies on biodiversity of rotifera in five artificial lakes in Algeria: Systematical and zoogeographical remarks. Kragujevac J. Sci. 35:115-138.
Hamil S, Arab S, Baha M, Arab A, 2022. Spatial and temporal variation of zooplankton assemblage in Chiffa Wadi (North Algeria). Preprint at Res. Sq. 1-12.
Hamil S, Arab S, Baha M, Arab A, 2022. Spatial and temporal variation of zooplankton assemblage in Chiffa Wadi (North Algeria). ResearhSquare preprint, https://doi.org/10.21203/rs.3.rs-2085985/v1
Hamil S, Bouchelouche D, Arab S, Alili M, Baha M, Arab A,

2021. The relationship between zooplankton community and environmental factors of Ghrib Dam in Algeria. Environ. Sci. Pollut. Res. 28:46592-46602.

Hamisi MI, Lugomela C, Lyimo TJ, Bergman B, Díez B, 2017. Plankton composition, biomass, phylogeny and toxin genes in Lake Big Momela, Tanzania. Afr. J. Aquat. Sci. 42:109-121.

Hanna NS, Schiemer F, 1993. The seasonality of zooplanktivorous fish in an African reservoir (Gebel Aulia Reservoir, White Nile, Sudan). Hydrobiologia 250:173-185.

Harding WR, Hart RC, Muller LG, 2012. Elucidation of foodweb interactions in South African Reservoirs using stable isotopes. WRC Report No. 1918/1/12: 86 pp.

Harding WR, Wright S, 1999. Initial findings regarding changes in phyto-and zooplankton composition and abundance following the temporary drawdown and refilling of a shallow, hypertrophic South African coastal lake. Lake Reserv. Manag. 15:47-53.

Harrison AD, 1962. Hydrobiological studies on alkaline and acid still waters in the Western Cape Province. Trans. R. Soc. South Africa 36:213-244.

Harrison AD, Keller P, Dimovic D, 1960. Ecological Studies on Olifantsvlei, near Johannesburg. Hydrobiologia 15:89-134.

Hart RC, 1997. A limnological profile of the upper Okavango Delta at low water level. South. Afr. J. Aquat. Sci. 23: 21-33.

Hassan EI, Jaafaru A, Bonjoru R, Ndeham VR, Jerry JT, Bagauda DA, Michael L, 2019. Diversity and abundance of zooplankton, macroinvertebrates and fish larva from Lake Ribadu, Adamawa State, Nigeria. JSM Aquac. Res. 1:1-6.

Hassan MM, Khalil MT, Saad AEHA, Shakir SH, El Shabrawy GM, 2017. Zooplankton community structure of Lake Edku, Egypt. Egypt. J. Aquat. Biol. Fish. 21:55-79.

Hauer J, 1963. Zur Kenntnis der Rädertiere, Rotatoria von Ägypten. Arch. Hydrobiol. 59:162-195.

Heckman CW, 1997. Ecoclimatological survey of the wetland biota in the tropical wet-and-dry climatic zone. Glob. Ecol. Biogeogr. 6:97-114.

Hegab MH, Khalifa N, Aly W, 2020. Zooplankton communities in Lake Nasser, Egypt, under the current flood regime, before the construction of Grand Ethiopian Renaissance Dam (GERD). Afr. J. Aquat. Sci. 46:329-339.

Helal HA, 1981. Studies on the zooplankton of Damietta branch of the River Nile north of El Mansoura. Master's Thesis, Mansoura University, Egypt: 231 pp.

Helal HA, 2006. Decline in zooplankton diversity in the Damietta Branch of the Nile River, Egypt: a comparative study with a 24-year span. Verh. - Int. Ver. Theor. Angew. Limnol. 29:2068-2070.

Heneash AMM, 2015. Zooplankton composition and distribution in a stressed environment (El Dekhaila Harbour), South-Eastern Mediterranean Sea, Egypt. Int. J. Adv. Res. Biol. Sci. 2:39-51.

Heneash AMM, Tadrose HRZ, Hussein MMA, Hamdona SK, Abdel-Aziz N, Gharib AM, 2015. Potential effects of abiotic factors on the abundance and distribution of the plankton in the Western Harbour, south-eastern Mediterranean Sea, Egypt. Oceanologia 57:61-70.

Holden MJ, Green J, 1960. The hydrology and plankton of the River Sokoto. J. Anim. Ecol. 29:65-84.

Houssou AM, 2012. Variabilité saisonnière des communautés planctoniques (Phyto et zooplancton) des lacs Azili, Hlan et Toho. Massters Thesis, Universite d'Abomey-Calavi (UAC), Benin: 114 pp.

Houssou AM, Adjahouinou DC, Bonou CA, Montchowui E, 2020. Plankton Index of Biotic Integrity, P-IBI for assessing ecosystem health within the Ouémé River basin, Republic of Benin. Afr. J. Aquat. Sci. 45:452-465.

Houssou AM, Agadjihouédé H, Montchowui E, Bonou CA, Lalèyè P, 2015. Structure and seasonal dynamics of phytoplankton and zooplankton in Lake Azili, small lake of the pond of River Ouémé,"Benin". Int. J. Aquat. Biol. 3:161-171.

Houssou AM, Bonou CA, Montchowui E, 2018. *Brachionus falcatus* and *Platyias patulus* indicating organic pollution in Ouémé River's basin, Republic of Benin. Int. J. Aquat. Biol. 6:258-264.

Houssou AM, Montchowui E, Bonou CA, 2017. Composition and structure of zooplankton community in ouémé river basin, republic of Benin. J. Entomol. Zool. Stud. 5:336-344.

Houssou AM, Yaovi R, Montcho SA, Bonou CA, Montchowui E, 2016. Diversity and seasonal variation of zooplankton of Lake Hlan, Republic of Bénin (West Africa). J. Appl. Biosci. 102:9723-9737.

Huber-Pestalozzi G, 1929. Das Plankton natürlicher und künstlicher Seebecken Südafrikas. Verh. - Int. Ver. Theor. Angew. Limnol. 4:343-390.

Hutchinson GE, 1931. LVII.—New and little-known Rotatoria from South Africa. J. Nat. Hist. 7:561-568.

Hutchinson GE, Pickford GE, Schuurman JFM, 1932. A contribution to the hydrobiology of pans and other inland waters of South-Africa. Arch. Hydrobiol. Suppl B 24:1-54.

Chande AI, 2007. Mara River and Associated Wetland as a Refuge of Threatened Indigenous Tilapiines of Lake Victoria, Tanzania. Tanzan. J. Agric. Sci. 8:25-30.

Chemoiwa EJ, Oyoo-Okoth E, Mugo-Bundi J, Njenga EW, Matany EC, Korir RJ, Ngugi CC, 2015. Elemental ratios (C: N) and stable isotopic composition of dominant rotifer species in a tropical eutrophic alkaline–saline Lake Nakuru (Kenya). Hydrobiologia 747:97-110.

Cherbi M, Lek-Ang S, Lekb S, Arab A, 2008. Distribution du zooplancton dans les lacs à climat méditerranéen. Ecologie 331:692-702.

Chiambeng GY, Dumont H, Segers H, 1991. Contribution to the knowledge of the zoöplankton fauna of Cameroon: some new records of Rotifera. Biol. Jaarb. Dodonaea 59:125-131.

Chiambeng GY, Njock JC, Segers H, 1994. Rotifera from South-West, Central and North provinces of Cameroon. Biol. Jaarb. Dodonaea 61:154-160.

Chiambeng GY, Youmbi JT, Djama T, 2004. Zooplankton fauna from fish ponds in Kumba, Meme Division, Southwest Cameroon. J. Cameroon Acad. Sci. 4:219-226.

Chris DI, Amaewhule EG, 2022. Zooplankton and benthic fauna composition of Isaka-bundu mangrove swamp, Niger delta, Nigeria: A polluted tidal mangrove tropical creek. Int. J. Sci. Res. Arch. 6:174-183.

Chukwuka KS, Uka UN, 2007. Effect of water hyacinth (Eichornia crassippes) infestation on zooplankton populations in Awba reservoir, Ibadan South-West Nigeria. J. Biol. Sci. 7:865-869.

Ibemenuga KN, 2020. Checklist of zooplankton of Mkpume stream in Agulu, Anambra state, Nigeria. Anim. Res. Int.

17:3761-3765.
Ibrahim S, 2009. A survey of zooplankton diversity of Challawa River, Kano and evaluation of some of its physico-chemical conditions. BAJOPAS 2:19-26.
Ibrahim S, Abdullahi BA, 2008. Effect of lead on zooplankton dynamics in Challawa River, Kano state, Nigeria. BAJOPAS 1:88-94.
Ikhuoriah SO, Oronsaye CG, Adebanjo IA, 2015. Zooplankton communities of the river Ossiomo, Ologbo, Niger delta, Nigeria. Anim. Res. Int. 12:2249-2259.
Ikomi RB, Anyanwu ED, 2010. Zooplankton of Ogba River, Benin City, Nigeria. Biosci. Res. Commun. 22:255-258.
Iloba KI, 2017. Rotifers of River Ethiope, Delta State, Nigeria. IJFAS 5:74-79.
Iloba KI, 2019. Water properties and zooplankton diversity of Aghalokpe wetland in Delta State, Nigeria. Sci. World J. 14:164-170.
Iloba KI, Akawo N, 2013. The zooplankton of River Adofi in delta state of Nigeria. NIJEST 12:35-42.
Iloba KI, Arebun B, 2020. Comparative Study on Water Variables and plankton diversity of earthen Fish Ponds along River Ethiope. IOSR-JESTFT: 14:1-8.
Iloba KI, Egborge ABM, 2002. Changes in the rotifers of Ikpoba River Dam, Benin City, Southern Nigeria. Trop. Freshw. Biol. 11:37-46.
Iloba KI, Ruejoma MGO, 2014. Physico-chemical characteristics and zooplankton of Ekpan River, Delta State, Nigeria. Int. J. Appl. Biol. Res. 6:8-30.
Iltis A, Riou-Duwat S, 1971. Variations saisonnières du peuplement en rothfères des eaux natronées du Kanem (Tchad). Cah. O.R.S.T.O.M., sér. Hydrobiol. 5:101-112.
Imam TS, Balarabe MI, Oyeyi TI, 2011. Spatial and Temporal Variation of Zooplanktonic Fauna Composition and Distribution in the Jakara-Getsi River System, Kano, Nigeria. BAJOPAS 4:45-52.
Imevbore AMA, 1967. Hydrology and plankton of Eleiyele Reservoir Dam, Nigeria. Hydrobiologia 30:154-176.
Imoobe TOT, 2011a. Characterization of the zooplankton community structure of polluted Eruvbi stream, Benin City, Nigeria. Niger. J. Fish. 8:197-207.
Imoobe TOT, 2011b. Diversity and seasonal variation of zooplankton in Okhuo River, a tropical forest river in Edo State, Nigeria. Cent. J. 17:37-51.
Imoobe TOT, Adeyinka ML, 2009. Zooplankton-based assessment of the trophic state of a tropical forest river in Nigeria. Arch. Biol. Sci. 61:733-740.
Imoobe TOT, Akoma OC, 2008. Assessment of zooplankton community structure of the Bahir Dar gulf of Lake Tana, Ethiopia. EJESM 1:26-34.
Imoobe TOT, Christopher AO, 2010. Spatial variations in the composition and abundance of zooplankton in the Bahir Dar Gulf of Lake Tana, Ethiopia. Afr. J. Ecol. 48:72-77.
Isibor PO, 2017. Heavy metals, nutrients, total hydrocarbons and zooplankton community structure of Osse River, Edo State, Nigeria. JJBS 10:109-116.
Iskaros IA, Bishai RM, Mokhtar FM, 2008. Comparative study of zooplankton in Aswan reservoir and the River Nile at Aswan, Egypt. Egypt. J. Aquat. Res. 34:260-284.
Isumbisho M, Sarmento H, Kaningini B, Micha JC, Descy JP, 2006. Zooplankton of Lake Kivu, East Africa, half a century after the Tanganyika sardine introduction. J. Plankton Res. 28:971-989.
Isumbisho Mwapu P, 2006. Ecologie du Zooplancton du Lac Kivu (Afrique de l'Est) /Zooplankton Ecology of Lake Kivu (Eastern Africa). Ph.D. Thesis, UNamur-Université de Namur, Belgium.
Jackson VS, 2004. The production and fate of picoplankton and protozoa in the pelagic food web of Napoleon Gulf, Lake Victoria, East Africa. Master's Thesis, University of Waterloo, Canada: 138 pp.
Jakubski AW, 1912. Beitrage zur Kenntnis der Süszwasserfauna Ost-afrikas. I. Die Radertiere des Ussangu-Steppe. Zool. Anz. 39:536-550.
James EM, Ajah PO, 2021. Effect of Tides on Zooplankton in Great Kwa River, Calabar, Nigeria-A Comparative Study. IJISRT 6:1378-1386.
Jarvis AC, 1987. Studies on zooplankton feeding ecology and resource utilization in a sub-tropical hypertrophic impoundment, Hartbeespoort Dam, South Africa, Doctoral dissertation, Rhodes University, Grahamstown, South Africa: 156 pp.
Jeje CY, Fernando CH, 1992. Zooplankton associations in the middle Niger-Sokoto basin (Nigeria: West Africa). Int. Rev. ges. Hydrobiol. 77:237-253.
Jerling HL, 2005. Zooplankton community changes in Nhlabane estuary, South Africa, induced by man-made structures and drought. Afr. J. Aquat. Sci. 30:29-35.
Jersabek CD, Leitner MF, 2013. The rotifer world catalog. World Wide Web electronic publication. http://www.rotifera.hausdernatur.at/, accessed {2022.10.17}.
Jonah UE, Anyanwu ED, Avoaja DA, 2020a. Spatio-Temporal Assessment of Zooplankton Fauna of Uta Ewa Estuary, Akwa Ibom State, Nigeria. Omni-Akuatika 16:151-166.
Jonah UE, Avoaja DA, Hanson HE, Nnana GP, 2020b. Studies on plankton diversity and water quality of a tropical rainforest River, Niger Delta, Nigeria. Int. J. Fish. Aquat. 8:532-536.
Jörger KM, Alvaro N, Andrade L, Araujo T, Aramayo V, Artois T, ... Ricardo Costa AC, 2021. Meiozores 2019-Exploring the Marine Meiofauna of the Azores. Açoreana, Suplemento 11:17-41.
Joshua NA, Idumah OO, Godwin N, 2018. Seasonal Variation in Physicochemical Parameters and its Relationship with Zooplankton Abundance in River Asu, Nigeria. Indian J. Ecol. 45:60-65.
Kâ S, Bouvy M, Sané S, Ba N, Arfi R, Thiaw OT, Pagano M, 2011. Zooplankton communities in the shallow lake Guiers (Senegal, West Africa). Int. Rev. Hydrobiol. 96:405-424.
Kâ S, Pagano M, Bâ N, Bouvy M, Leboulanger C, Arfi R, ... Kouassi E, 2006. Zooplankton distribution related to environmental factors and phytoplankton in a shallow tropical lake (Lake Guiers, Senegal, West Africa). Int. Rev. Hydrobiol. 91:389-405.
Kahsay A, Lemmens P, Triest L, De Meester L, Kibret M, Verleyen E, ... Stiers I, 2022. Plankton Diversity in Tropical Wetlands Under Different Hydrological Conditions (Lake Tana, Ethiopia). Front. Environ. Sci. 10:816892
Kalk M, 1979a. Zooplankton in a quasi-stable phase in an endorheic lake (Lake Chilwa, Malawi). Hydrobiologia 66:7-15.
Kalk M, 1979b. Zooplankton in Lake Chilwa: adaptations to changes, p. 123-142. In: M. Kalk, A.J. McLachlan and C.

Howard-Williams (eds.), Lake Chilwa. Studies of change in a tropical ecosystem. Monographiae Biologicae, Dr. W. Junk bv Publishers, The Hague, The Netherlands.

Kalk MJ, Schulten-Senden CM, 1977. Zooplankton in a tropical endorheic lake (Lake Chilwa, Malawi) during drying and recovery phases. J. Limnol. Soc. South Afr. 3:1-7.

Kalous L, Kurfürst J, Petrtýl M, Holíková P, Trefil P, 2009. Zooplankton of small ponds in integrated fish and duck production in Bie province, Angola. ATS 42:197-199.

Katunzi EFB, Onyango PO, Mahongo SB, Kishe-Machumu MA, van Rijssel JC, Kayanda RJ, Mgaya YD, 2017. Historical perspectives and trends in fisheries research in Tanzania, p. 11-35. In: Y. Mgaya and S. Mahongo (eds.), Lake Victoria Fisheries Resources. Monographiae Biologicae, vol 93. Springer, Cham.

Källqvist T, Meadows BS, 1978. The toxic effect of copper on algae and rotifers from a soda lake (Lake Nakuru, East Africa). Water Res. 12:771-775.

Kennie AM, Akinade GT, Ogialekhe P, Mohammed N, 2017. Zooplankton assemblages along Jebba Upper Basin, Nigeria. Int. J. Pure Appl. Zool. 5:100-103.

Khalifa N, 2014. Population dynamics of rotifera in Ismailia Canal, Egypt. JBES 4:58-67.

Khalifa N, Bendary RE, 2016. Composition and biodiversity of zooplankton and macrobenthic populations in El-Rayah El-Menoufy, Egypt. IJAES 11:683-700.

Khalifa N, El-Damhogy KA, Fishar MR, Nasef AM, Hegab MH, 2015. Vertical distribution of zooplankton in Lake Nasser. Egypt. J. Aquat. Res. 41:177-185.

Khalifa N, El-Hady HHA, 2010. Some investigations on zooplankton and biochemical contents of phytoplanktons in Wadi El-Rayan Lakes, Egypt. World Appl. Sci. J. 11:1035-1046.

Khalifa N, Mageed A, 2002. Some ecological aspects on the zooplankton in Lake Manzala, Egypt. Egypt. J. Zool. 38:293-307.

Khalifa N, Sabae SZ, 2012. Investigation on mutual relations between bacteria and zooplankton in Damietta Branch, River Nile, Egypt. J. Appl. Sci. Res. 8:2679-2688.

Khalifa N, Sabae SZ, 2013. Seasonal variation and interaction between rotifers and bacteria in Rosetta Branch, River Nile, Egypt. Aust. J. Basic & Appl. Sci. 7:752-762.

Khalil MT, 1990. Plankton and primary productivity of Lake Manzala, Egypt. Hydrobiologia 196:201-207.

Khan MA, 2010a. Limnological research in Libya. Int. J. Environ. Sci. 36:59-66.

Khan MA, 2010b. Seasonal dynamics of plankton populations and phytoplankton photosynthetic activity in a highland fish pond in tropical West Africa. Lakes Reserv.: Res. Manag. 15:307-318.

Khan MA, Agugo BAC, 1990. Ecological studies and trophic state evaluation of a tropical impoundment in West Africa. Acta Hydrochim. Hydrobiol. 18:325-331.

Khan MA, Ejike C, 1984. Limnology and plankton periodicity of Jos Plateau water reservoir, Nigeria, West Africa. Hydrobiologia 114:189-199.

Khan MA, Zarmouh MM, 1989. Phyto- and zooplankton composition and some ecological observations on man made lake in Wadi-el- Majanin Libya. Acta Hydrochim. Hydrobiol. 17: 523-525.

Kigbu AA, Annune PA, Okayi RG, 2017. Studies on physicochemical parameters and zooplankton composition of the Amba River, Lafia, Nasarawa State, Nigeria. Proceedings of the 32nd Annual National Conference of Fisheries Society of Nigeria 32:142-147.

Kiggundu V, Mataagi SV, Ndawula LM, Okello W, 2020. Diversity and abundance of zooplankton in River Aswa in Uganda. UJAS 19:35-45.

Kiggundu V, Mwebaza-Ndawula L, Makanga B, Nachuha S, 2012. Variations in zooplankton community structure and water quality conditions in three habitat types in northern Lake Victoria. Lakes Reserv. Res. Manag. 17:83-95.

Kirkman T, 1901. IV.—List of Some of the Rotifera of Natal. J. R. Microsc. Soc. 21:229-241.

Kirkman T, 1906. VI.—Second List of Rotifera of Natal. J. R. Microsc. Soc. 26:263-268.

Kizito YS, 1998. Studies of the zooplankton of two Western Uganda crater lakes, Nkuruba and Nyahirya, with special emphasis on the bionomics and productivity of the cyclopoids. Acad. Royale des Sciences d'Outre-Mer. Brussel: 98 pp.

Kizito YS, Nauwerck A, 1995. Temporal and vertical distribution of planktonic rotifers in a meromictic crater lake (Lake Nyahirya, Western Uganda). Hydrobiologia 313:303-312.

Klimowicz H, 1961a. Differentiation of rotifers in various zones of Nile near Cairo. Polsk. Arch. Hydrobiol. 9:223-242.

Klimowicz H, 1961b. Rotifers of the Nile canals in the Cairo environs. Polsk. Arch. Hydrobiol. 9:203-221.

Klimowicz H, 1962. Rotifers of the small water bodies of Cairo botanical garden. Pol. Arch. Hydrobiol. 10:241-270.

Kling GW, 1987. Comparative limnology of lakes in Cameroon, West Africa. Dissertation Thesis, Duke University: 496 pp.

Kolo RJ, Ojutiku RO, Musulmi DT, 2010. Plankton communities of Tagwai Dam Minna, Nigeria. Can. J. Fish. Aquat. 4:1-7.

Kondo T, Hori M, 1986. Abundance of zooplankters on a rocky shore of Lake Tanganyika: A preliminary report. Afr. Study Monogr. 6:17-23.

Kondo T, Kumekawa H, Hori M, 1997. Abundance of zooplankters on a rocky shore of Kasenga, Southen End of Lake Tanganyika. Osaka Kyoiku Univ. III Natur. Sci. Appl. Sci. 46:77-82.

Kordbacheh A, Garbalena G, Walsh EJ, 2017. Population structure and cryptic species in the cosmopolitan rotifer *Euchlanis dilatata*. Zool. J. Linn. Soc. 181:757-777.

Koste W, 1996a. On Soil Rotatoria from a Lithotelma near Halali Lodge in Etosha National Park in N-Namibia, South Africa. Int. Rev. Ges. Hydrobiol. Hydrogr. 81:353-365.

Koste W, 1996b. Über die moosbewohnende Rotatorienfauna Madagaskars. Osnabrücker Naturwissenschaftliche Mitteilungen 22:235-253.

Koste W, Tobias W, 1987. Zur Rädertierfauna des Sankarani-Stausees im Einzugsgebiet des Niger, Republik Mali, Westafrika (Aschelminthes: Rotatoria). Arch. Hydrobiol. 108:499-515.

Koste W, Tobias W, 1989. Rotatorien der Sélingué–Talsperre in Mali (Westafrika, Aschelminthes). Senckenb. Biol. 69: 441-466.

Krylov AV, Zelalem W, Prokin AA, 2020b. Qualitative Composition and Quantitative Characteristics of Zooplankton in the Littoral Zone of Lake Tana (Ethiopia) at the End of the Dry Season. Inland Water Biol. 13:206-213.

Krylov AV, Zelalem W, Prokin AA, Shkil FN, 2020a. Zooplankton in the Lake Tana Shore Zone (Ethiopia) at the Beginning of

the Dry Season. Inland Water Biol. 13:605-612.
Kutama RM, Abubakar MM, Balarabe ML, 2014. The Plankton as Indicators of water quality in Kusalla Reservoir: a shallow man made lake. IOSR J. Pharm. Biol. Sci. 9:12-15.
Kwen K, Ewutanure JS, Binyotubo TE, 2019. Zooplankton Species Diversity and Physico-Chemical Parameters in the Lower Taylor Creek Area, Bayelsa State, Nigeria. AJER 8:94-99.
Lawal MO, Adesalu TA, Kunrunmi OA, 2016. Plankton and macrobiota composition and diversity of three tropical freshwaters rivers in Ogun and Ondo States, Southwest Nigeria. Not. Sci. Biol. 8:46-255.
Leboulanger C, Bouvy M, Carré C, Cecchi P, Amalric L, Bouchez A, Pagano M, Sarazin G, 2011. Comparison of the effects of two herbicides and an insecticide on tropical freshwater plankton in microcosms. Arch. Environ. Contam. Toxicol. 61:599-613.
Lehman JT, Litt AH, Mugidde R, Lehman DA, 1998. Nutrients and plankton biomass in the Rift Lake source of the White Nile: Lakes Albert and Edward. pp. 157-172. In: J.T. Lehman (ed.) Environmental change and response in East African lakes. Kluwer Academic Publishers, The Netherlands.
Lemma B, 2003a. Aquatic habitats and biodiversity changes of two Ethiopian lakes. In S. Mengistou, A. Getahun and E. Kelbessa (eds.), Proceedings of a Workshop, Wetlands and Aquatic Resources of Ethiopia: Status, Challenges and Prospects. Biol. Soc. Ethiopia 13:27-31.
Lemma B, 2003b. Ecological changes in two Ethiopian lakes caused by contrasting human intervention. Limnologica 33:44-53.
Löffler H, 1963. Ergebnisse der Zoologischen Nubien-Expedition 1962 Teil XVIII, Zur Binnenwasserfauna einiger Kleingewässer und Brunnen im nördlichen Sudan. Ann. Naturhist. Mus. Wien 66:489-494.
Löffler H, 1964. The limnology of tropical high-mountain lakes. Verh. - Int. Ver. Theor. Angew. Limnol. 15:176-193.
Luo Y, Segers H, 2013. On *Pulchritia* new genus, with a reappraisal of the genera of Trichotriidae (Rotifera, Monogononta). ZooKeys 342:1-12.
Luo Y, Segers H, 2020. Eight new Lepadellidae (Rotifera, Monogononta) from the Congo bring to level endemism in Africa's rotifers. Zootaxa 4731:371-387.
Maas S, Segers H, Decleer K, 1994. The freshwater Rotifera and Copepoda fauna (Rotifera: Monogononta; Crustacea: Copepoda) of three islands in the Seychelles Archipelago. Biol. Jaarb. Dodonaea 62:169-174.
MacLaren Engineers, Planners and Scientific Inc., 1982. Lake Manzala study. EGY/76/001-07, Final Report to Arab Republic of Egypt, Ministry of Development and New Communities and UNDP Office for Projects Execution, Volume 10, Annex H, Fisheries. Toronto, Canada.
Magadza CHD, 1980. The distribution of zooplankton in the Sanyati Bay, Lake Kariba; a multivariate analysis. Hydrobiologia 70:57-67.
Mageed AA, 1992. Ecological studies on zooplankton from khor El-Ramla (Lake Nasser). Master's Thesis, Al-Azhar University, Cairo, Egypt: 219 pp.
Mageed AA, 1995. Studies on zooplankton from Lake Nasser Egypt. Ph.D. Thesis, Al-Azhar University, Cairo, Egypt: 215 pp.
Mageed AA, Konsowa AH, 2002. Relationship between phytoplankton, zooplankton and fish culture in a freshwater fish farm. Egypt. J. Aquat. Biol. Fish. 6:183-206.
Mageed AAA, 2000. Diurnal and nocturnal vertical migration of zooplankton in Wadi el Rayan lakes (El Fayoum, Egypt). Egypt. J. Aquat. Biol. Fish. 4:223-238.
Mageed AAA, 2005. The effect of some environmental factors on zooplankton community biodiversity in Lake Qarun, Egypt. Afr. J. Aquat. Sci. 30:195-200.
Mageed AAA, 2006. Spatio-temporal variations of zooplankton community in the hypersaline lagoon of Bardawil North Sinai – Egypt. Egypt. J. Aquat. Res. 32:168-183.
Mageed AAA, 2007a. Distribution and long-term historical changes of zooplankton assemblages in Lake Manzala (south Mediterranean Sea, Egypt). Egypt. J. Aquat. Res. 33:183-192.
Mageed AAA, 2007b. Biomass, production, and turnover rate of zooplankton in Lake Manzala (South Mediterranean Sea, Egypt). Egypt. J. Aquat. Res. 32:158-167.
Mageed AAA, Heikal MT, 2006. Factors affecting seasonal patterns in epilimnion zooplankton community in one of the largest man-made lakes in Africa (Lake Nasser, Egypt). Limnologica 36:91-97.
Magezi G, Naluwairo J, Ocaya H, Kiggundu V, Pabire Ghandi W, Wandera SB, Olokotum M, Ndawula LM, 2012. Report of the baseline survey undertaken on the Chinese cage site in Napoleon Gulf, Northern Lake Victoria, 12 March 2012. National Fisheries Resources Research Institute (NaFIRRI): 31 pp.
Magis N, 1967. Le zooplancton des lacs artificiels du Haut Katanga méridional, étude faunistique et écologique. Fondation de l'Université de Liège pour les Recherches scientifiques au Congo et au Ruanda-Urundi, Liège: 203 pp.
Mahmoud Ali M, 2008. An analysis of the impact of human activities on water quality and ecological responses in the Suez Irrigation Canal. Manag. Environ. Qual. 19:377-401.
Manfredi P, 1939. Plancton delle acque interne della Tripolitana. Atti Soc. ital. Sc. natur. e Mus. civ. Star. natur. Milano 78:99-107.
Maria BU, Abubakar MM, Muhammed SI, 2022. Seasonal Variations as Bioindicators in Plankton Composition in Warwade-Dam, Jigawa State, Nigeria. BEST 19:109-120.
Marshall BE, 1997. A review of zooplankton ecology in Lake Kariba, p. 102-119. In: J. Moreau (ed.), Advances in the ecology of Lake Kariba. University of Zimbabwe Publications, Harare.
Martin TJ, Cyrus DP, 1991. Zooplankton in the open water areas of Lake Cubhu, a freshwater coastal lake in Zululand, South Africa. Water SA 17:107-112.
Martínez A, Di Domenico M, Leasi F, Curini-Galletti M, Todaro MA, Dal Zotto M, Gobert S, Artois T, Norenburg J, Jörger KM, Núñez J, Fontaneto D, Worsaae K, 2019. Patterns of diversity and endemism of soft-bodied meiofauna in an oceanic island, Lanzarote, Canary Islands. Mar. Biodiv. 49:2033-2055.
Masai DM, Omondi R, Owili M, 2006. Systematics and distribution of zooplankton in Lake Victoria basin, Kenya. In: E. Odada and O. Daniel (eds.), Proceedings of the 11th World Lakes Conference 2:230-235.
Masundire H, 1989. Zooplankton composition and abundance in relation to water transparency and predation in Lake Kariba.

Arch. Hydrobiol. Beih. Ergebn. Limnol. 33:513-520.
Masundire HM, 1992. The filling phase of Mazvikadei reservoir, Zimbabwe. Hydrobiologia 232:11-17.
Matagi SV, 2004. A biodiversity assessment of the Flamingo Lakes of eastern Africa. Biodivers. 5:13-26.
Mavuti KM, 1990. Ecology and role of zooplankton in the fishery of Lake Naivasha. Hydrobiologia 208:131-140.
Mavuti KM, 1992. Diel vertical distribution of zooplankton in Lake Naivasha, Kenya. Hydrobiologia 232:31-41.
Mavuti KM, Litterick MR, 1980. Species composition and distribution of zooplankton in a tropical lake, Lake Naivasha, Kenya. Arch. Hydrobiol. 93:52-58.
Mavuti KM, Litterick MR, 1991. Composition, distribution and ecological role of zooplankton community in Lake Victoria, Kenya waters. Int. Verein. Theor. Angewandte Limnol. Verhandl. 24:1117-1122.
Mbogo DK, 2002. The structure and function of the Plankton community in the Pelagic zone of Lake Naivasha, Kenya. Master's Thesis, University of Nairobi, Kenya: 84 pp.
Mcinnes SJ, Michalczyk Ł, Kaczmarek Ł, 2017. Annotated zoogeography of non-marine Tardigrada: part IV: Africa. Zootaxa 4284:1-74.
Melack JM, 1983. Large, deep salt lakes: a comparative limnological analysis. Hydrobiologia 105:223-230.
Mengestou S, Green J, Fernando CH, 1991. Species composition, distribution and seasonal dynamics of Rotifera in a Rift Valley lake in Ethiopia (Lake Awasa). Hydrobiologia 209:203-214.
Mengistou S, 2016. Invertebrates of East African soda lakes, p. 205-226. In: M. Schagerl (ed.), Soda Lakes of East Africa. Springer, Cham.
Mequanent D, Mingist M, Getahun A, Anteneh W, Getnet B, Birie S, 2022. The investigation of the zooplankton community in the newly formed Ribb Reservoir, Ethiopia: the tropical highland reservoir. Heliyon 8:e10533.
Meremo WT, Reuben O, Wamalwa YA, Ndegwa DM, 2022. Changes in water quality parameters and their effect on zooplankton distribution in a shallow bay of Lake Victoria, Kenya. Int. J. Fish. Aquat. 10:206-212.
Merga LB, Mengistie AA, Faber JH, Van den Brink PJ, 2020. Trends in chemical pollution and ecological status of Lake Ziway, Ethiopia: a review focussing on nutrients, metals and pesticides. Afr. J. Aquat. Sci. 45:386-400.
Mesfin M, Tudorancea C, Baxter RM, 1988. Some limnological observations on two Ethiopian hydroelectric reservoirs: Koka (Shewa administrative district) and Finchaa (Welega administrative district). Hydrobiologia 157:47-55.
Mhlanga L, Madzivanzira TC, Nhiwatiwa T, Tendaupenyu P, Barson M, Marufu L, Songore N, 2020. A survey of phytoplankton and zooplankton communities in the newly created Tugwi-Mukosi reservoir, Zimbabwe, during the filling phase. Afr. J. Aquat. Sci. 45:466-474.
Mhlanga L, Mungenge C, Nhiwatiwa T, 2017. Physico-chemical limnology and plankton dynamics of Mazvikadei, a tropical reservoir in Zimbabwe. Afr. J. Aquat. Sci. 42:93-108.
Michalczyk Ł, Kaczmarek Ł, McInnes SJ, 2022. Annotated zoogeography of non-marine Tardigrada. Part V: Australasia. Zootaxa 5107:1-119.
Milbrink G, 1977. On the limnology of two alkaline lakes, Nakuru and Naivasha in the East Rift Valley System in Kenya. Int. Rev. ges. Hydrobiol. Hydrogr. 62:1-17.
Mills S, Alcántara-Rodríguez JA, Ciros-Pérez J, Gómez A, Hagiwara A, Galindo KH, ... Walsh EJ, 2017. Fifteen species in one: deciphering the *Brachionus plicatilis* species complex (Rotifera, Monogononta) through DNA taxonomy. Hydrobiologia 796:39-58.
Milne W, 1916. On the Bdelloid Rotifera of South Africa. Quekett J. Microsc. 13:47-84.
Minelli A, 1995. The changing paradigms of biological systematics: New challenges to the principles and practice of biological nomenclature. Bull. Zool. Nomencl. 52:303-309.
Mironga JM, Mathooko JM, Onywere SM, 2014. Effects of spreading patterns of water hyacinth (*Eichhornia crassipes*) on zooplankton population in Lake Naivasha, Kenya. Int. J. Sustain. Dev. Plan. 3:1971-1987.
Mofu L, Dalu T, Wasserman RJ, Woodford DJ, Khosa D, Weyl OLF, 2021. Seasonal variation and drivers of zooplankton, macroinvertebrate and littoral fish communities from irrigation ponds in a semi-arid region in the Eastern Cape (South Africa). Afr. J. Aquat. Sci. 46:452-463.
Mogue KGJ, Kengne TJ, Nvondo N, Tuekam KRP, Nguiéma CA, Zébazé TSH, 2022. Specific diversity and abundance of communities of microcrustaceans and rotifers in two ponds, Mokolo and Mopa in the city of (Bertoua, Cameroon). World J. Adv. Res. Rev. 16:625-635.
Mohammad WA, Obuid-Allah AH, Moustafa AS, Gaber AM, 2021. Seasonal variations in the abundance and diversity of zooplankton community inhabiting River Nile and its branches at Qena governorate, Upper Egypt.Egypt. J. Aquat. Biol. Fish. 35:445-466.
Mohammed AZ, Agbaja JE, Arimoro FO, 2016. Zooplankton Community Response To Deteriorating Water Quality In Tungan Kawo (Wushishi Dam), North Central, Nigeria. IJIRAS 3:51-56.
Mohammed AZ, Arimoro FO, Olayemi IK, Ajai AI, Auta YI, Ayanwale AV, 2019. Spatio-temporal assessment of zooplankton of Wushishi (wushishi) Lake, Niger state. 2nd Annual conference of Freshwater Biological Association, Minna Niger State. 23rd–26th October 2019, 14 pp.
Mola HR, 2011. Seasonal and spatial distribution of *Brachionus* (Pallas, 1966; Eurotatoria: Monogonanta: Brachionidae), a bioindicator of eutrophication in lake El-Manzalah, Egypt. Biol. Med. 3:60-69.
Mola HR, Ahmed NA, 2015. Zooplankton community structure and diversity relative to environmental variables in the River Nile from Helwan to El-Qanater El-Khayria, Egypt. Int. J. Environ. 4:140-150.
Mola HRA, El-Rahis MA, 2012. Effect of drains on the distribution of zooplankton at the southeastern part of Lake Manzala, Egypt. Egypt. J. Aquat. Biol. Fish. 16:57-68.
Mola HRA, Shaldoum FMA, Alhussieny AM, 2018. Diversity of planktonic and epiphytic microinvertebrates associated with the macrophyte *Eichhornia crassipes* (Mart.) in River Nile at El-Qanater El-Khiria region, Egypt. J. Egypt. Acad. Soc. Environ. Develop. 19:117-132.
Monakov AV, 1969. The zooplankton and the zoobenthos of the White Nile and adjoining waters in the Republic of the Sudan. Hydrobiologia 33:161-185.
Monney IA, Etile RND, Ouattara IN, Kone T, 2015. Seasonal distribution of zooplankton in the Aby-Tendo-Ehy lagoons system (Côte d'Ivoire, West Africa). Int. J. Biol. Chem. Sci.

9:2362-2376.

Monney IA, Ouattara IN, Etilé RN, Aka MN, Bamba M, Kone T, 2016. Distribution of zooplankton in relation with environmental characteristics of four coastal rivers in South-Eastern Côte d'Ivoire (West Africa). J. Appl. Biosci. 98:9344-9353.

Msiteli-Shumba S, Kativu S, Hulot FD, 2017. Influence of environmental variables on plankton community composition in permanent and temporal pans in and around Hwange National Park, Zimbabwe. Trans. R. Soc. South Africa 72:266-279.

Munro JL, 1966. A limnological survey of Lake McIlwaine, Rhodesia. Hydrobiologia 28:281-308.

Murray J, 1908. Some African rotifers. J. R. Microsc. Soc. 28:665-670.

Murray J, 1911a. South African Rotifera: Collected by the Shackleton Antarctic Expedition, 1907. J. R. Microsc. Soc. 31:584-587.

Murray J, 1911b. Part 52. Rotifera Bdelloida. In: Proceedings of the Royal Irish Academy. Section B: Biological, Geological, and Chemical Science, A Biological Survey of Clare Island in the County of Mayo, Ireland and of the Adjoining District (Sections 1-3) (1911 - 1915). R. Ir. Acad. 31:52.1-52.20.

Murray J, 1911c. Some African rotifers: Bdelloida of tropical Africa. J. R. Microsc. Soc. 31:1-18.

Murray J, 1911d. Bdelloid rotifera of South Africa. Ann. Transvaal Mus. 3:1-19.

Musa SO, Waziri M, Charles AH, Adadu MO, 2021. Some aspects of limnology on a stretch of the lower Benue river, Makurdi, Benue state, Nigeria. Int. J. Fish. Aquat. Stud. 9:146-151.

Mustapha MK, 2009. Zooplankton assemblage of Oyun Reservoir, Offa, Nigeria. Rev. Biol. Trop. 57:1027-1047.

Mustapha MK, 2010. Seasonal influence of limnological variables on plankton dynamics of a small, shallow, tropical African reservoir. Asian J. Exp. Biol. Sci. 1:60-79.

Mutune MD, Omondi R, Owili M, 2006. Systematics and distribution of zooplankton in Lake Victoria basin, Kenya. In: Proceedings of the 11th World Lakes Conference. Nairobi: ILEC 2:230-235.

Mwashote BM, Shimbira W, 1994. Some limnological characteristics of the lower Sondu-Miriu River, Kenya. In: E. Okemwa, E.O. Wakwabi and A. Getabu (eds.), Proceedings of the Second EEC Regional Seminar on Recent Trends of Research on Lake Victoria Fisheries, Nairobi: ICIPE Science Press 2:15-27.

Mwebaza-Ndawula L, Kiggundu V, Gandhi P, 2001. Invertebrate communities of Nabugabo Lakes: A vital support resource for the Fisheries and Ecosystem Diversity, p. 20-30. In: H. Busulwa, P.G. Mafabi and L.M. Ndawula (eds.), Proceedings of the Scientific Conference held at Nabugabo. Scientific Information on Nabugabo Ramsar Site, Uganda. Wetlands Inspection Division.

Mwebaza-Ndawula L, Kiggundu V, Gandhi PW, 2005a. Aquatic invertebrates in Lake Victoria, Uganda portion, p. 149-161. In: F.J. Muyodi and E.H. Robert (eds.), Water Quality and Quantity Synthesis Final Report. LVEMP December 2005.

Mwebaza-Ndawula L, Masai DM, Waya RK, Owili MA, Sekiranda S, Kiggunda V, 2004. Zooplankton Communities. Chapter 5, In P Kansoma, Ed Aquatic Biodiversity of Lake Victoria Basin: its conservation and sustainable uses.

Mwebaza-Ndawula L, Sekiranda SBK, Kiggundu V, 2005b. Variability of zooplankton community along a section of the Upper Victoria Nile, Uganda. Afr. J. Ecol. 43:251-257.

Mwirigi PM, Njuru PG, Okungu J, Abuodha JOZ, Hecky RE, 2005. Lake Victoria monitoring of the pelagic, littoral, river mouths and near shore urban environments, Kenya, p. 164-212. In: J.O.Z. Abuodha and R.E. Hecky (eds.), Kenya national water quality synthesis report. Lake Victoria environment Management project (LVEMP).

Nafi'u SA, Ibrahim S, 2017. Seasonal dynamics of zooplankton composition and abundance in Thomas Dam Dambatta, Kano, Nigeria. BAJOPAS 10:268-276.

Nana AT, Efole ET, Zébaze TSH, Tchoumboue J, 2018. Effects of doses of chicken manure on the biodiversity of zooplankton populations in ponds. JEZS 6:186-193

Narita T, Nisibula M, Mizuno T, 1986. Vertical distribution and seasonal abundance of zooplankters in Lake Tanganyika. Afr. Study Monogr. 6:1-16.

N'da SA, Etilé RN, N'zi KG, Berté S, N'douba V, 2015. Composition and Distribution of Zooplankton Relationship to Environmental Factor in a Tropical River: (Bagoe, Côte d'Ivoire). Int. Res. J. Biol. Sci. 4:1-11.

Ndawula LM, Kiggundu V, 2000. The diversity and abundance of zooplankton in the Lake Victoria and Kyoga basins and their relationship to fish production, p. 1-17. In: R. Ogutu-Ohwayo and L.M. Ndawula (eds.), Biodiversity of Lake Victoria Basin: its conservation and sustainable uses (The Ugandan Version). Fisheries Resources Research Institute, National Agricultural Research Organisation.

Ndawula LM, Kiggundu V, Ghandi P, 2000. Invertebrate communities of Lake Nabisojjo, p. 18-21. In: Workshop Report on The Fisheries Research on Lake Nabisojjo - Luwero District. Fisheries Resources Research Institute, National Agricultural Research Organisation.

Ndebele-Murisa MR, 2011. An analysis of primary and secondary production in Lake Kariba in a changing climate. Doctoral dissertation, Department of Biodiversity and Conservation, University of Western Cape, Cape Town, South Africa: 181 pp.

Negassa A, Prabu PC, 2008. Abundance, food habits, and breeding season of exotic *Tilapia zillii* and native *Oreochromis niloticus* L. fish species in Lake Zwai, Ethiopia. Mj. Int. J. Sci. Tech. 2:345-360.

Ngupula GW, 2013. How does increased eutrophication and pollution in the Lake Victoria waters impact zooplankton? J. Environ. Ecol. 4:151-164.

Ngupula GW, Waya RK, Ezekiel CN, 2010. Spatial and temporal patterns in abundance and distribution of zooplankton in the Tanzanian waters of Lake Victoria. Aquat. Ecosyst. Health Manag. 13:451-457.

Nhiwatiwa T, Marshall BE, 2007. Water quality and plankton dynamics in two small dams in Zimbabwe. Afr. J. Aquat. Sci. 32:139-151.

Nkambo M, Bugenyi FW, Naluwayiro J, Nayiga S, Kiggundu V, Magezi G, Waswa L, 2015. Planktonic and fisheries biodiversity of alkaline saline crater lakes of Western Uganda. Biodivers. J. 6:95-104.

Nkwoji JA, Onyema IC, Igbo JK, 2010. Wet season spatial occurrence of phytoplankton and zooplankton in Lagos Lagoon, Nigeria. Sci. World J. 5:7-14.

Nogrady T, 1983. Succession of planktonic rotifer populations in some lakes of the Eastern Rift Valley, Kenya. Hydrobiologia

98:45-54.
Nwabueze AA, 2015. Plankton abundance and diversity as related to seasonal variations in physico-chemical parameters of River Ethiope, Nigeria. J. Agr. Food Environ. 2:89-101.
Nwamaka IK, Chioma OV, Chukwuemeka NM, 2016. Species Composition of Rotifers in a Tropical Lotic Freshwater Ecosystem in South-Eastern Nigeria. AJEST 3:201-207.
Nwinyimagu AJ, Eyo JE, Okogwu OI, 2021. Seasonal variation in abundance and diversity of zooplankton in Asu River, Ebonyi state, Nigeria. Acta Ecol. Sin. 41:591-596.
Nwonumara GN, Idumah OO, 2019. Effects of bottom-up and top-down interactions on the productivity of Iyieke Lake, Afikpo North, Ebonyi State, south-east Nigeria. Zoologist 17:6-12.
Nwonumara NG, Idumah OO, 2022. Water quality and zooplankton structure of first order rivers along agricultural land use sites in Ebonyi State, South-Eastern Nigeria. Zool. Ecol. 32:9-20.
Nwonumara NG, Okogwu OI, 2013. The impact of flooding on water quality, zooplankton composition, density and biomass in Lake Iyieke, Cross River-Floodplain, Southeastern Nigeria. Zool. Ecol. 23:138-146.
Nwosu M, Ibemenuga KN, Arazu VN, Omeazu HC, Ekesiobi AO, Igbodika MC, Okeke JJ, Mogbo TC, Anaeto FC, Idowu RT, 2013. Evaluation of the physico-chemical parameters and Zooplankton of the River Niger, Onitsha, Anambra State. African Sci. Technol. J. 6:75-81.
Obeng LE, 1973. Volta Lake: Physical and biological aspects. Washington DC AGU Geophys. Monogr. Ser. 17:87-98.
Obeng-Asamoa EK, 1977. A limnological study of the Afram arm of Volta Lake. Hydrobiologia 55:257-264.
Obialor PN, Antai EE, 2022. Zooplankton community of the Cross River Estuary in association with some physical environmental factors. Afr. Scient. 23:37-42.
Obot OI, David GS, Ekpo IE, 2020. Research Article Zooplankton Assemblages of a Tropical Coastal Creek, South-Eastern Nigeria. Ecologia 10:63-70.
Obuid-Allah AH, El-bakary ZA, Abd El-Wakeil KF, El Mohammad WA, 2016. Vertical distribution of zooplankton community in littoral zone of the River Nile at Assiut, Egypt, p. 1-16. In: Eighth International Conference on Environment and Development in the Arab World.
Offem BO, Ayotunde EO, Ikpi GU, Ochang SN, Ada FB, 2011. Influence of seasons on water quality, abundance of fish and plankton species of Ikwori Lake, South-Eastern Nigeria. Fish. Aquac. J. 13:1-18.
Offem BO, Samsons YA, Omoniyi IT, Ikpi GU, 2009. Dynamics of the limnological features and diversity of zooplankton populations of the Cross River System SE Nigeria. Knowl. Manag. Aquat. Ecosyst. 393:2.
Ogamba EN, Ebere N, Ekuere MC, 2017. Assessment of Physico-Chemical and Zooplankton Assemblages in Some Ponds within Wilberforce Island, Nigeria. J. Environ. Treat. Tech. 5:38-50.
Ogamba EN, Charles EE, Izah SC, 2019. Application of diversity indices in the study zooplankton community of Taylor Creek in the Niger Delta, Nigeria. Sumerianz J. Biotechnol. 2:35-41.
Ogbeibu AE, Edutie LO, 2002. Impact of brewery effluent on the water quality and rotifers of Ikpoba River, southern Nigeria. AJEPH 1:1-12.
Ogbeibu AE, Osokpor OR, 2021. Impact of Impoundment on the Hydrology and Rotifers of the Ikpoba River, Nigeria. Biosci. Res. J. 14:357-363.
Ogbuagu DH, Ayoade AA, 2012a. Spatial Fluctuations in Zooplankton Biotypes of the Imo River in Niger Delta Area of Nigeria. Int. J. Ecosyst. 2:54-60.
Ogbuagu DH, Ayoade AA, 2012b. Seasonal dynamics in plankton abundance and diversity of a freshwater body in Etche, Nigeria. CCSE 2:48-59.
Ogello EO, Kim HJ, Suga K, Hagiwara A, 2016. Lifetable demography and population growth of the rotifer *Brachionus angularis* in Kenya: influence of temperature and food density. Afr. J. Aquat. Sci. 41:329-336.
Ogutu-Ohwayo R, Ndawula LM, 2000. Biodiversity of Lake Victoria Basin: its conservation and sustainable uses (The Ugandan Version). Fisheries Resources Research Institute, National Agricultural Research Organisation. Jinja, Uganda: 178 pp.
Okogwu OI, 2010. Seasonal variations of species composition and abundance of zooplankton in Ehoma Lake, a floodplain lake in Nigeria. Rev. Biol. Trop. 58:171-182.
Okogwu OI, Nwani CD, 2009. Variations in Zooplankton in Response to Physicochemical Changes in a Tropical Coastal Lagoon. J. Ecophysiol. Occup. Health 9:67-75.
Okogwu OI, Nwani CD, Okoh FA, 2010. Seasonal variation and diversity of rotifers in Ehoma lake, Nigeria. J. Environ. Biol. 31:533-537.
Okogwu OI, Ugwumba OA, 2006. The zooplankton and environmental characteristics of Ologe lagoon, South west, Nigeria. Zoologist 1:86-92.
Okorafor KA, Andem AB, Mowang DA, Akpan UU, 2013. Diversity and spatial distribution of zooplankton in the intertidal regions of Calabar River, Cross River State, Nigeria. Adv. Appl. Sci. Res. 4:224-231
Okuku EO, Tole M, Kiteresi LI, Bouillon S, 2016. The response of phytoplankton and zooplankton to river damming in three cascading reservoirs of the Tana River, Kenya. Lakes Reservoirs res. Manag. 21:114-132.
Olaleye VF, Adedeji AA, 2005. Water and planktonic quality of a palm oil effluent impacted river in Ondo State, Nigeria. Int. J. Zool. Res. 1:15-20.
Olasehinde KF, Abeke AA, 2012. Limnological features of Ikere Gorge Reservoir, Iseyin south-western Nigeria: Plankton composition and abundance. J. Bio. & Env. Sci. 2:20-31.
Omoboye HY, Aduwo AI, Adewole H, Adeniyi IF, 2022. Water quality and planktonic community of Owalla Reservoir, Osun State, Southwest Nigeria. Acta Limnol. Brasil. 34:e11.
Omoigberale MO, Aikhuele VO, 2011. The Zooplankton Assemblage of a Tropical Rainforest River in Nigeria. Trop. Freshw. Biol. 20:65-75.
Omoigberale MO, Oransaye K, 2011. Total hydrobiological studies of Okhuaihe River, Benin City, Southern Nigeria: Zooplankton fauna. NISEB 11:179-188.
Omondi O, Yasindi A, Magana A, 2011. Spatial and temporal variations of zooplankton in relation to some environmental factors in Lake Baringo, Kenya. Eger. J. Sci. Technol. 11:29-50.
Omoregie IP, 2017. Heavy Metals, Nutrients, Total Hydrocarbons and Zooplankton Community Structure of Osse River, Edo State, Nigeria. Jordan J. Biol. Sci. 10:109-116.
Onana FM, Zebaze Togouet SH, Nyamsi Tchatcho NL, Domche

Teham HB, Ngassam P, 2014. Spatio-temporal distribution of zooplankton in relation with the abiotics factors in an urban hydrosystem: the Kondi stream (Douala, Cameroon). J. Appl. Biosci. 82:7326-7338.

Ong'ondo GO, Yasindi AW, Oduor SO, Jost S, Schagerl M, Sonntag B, Boenigk J, 2013. Ecology and community structure of ciliated protists in two alkaline–saline Rift Valley lakes in Kenya with special emphasis on Frontonia. J. Plankton Res. 35:759-771.

Onwudinjo CC, Egborge ABM, 1994. Rotifers of Benin River, Nigeria, p. 87-94. In: H.J. Dumont, J. Green and H. Masundire (eds.), Studies on the Ecology of Tropical Zooplankton. Developments in Hydrobiology, vol 92. Springer, Dordrecht.

Onyema IC, Ojo AA, 2008. The zooplankton and phytoplankton biomass in a tropical creek, in relation to water quality indices. Life Sci. J. 5:75-82.

Oparaku NF, Andong FA, Nnachi IA, Okwuonu ES, Ezeukwu JC, Ndefo JC, 2022. The effect of physicochemical parameters on the abundance of zooplankton of River Adada, Enugu, Nigeria. J. Freshw. Ecol. 37:33-56.

Oriakpono O, 2018. Impacts of Organic Wastes on Plankton Population of Woji Creek, Port Harcourt, Rivers State, Nigeria. Amb. Sci. 05:online DOI:10.21276/ambi.2018.05.1.ra03

Otene BB, Alfred-Ockiya JF, Amadi F, 2019. Physicochemical Properties and Zooplankton Community Structure of Okamini Stream, Port Harcourt, Nigeria. IJRIAS 4:100-107.

Oueda A, Guenda W, Kabre AT, Zongo F, Kabre GB, 2007. Diversity, abundance and seasonal dynamics of the zooplankton community in a South-Saharan reservoir (Burkina Faso). J. Biol. Sci. 7:1-9.

Ouéda A, Ouédraogo I, Ouédraogo I, Zongo F, Boungou M, Guenda W, Kabré GB, 2017. Zooplankton species as indicators of hydrological variations in South-Saharan reservoirs, Burkina Faso. Annale de l'Université Ouaga 1 Pr Joseph KIZERBO – Série C 013:27-59.

Ouedraogo I, Oueda A, Gneme A, Ouedraogo I, Sirima D, Zongo F, Guenda W, Kabre GB, 2015. Distribution spatiale et influence de quelques facteurs physico-chimiques sur le zooplancton de deux reservoirs urbains (Ouagadougou, Burkina Faso). Annale de l'Université de Ouagadougou – Série C 011:1-14.

Ovie SI, Adeniji HA, 1994. Zooplankton and environmental characteristics of Shiroro Lake at the extremes of its hydrological cycle. Hydrobiologia 286:175-182.

Ovie SI, Bwala RL, Ajayi O, 2011. A preliminary study on limnological stock assessment, productivity and potential fish yield of Omi Dam, Nigeria. Afr. J. Environ. Sci. Technol. 5:956-963.

Ovie SI, Sarma SSS, 1993. Rotifer fauna (Rotifera) of Asa Lake, Nigeria, West Africa. Environ. Ecol. 11:842-842.

Owili M, 1999. Zooplankton-fish interaction in the littoral zone of Nyanza Gulf, Lake Victoria, p. 52-62. In: Report on third Fisheries Data Working Group (FIDAWOG) workshop held at the Triangle Hotel, Jinja. Lake Victoria Fisheries Research Project (LVFRP).

Owili M, Omondi R, Njuru J, 2006. Abundance and composition of zooplankton in Lake Victoria, Kenya. In: Proceedings of the 11 th World Lakes Conference 2:269-275.

Oyoo-Okoth E, Muchiri M, Ngugi CC, Njenga EW, Ngure V, Orina PS, Chemoiwa EC, Wanjohi BK, 2011. Zooplankton partitioning in a tropical alkaline–saline endorheic Lake Nakuru, Kenya: Spatial and temporal trends in relation to the environment. Lakes Reserv.: Res. Manag. 16:35-47.

Pagano M, Koffi MA, Cecchi P, Corbin D, Champalbert G, Saint-Jean L, 2003. An experimental study of the effects of nutrient supply and Chaoborus predation on zooplankton communities of a shallow tropical reservoir (Lake Brobo, Cote d'Ivoire). Freshwat. Biol. 48:1379-1395.

Pattnaik BSR, 2014. Species diversity of lake Hawassa, Ethiopia. Int. J. Sci. Res. 3:33-35.

Pattnaik BSR, 2015. Peculiarities of Rotifer Fauna in Lake Hawassa, Ethiopia. IOSR J. Pharm. Biol. Sci. 10:1-5.

Pejler B, 1974. On the rotifer plankton of some East African lakes. Hydrobiologia 44:89-396.

Perissinotto R, 1989. The structure and diurnal variations of the zooplankton of the Prince Edward Islands: implications for the biomass build-up of higher trophic levels. Polar Biol. 9:505-510.

Pouomogne DE, Songmo BL, Nana TA, Efole ET, Pouomogne V, 2022. Effets comparés de la fertilisation au lisier de porc et à la fiente de canard sur la production de trois espèces de Rotifères en milieu contrôlé. J. Appl. Biosci. 169:17587-17598.

Pourriot R, 1968. Rotifères du lac Tchad. Bull. IFAN (ser. A) 30:471-496.

Pourriot R, 1971. Prospection hydrobiologique du lac de Léré et des mares avoisinantes. II: Rotifères. Cah. ORSTOM ser. Hydrobiol. 5:171-174.

Pourriot R, Iltis A, Leveque-Duwat S, 1967. Le plancton des mares natronees du Tchad. Int. Rev. Hydrobiol. 52:535-543.

Prudence DJ, Hubert ZTS, Raoul TK, Polycarpe DHC, Guy NTJ, Samuel FM, Thomas N, 2015. Physico-chemistry characterization and zooplankton specific diversity of two fishponds in Yaoundé (Cameroon, Central Africa). J. Biodivers. Environ. Sci. 6:16-30.

Rabiu MK, Balarabe ML, Indabawa II, 2011. The influence of physico-chemical parameters on the zooplankton distribution of Kussalla reservoir, Kano State. Bayero J. Pure Appl.Sci. 4:87-90.

Rahm U, 1964. Zur Oekologie des Zooplanktons der Lagune Ebrié (Elfenbeinküste). Acta Trop. 21:1-47.

Raini JA, 2006. Long-term trends in water quality, water quantity and biodiversity at Lake Nakuru, Kenya. In: E. Odada and D.O Olago (eds.), Proceedings of the 11th World Lakes Conference 2:57-62.

Ramdani M, Elkhiati N, Flower RJ, Birks HH, Kraïem MM, Fathi AA, Patrick ST, 2001. Open water zooplankton communities in North African wetland lakes: the CASSARINA Project. Aquat. Ecol. 35:319-333.

Rashid MM, 1995. Some additional information on limnology and fisheries of Lakes Nasser (Egypt) and Nubia (Sudan), p. 81-109. In: R.C.M. Crul and F.C. Roest (eds.), Current status of fisheries and fish stocks of the four largest African reservoirs: Kainji, Kariba, Nasser/Nubia and Volta, FAO.

Rayner NA, Silberbauer MJ, Bethune S, 1995. Zooplankton diversity and abundance in three Namibian impoundments. Cimbebasia 14:43-51.

Reyntjens D, 1982. Bijdrage tot de limnologie van het Kivumeer. Ph.D. Thesis. R. U. Gent, Fac. Landbouwwetenschappen: 95 pp.

Riato L, Van Ginkel C, Taylor JC, 2014. Zooplankton and diatoms of temporary and permanent freshwater pans in the Mpumalanga Highveld region, South Africa. Afr. Zool. 49:113-127.

Ricci C, 1980. Rotiferi bdelloidei da muschi dell'Uganda. Ricerche Zoologiche in Uganda. Accad. Naz. Lincei quad. 250:17-21.

Richard J, 1896. Sur la faune des eaux douces des Açores. Bull. Soc. Zool. Fr. 21:171-178.

Robarts RD, Zohary T, Jarvis AC, Pais-Madeira CM, Sephton LM, Combrink S, 2022. Phytoplankton and zooplankton population dynamics and production of a recently formed African reservoir. Hydrobiologia 237:47-60.

Robinson AH, Robinson PK, 1971. Seasonal distribution of zooplankton in the northern basin of Lake Chad. J. Zool. 163:25-61.

Rousselet CF, 1906. IX.—Contribution to our Knowledge of the Rotifera of South Africa. J. R. Microsc. Soc. 26: 393-414.

Rousselet CF, 1909. On the geographical distribution of the Rotifera. J. Quekett Microsc. Club Ser. 2 10:465-470.

Rousselet CF, 1910. Zoological Results of the Third Tanganyika Expedition, conducted by Dr. WA Cunnington, FZS, 1904-1905.—Report on the Rotifera. In: Proceedings of the Zoological Society of London, Oxford, UK: Blackwell Publishing Ltd. 80:792-799.

Russell CR, 1956. Some rotifers from the Gold Coast. J. W. Afr. Sci. Assoc. 2:139-144.

Saad A-HA, Emam WM, El-Shabrawy GM, Gowedar FM, 2013. Sewage pollution and zooplankton assemblages along the Rosetta Nile branch at El Rahawy area, Egypt. Int. J. Enivorn. Sci. Eng. 4:29-45.

Saint-Jean L, 1983. The zooplankton in Lake Chad. Monogr. Biol. 53:199-232.

Saint-Jean L, Pagano M, 1987. Tailles et. poids individuels des principaux taxons du zooplancton lagunaire ivoirien: lagune Ebrié, étangs de pisciculture saumâtres de Layo. Rev. Hydrobiol. Trop. 20:13-20.

Sako S, 2017. Composition and dynamics of the zooplankton population of the Niger River in Bamako and impacts of environmental factors. PhD thesis, USTTB, FST, Mali: 119 pp.

Sako S, Koné D, Guindo SS, Maiga MS, Cissé AS, Weesie PDM, Maiga Y, Touré BK, Yattara I, Kodio H, 2019. Abundance and diversity of Niger River rotifers in relation to environmental factors. Int. J. Develop. Res. 6:28121-28126.

Salem TA, 2021. Changes in the physicochemical and biological characteristics in the lentic and lotic waters of the Nile river. Egypt. J. Aquat. Res. 47:21-27.

Salem TA, Mageed AAA, 2021. Assessment of the impact of the Nile flood on food chain in Lake Nasser—Egypt, with Special Reference to Turbidity. Open J. Ecol. 11:41-51.

Samraoui B, Segers H, Maas S, Baribwegure D, Dumont HJ, 1998. Rotifera, Cladocera, Copepoda, and Ostracoda from coastal wetlands in northeast Algeria. Hydrobiologia 386:183-193.

Sanful PO, Aikins, S, Hecky RE, 2017. Depth distribution of zooplankton in relation to limnological gradients under different stratification and interannual regimes in a deep, tropical crater lake. Ann. Limnol. - Int. J. Lim. 53:293-307.

Sanful PO, Frempong E, Aikins S, Hecky RE, 2013. Secondary production of crustacean zooplankton and biomass of major rotifer species in Lake Bosumtwi/Bosomtwe, Ghana, West Africa. Afr. J. Ecol. 51:456-465.

Sarma SSS, Jiménez-Santos MA, Nandini S, 2021. Rotifer species diversity in Mexico: an updated checklist. Diversity 13:291.

Sartory DP, 1981a. Some planktonic brachionid rotifers from South African impoundments. J. Limnol. Soc. S. Afr. 7:29-36.

Sartory DP, 1981b. A checklist of the planktonic rotifers from seventy-three South African dams. Microsc. 34:280-285.

Seaman MT, 1977. A zooplankton study of Hartbeespoort Dam. Master's Thesis, Magister Scientiae in Zoology, Faculty of Science at the Rand Afrikaans University, South Africa: 120 pp.

Seaman MT, Ashton PJ, Williams WD, 1991. Inland salt waters of South Africa. Hydrobiologia 210:75-91.

Segers H, 1992. Taxonomy and zoogeography of the rotifer fauna of Madagascar and the Comoros. Journ. Afr. Zool. 106:351-361.

Segers H, 1993. Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria), I. New species and other taxonomic considerations. Hydrobiologia 250:39-61.

Segers H, 1994. On four new tropical and subtropical *Lecane* (Lecanidae, Monogononta, Rotifera). Hydrobiologia 287: 243-249.

Segers H, 1995. World records of Lecanidae (Rotifera: Monogononta). Doc. Trav. Inst. Roy. Sci. Nat. Belge 81:1-114

Segers H, 1996. The biogeography of littoral *Lecane* Rotifera. Hydrobiologia 323:169-197.

Segers H, 2008. Global diversity of rotifers (Rotifera) in freshwater. Hydrobiologia 595:49-59.

Segers H, Baribwegure D, 1996. On *Lecane tanganyikae* new species (Rotifera: Monogononta, Lecanidae). Hydrobiologia 324:179-182.

Segers H, De Smet WH, Fischer C, Fontaneto D, Michaloudi E, Wallace RL, Jersabek CD, 2012. Towards a list of available names in zoology, partim Phylum Rotifera. Zootaxa 3179:61-68.

Segers H, Mbogo DK, Dumont HJ, 1994. New Rotifera from Kenya, with a revision of the Ituridae. Zool. J. Linn. Soc. 110:193-206.

Segers H, Mertens J, 1997. New Rotifera from the Korup National Park, Cameroon. J. Nat. Hist. 31:663-668.

Segers H, Nwadiaro CS, Dumont HJ, 1993. Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria). II. Faunal composition and diversity. Hydrobiologia 250:63-71.

Segers HH, Koste W, Yussuf SM, 1996. Contribution to the Knowledge of the Monogonont Rotifera of Zanzibar, with a Note on *Filinia novaezealandiae* Shiel and Sanoamuang, 1993. Int. Rev. ges. Hydrobiol. Hydrogr. 81:597-603.

Sellami I, Elloumi J, Hamza A, Ayadi H, Bouain A, Aleya L, 2008. Distribution annuelle des abondances des rotifères dans huit bassins recevant des eaux géothermales en relation avec les facteurs environnementaux. Bull. Soc. Zool. Fr. 133:73-84.

Sellami I, Elloumi J, Hamza A, Mhamdi MA, Ayadi H, 2011. Local and regional factors influencing zooplankton communities in the connected Kasseb Reservoir, Tunisia. Water SA 37:201-212.

Sellami I, Guermazi W, Hamza A, Aleya L, Ayadi H, 2010. Seasonal dynamics of zooplankton community in four Mediter-

ranean reservoirs in humid area (Beni Mtir: north of Tunisia) and semi arid area (Lakhmes, Nabhana and Sidi Saâd: center of Tunisia). J. Therm. Biol. 35:392-400.

Sellami I, Hamza A, El Bour M, Mhamdi MA, Pinelalloul B, Ayadi H, 2016. Succession of Phytoplankton and Zooplankton Communities Coupled to Environmental Factors in the Oligo-mesotrophic Nabhana Reservoir (Semi Arid Mediterranean Area, Central Tunisia). Zool. Stud. 55:e30.

Sellami I, Hamza A, Mhamdi MA, Aleya L, Bouain A, Ayadi H, 2009. Abundance and biomass of rotifers in relation to the environmental factors in geothermal waters in Southern Tunisia. J. Therm. Biol. 34:267-275.

Sellami I, Romdahane SB, Guermazi W, Bour ME, Hamza A, Mhamdi MA, ... Ayadi H, 2012. Seasonal dynamics of plankton communities coupled with environmental factors in a semi arid area: Sidi Saâd reservoir (Center of Tunisia). Afr. J. Biotechnol. 11:865-877.

Sendek A, Aynalem Y, 2020. Abundance, diversity of zooplankton and weed bed macro invertebrates in the fogera floodplain, Ethiopia. IJFAS 8:247-256.

Seurat LG, 1930. Exploration zoologique de l'Algérie 1830-1930. Masson et Cie, Paris, France: 708 pp.

Shaltout KH, Khalil MT, 2005. Lake Burullus: Burullus protected area. Publication of National Biodiversity Unit 13. Arab Republic of Egypt. 561 pp.

Shayebi EM, Patricia UA, Moslen M, 2020. Abundance and diversity of zooplankton in the lower reach of the Opobo River, rivers state Nigeria. AJENSR 3:49-59.

Shumba SM, 2018. Water holes typology as a function of human and ungulate activities in Hwange National Park, Zimbabwe. Master's Thesis, University of Zimbabwe, Harare: 135 pp.

Schabetsberger R, Drozdowski G, Drozdowski I, Jersabek CD, Rott E, 2004. Limnological aspects of two tropical crater lakes (Lago Biao and Lago Loreto) on the island of Bioko (Equatorial Guinea). Hydrobiologia 524:79-90.

Schabetsberger R, Kaiser R, Rott E, Lenzenweger R, Traunspurger W, Kotov AA, ... Sztatecsny M, 2013. On the brink–investigating biodiversity in endangered crater lakes of the Amber Mountains National Park (Madagascar). Aquat. Conserv.: Mar. Freshw. Ecosyst. 23:316-331.

Schabetsberger R, Rott E, Friedl G, Drozdowski, G, Razafindranaivo E, Holmes C, 2009. First limnological characterization of the tropical crater lake Amparihibe in the Makira Protected Area, Madagascar. Eco. Mont. 1:43-52.

Schagerl M, Burian A, 2016. The Ecology of African Soda Lakes: Driven by Variable and Extreme Conditions, p. 295-320. In: M. Schagerl (ed.), Soda Lakes of East Africa. Springer, Cham.

Scharler UM, Lechman K, Radebe T, Jerling HL, 2020. Effects of prolonged mouth closure in a temporarily open/closed estuary: a summary of the responses of invertebrate communities in the uMdloti Estuary, South Africa. Afr. J. Aquat. Sci. 45:121-130.

Schmarda L, 1854. Zur Naturgesehiehte Âgyptens. Denkschr. kaiser/. Acad. Wiss., Wien, mathem.-naturw. KI., 7, Abt.2.

Schuurman JFM, 1932. A seasonal study of the microflora and micro-fauna of Florida Lake, Johannesburg, Transvaal. Trans. R. Soc. S. Afr. 20:333-386.

Sleem SH, Hassan MM, 2010. Impact of pollution on invertebrates biodiversity in the River Nile associated with Dahab and El-Warrak Islands, Egypt. Int. J. Environ. Sci. Eng. 1:15-25.

Smaoune G, Bouchelouche D, Taleb A, Arab A, 2021. Evaluation of the trophic status in three reservoirs in Algeria (north west) using physicochemical analysis and rotifers structure. Environ. Sci. Pollut. Res. 28:46627-46642

Smolak R, Walsh EJ, 2022. Rotifer Species Richness in Kenyan Waterbodies: Contributions of Environmental Characteristics. Diversity 14:1-25.

Smolak R, Walsh EJ, Brown PB, Wallace RL, 2023. A synthesis of the biogeographical distribution of Rotifera in Africa. J. Plankton Res. 45: 65-81.

Soliman AM, 2006. Impact of Umum Drain on zooplankton community structure in Max Bay, Alexandria, Egypt. Int. J. Oceans Oceanogr. 1:121-138.

Solomon SG, Ataguba GA, Baiyewunmi AS, 2009. Study of dry season zooplankton of Lower River Benue at Makurdi, Nigeria. J. Anim. Plant. Sci. 1:42-50.

Sørensen MV, Segers H, Funch P, 2005. On a new *Seison* Grube, 1861 from coastal waters of Kenya, with a reappraisal of the classification of the Seisonida (Rotifera). Zool. Stud. 44:34-43.

Soro TA, Etile RN, Bi GG, Aboua BRD, 2019. Etude preliminaire du peuplement zooplanctonique dans le bassin du haut-Bandama (Cote d'Ivoire). Agron. Afr. 31:305-319.

Souley Adamou H, Alhou B, Tackx M, Azémar F, 2021. Rotifers in the Niger River, Niger: diversity and abundance in relation to environmental parameters. Afr. J. Aquat. Sci. 46:473-484.

Souley Adamou H, Alhou B, Tackx M, F Azémar F, 2022. Zooplankton distribution and community structure as a function of environmental variables in the Niger River and its tributaries in Niger. Afr. J. Aquat. Sci. 1-15.

Ssanyu GA, Rasowo J, Auma E, Ndunguru M, 2011. Evaluation of plankton community structure in fish refugia acting as *Oreochromic niloticus* propagation and nursery Units for Rice/Fish Trials, Uganda. J. Aquac. Res. Develop. 2:1000116.

Stamou G, Savva A, Demertzioglou M, Michaloudi E, 2022. Diversity of Rotifera (Subclass: Monogononta) from Inland Water Bodies in Greece: An Updated Checklist. Diversity 14:451.

Stegmann P, Pieterse AJH, Toerien DF, Seaman MT, Van der Waal BCW, 1981. A preliminary limnological survey of Swartwater Dam (Qwa-Qwa). Water SA 7:16-26.

Stelzer CP, Riss S, Stadler P, 2011. Genome size evolution at the speciation level: the cryptic species complex *Brachionus plicatilis* (Rotifera). BMC Evol. Biol. 11:1-11.

Stephen OO, Onimisi M, Martins O, 2011. The zooplankton of Ojofu Lake in Anyigba, Dekina L.G.A., Kogi State, Nigeria. RW-JASCR 2:114-122.

Suleiman UF, Ibrahim S, Isyaku HI, Nabila TI, Amir A, Nadede AS, Bello L, 2021. Effects oif environmental parameters on plankton assemblage in Ajiwa Reservoir, Katsina State, Nigeria. FUDMA J. Sci. 5:118-125.

Taha OE, Mageed AA, 2002. Spatial distribution and relationship between phytoplankton and zooplankton in Lake Nasser (Egypt) after the flood season. Egypt J. Aquat. Biol. Fish. 6:265-281.

Tahir SM, Brahim BO, Mikail AI, Tchakonte S, Enah DA, Zebaze Togouet SH, 2020. Spatio-temporal dynamics of zooplankton communities (Rotifers, Cladocerans, Copepods) and water quality of Lake Léré (TCHAD). Int. J. Environ. Agric.

Biotech. 5:805-823.
Taiwo OP, 2014. The Role of Abiotic Factors in Diurnal Vertical Distribution of Zooplankton in Awba Dam, Ibadan, Nigeria. J. Nat. Sci. Res. 4:90-102.
Talling JF, Rzoska J, 1967. The Development of Plankton in Relation to Hydrological Regime in the Blue Nile. J. Ecol. 55:637-662.
Tamire G, 2006. Zooplankton community grazing rates in Lake Kuriftu, Ethiopia. Master's Thesis, Addis Ababa University, Ethiopia: 90 pp.
Tamire G, Mengistou S, 2013. Zooplankton community grazing rates in a small crater lake: Lake Kuriftu, Ethiopia. Ethiop. J. Sci. 36:1-8.
Tariku E, Mengistu S, Tussa D, Tugie D, Tadesse Z, 1997. Observations on the Limnology and fishery of G/gibe reservoir. In: T. Degefa and F. Feyissa (eds.), Proceedings of the 16th Annual conference of the Ethiopian Society of Animal Production (ESAP) held in Addis Ababa, Ethiopia. Part II Technical Session 16:95-102.
Thomasson K, 1955. A plankton sample from Lake Victoria. Svensk botanisk Tidskrift 49:259-274.
Thomasson K, 1960. Notes on the plankton of Lake Bangweulu. 2 Nov. Act. Reg. Soc. Sci. Upsal. 17:1-43
Thomasson K, 1965. Notes on algal vegetation of Lake Kariba. Nov. Act. Reg. Soc. Sci. Upsal. 19:1-34.
Thomasson K, 1980. Plankton of Lake Kariba re-examined. Act. Phytogeogr. Suec. 68:157-162.
Tchapgnouo JGN, Kayo RPT, Menye DE, Zébazé Togouet SH, Boutin C, Njiné T, 2021. Structure of zooplanktonic communities in Lakes Ossa and Mwembe at Dizangue (Cameroun, Central Africa). JBES 18:99-113.
Tchapgnouo JGN, Njiné T, Zébazé Togouet SH, Segnou SCD, Tahir TSM, Tchakonté S, Pinel-Alloul B, 2012. Diversité spécifique et abondance des communautés de copépodes, cladocères et rotifères des lacs du complexe Ossa (Dizangué, Cameroun). Physio–Géo, Géographie Physique et Envir. 6:71-93.
Tibihika PDM, Okello W, Barekye A, Mbabazi D, Omony J, Kiggundu V, 2016. Status of Kigezi minor Lakes: A limnological survey in the Lakes of Kisoro, Kabale and Rukungiri Districts. Int. J. Water Res. Environ. Eng. 8:60-73.
Tusayi BW, Iliyasu J, Mohammed M, Mbaya P, 2020. Plankton abundance and diversity in Dadin Kowa Dam in Gombe State, Nigeria. Fudma J. Sci. 4:78-85.
Uka UN, Chukwuka KS, Daddy F, 2007. Effect of water hyacinth (*Eichhornia crassippes*) infestation on zooplankton populations in Awba Reservoir, Ibadan, south-west Nigeria. J. Biol. Sci. 7:282-287.
Ukaonu SU, Williams AB, Ajuonu N, Mbawuike BC, Adejumobi KO, Ayo-Dada OB, Kassim OI, 2017. Surface water physicochemistry, zooplankton abundance and distribution off Lagos Coast, Nigeria. Proceedings of the 32nd Annual National Conference of Fisheries Society of Nigeria 50:238-243.
Uku JN, Mavuti KM, 1994. Comparative limnology, species diversity and biomass relationship of zooplankton and phytoplankton in five freshwater lakes in Kenya. Hydrobiologia 272:251-258.
Usman A, 2015. Determination of physico-chemical parameters and plankton composition of Wawan-Rafi Lake in Kazaure, Nigeria. Masters thesis, Ahmadu Bello University, Zaria, Nigeria: 76 pp.
Utete B, Zenda S, Mbauya WA, Tsamba J, 2017. Plankton and macroinvertebrate community composition in the pelagic and non-vegetated littoral drawdown zones of a shallow reservoir, Manjirenji, Zimbabwe. Appl. Ecol. Environ. Sci. 15:743-766.
Van Oye P, 1926a. Rotateurs nouveaux du Congo Belge. Bull. de la Soc. Zool. de France 51:49-54.
Van Oye P, 1926b. Le Potamoplancton du Ruki au Congo-Belge et des pays chauds en general. Int. Rev. ges. Hydrobiol. Hydrogr. 16:1-50.
Vanschoenwinkel B, Waterkeyn A, Nhiwatiwa T, Pinceel T, Spooren E, Geerts A, Clegg B, Brendonck L, 2011. Passive external transport of freshwater invertebrates by elephant and other mud-wallowing mammals in an African savannah habitat. Freshw. Biol. 56:1606-1619.
Vareschi E, 1978. The ecology of Lake Nakuru (Kenya). Oecologia 32:11-35.
Vareschi E, Jacobs J, 1984. The ecology of Lake Nakuru (Kenya). V. Production and consumption of consumer organisms. Oecologia 61:83-98.
Vareschi E, Vareschi A, 1984. The ecology of Lake Nakuru (Kenya). IV. Biomass and distribution of consumer organisms. Oecologia 61:70-82.
Velasco JL, 1990. Lista faunística y bibliográfica de los Rotíferos (Rotatoria) de la Península Ibérica e islas Baleares y Canarias. Asociación Española de Limnología. Museo Nacional de Ciencias Naturales. Madrid: 195 pp.
Virieux J, 1913. Plancton du lac Victoria-Nyanza. In: Voyage de Ch. Alluaud et P. Jeannel en Afrique orientale 1911 - 1912, Paris: 22 pp.
Wagaw S, Mengistou S, Getahun A, 2019. Review of anthropogenic threats and biodiversity assessment of an Ethiopian soda lake, Lake Abijata. Afr. J. Aquat. Sci. 44:103-111.
Wagaw S, Mengistou S, Getahun A, 2022. Diet composition and feeding habits of *Oreochromis niloticus* (Linnaeus, 1758) in Lake Shala, Ethiopia. Fish. Aquatic. Sci. 25:20-30.
Wakwabi EO, Balirwa J, Ntiba MJ, 2006. Aquatic biodiversity of Lake Victoria Basin, p. 77-121. In: E.O. Odada, D.O. Olago and W.O. Ochola (eds.), Environment for Development: An Ecosystems Assessment of Lake Victoria Basin. United Nations Environment Programme (UNEP), Pan African START Secretariat (PASS).
Wallace RL, Snell TW, Ricci C, Nogrady T, 2006. Rotifera. 1, biology, ecology and systematics. Backhuys Publishers: 299 pp.
Wanganeo A, Kumar P, 2020. Comparative Study on Water Variables and plankton diversity of earthen Fish Ponds along River Ethiope.
Wawrik F, 1966. Beitrlige zur Planktonkunde Oberligyptens. Anz. Oesterr. Akad. Wiss. 96:300-306.
Waya RK, 2001. Zooplankton communities of some Tanzanian Lake Victoria basin water bodies. In: Proceedings of Lake Victoria Environment Management Programme (LVEMP) First Regional Scientific Conference, Kisumu, 3-7 December 2001 1:1-20.
Waya RK, 2004. Diel vertical migration of zooplankton in the Tanzanian waters of Lake Victoria. Tanz. J. Sci. 30:123-134.
Waya RK, Chande AI, 2004. Species composition and biomass estimates of zooplankton in some water bodies within Lake Victoria basin. Tanz. J. Sci. 30:43-52.
Waya RK, Limbu SM, Ngupula GW, Mwita CJ, Mgaya YD,

2017. Temporal patterns in phytoplankton, zooplankton and fish composition, abundance and biomass in Shirati Bay, Lake Victoria, Tanzania. Lakes Reserv.: Res. Manag. 22:19-42

Waya RK, Mwambungu JA, 2004. Zooplankton communities of selected stations of Lake Victoria. Tanz. J. Sci. 30:11-20.

West DT, 2016. Zooplankton of the Okavango Delta and associated basins in Botswana, Doctoral dissertation, University of the Free State, Bloemfontein, South Africa: 285 pp.

West DT, van As LL, 2021. Zooplankton composition of temporary pools within the lower Nata River channel, Botswana, during dry season. Afr. J. Aquat. Sci. 46:241-245.

Wieczorek J, Bloom D, Guralnick R, Blum S, Döring M, Giovanni R, ... Vieglais D, 2012. Darwin Core: an evolving community-developed biodiversity data standard. PloS ONE 7:e29715.

Wodajo K, Belay A, 1984. Species composition and seasonal abundance of zooplankton in two Ethiopian Rift Valley lakes — Lakes Abiata and Langano, p 129-136. In: H.J. Dumont and J.G. Tundisi (eds.), Tropical Zooplankton. Developments in Hydrobiology, vol 23. Springer, Dordrecht.

Wondie A, Mengistou S, 2014. Seasonal variability of secondary production of cladocerans and rotifers, and their trophic role in Lake Tana, Ethiopia, a large, turbid, tropical highland lake. Afr. J. Aquat. Sci. 39:403-416.

Wondie A, Mengistu S, 2017. Plankton of Lake Tana, p. 143-156. In: K. Stave, G. Goshu and S. Aynalem (eds.), Social and Ecological System Dynamics. AESS Interdisciplinary Environmental Studies and Sciences Series. Springer, Cham.

Worthington EB, Ricardo CK, 1936. Scientific results of the cambridge expedition to the east african lakes 1930-1.-no. 17. The vertical distribution and movements of the plankton in lakes Rudolf, Naivasha, Edward, and Nunyoni. Zool. J. Linn. Soc. 40:33-69.

Wulfert K, 1965. Radertiere aus einigen afrikanischen Gewassern. Limnologica 3:347-365.

Yakup AS, Balogun KJ, Ajani GE, Renner KO, Bello BO, Nkwoji JA, Igbo JK, 2012. Seasonal variations in the composition and distribution of planktonic fauna in the eastern Lagos Lagoon, Nigeria. J. Appl. SCI. Environ. Manag. 16:45-53.

Yao SS, Etilé RN, Blajoua KG, 2015. Diversity and structure of zooplankton community of the Comoé River in relation with environmental factors (Comoé National Park, Côte d'Ivoire). Int. J. Eng. Res. Manag. 2:68-74.

Yte WA, Rey MJ, Pourriot R, 1983. Peuplement zooplanctonique d'un lac de barrage de Côte d'Ivoire. Ann. Limnol. - Int. J. Lim. 19:3-8.

Zabbey N, Sikoki FD, Edoghotu J, 2008. Plankton assemblages and environmental gradients in the middle reaches of the Imo river, Niger Delta, Nigeria. Afr. J. Aquat. Sci. 33:241-248.

Zaghloul FA, 1985. Seasonal variations of plankton in Lake Nasser. Ph.D. Thesis, Suez Canal University, Egypt: 364 pp.

Zaghloul FA, 1988. Distribution of zooplankton community in the Rosetta estuary. Proc. Zool. Soc. ARE. 16:53-62.

Zakaria HY, 2007. On the distribution of zooplankton assemblages in Abu Qir Bay, Alexandria, Egypt. Agypt. J. Aquat. Res. 33:238-256.

Zakaria HY, Ahmed MH, Flower R, 2007a. Environmental assessment of spatial distribution of zooplankton community in Lake Manzalah, Egypt. Acta Adriat.: Int. J. Mar. Sci. 48:161-172.

Zakaria HY, El-Kafrawy SB, El-Naggar HA, 2019c. Remote sensing technique for assessment of zooplankton community in Lake Mariout, Egypt. Agypt. J. Aquat. biol. Fish. 23:599-609.

Zakaria HY, El-Naggar HA, 2019. Long-term variations of zooplankton community in Lake Edku, Egypt. Egypt. J. Aquat. Biol. Fish. 23:215-226.

Zakaria HY, Radwan A, Said M, 2019a. Zooplankton community characteristics of the different water types in Abu Qir Bay, Alexandria, Egypt. Egypt. J. Aquat. Res. 45:131-138.

Zakaria HY, Radwan A, Taha H, 2019b. Hydrography and plankton community structure of Marina El-Alamein, Egypt. Egypt. J. Aquat. Biol. Fish. 23:167-179.

Zakaria HY, Radwan AA, Said MA, 2007b. Influence of salinity variations on zooplankton community in El-Mex Bay, Alexandria, Egypt. Egypt. J. Aquat. Res. 33:52-67.

Zanga NL, Pwema VK, Mbomba NB, Mutambwe S, Micha JC, 2022. Diet study of Nannothrissa stewarti (Poll & Roberts, 1976) Clupeidae in Lake Mai-Ndombe, Democratic Republic of Congo. Afr. J. Environ. Sci. Technol. 16:252-263.

Zébazé Togouet SH, Boutin C, Njiné T, Kemka N, Nola M, Foto Manbohan S, 2009. First data on the groundwater quality and aquatic fauna of some wells and springs from Yaounde (Cameroon). Eur. J. Water Qual. 40:51-74.

Zébazé Togouet SH, Njiné T, Kemka N, Niyitegeka D, Nola M, Foto Manbohan S, Djuikom E, Ajeagah G, Dumont HJ, 2006. Biodiversity and spatial distribution of Rotifera in a shallow hypereutrophic tropical Lake (Cameroon). J. Cameroon Acad. Sci. 6:149-165.

Zébazé Togouet SH, Njiné T, Kemka N, Nola M, Foto Menbohan S, Monkiedje A, Niyitegka D, Simke-Ngando T, Jugnia LB, 2005. Variations spatiales et temporelles de la richesse et de l'abondance des rotifères (Brachionidae et Trichocercidae) et des cladocères dans un petit lac artificiel eutrophe situé en zone tropicale. J. Water Sci. 18:485-505.