





























- Simões NR, Dias JD, Leal CM, Souza LBM, Lansac-Tôha FA, Bonecker CC, 2013. Floods control the influence of environmental gradients on the diversity of zooplankton communities in a neotropical floodplain. *Aquat. Sci.s* 75:607-617.
- Souza Filho EE, 2009. Evaluation of the Upper Paraná River discharge controlled by reservoirs. *Braz. J. Biol.* 69:707-716.
- Souza Filho EE, Rocha PC, Comunello E, Stevaux JC, 2004. Effects of the Porto Primavera Dam on physical environment of the downstream floodplain, p. 55-74. In: S.M. Thomaz, A.A. Agostinho and N.S. Hahn (eds.), *The Upper Paraná River floodplain: physical aspects, ecology and conservation*. Backhuys Publ., Leiden.
- Souza Filho EE, Stevaux JC, 2004. Geology and geomorphology of the Baía-Curutuba-Ivinheima River complex, p. 1-30. In: S.M. Thomaz, A.A. Agostinho and N.S. Hahn (eds.), *The Upper Paraná River floodplain: physical aspects, ecology and conservation*. Backhuys Publ., Leiden.
- StatSoft, 2005. Statistica - data analysis software system - ver. 7.1. Available from: <http://www.statsoft.inc>
- Tilman D, Downing JA, 1994. Biodiversity and stability in grasslands. *Nature* 367:363-365.
- Thomaz SM, Pagioro TA, Bini LM, Roberto MC, Rocha RRA, 2004. Limnological characterization of the aquatic environments and the influence of water levels, p. 75-102. In: S.M. Thomaz, A.A. Agostinho and N.S. Hahn (eds.), *The Upper Paraná River floodplain: physical aspects, ecology and conservation*. Backhuys Publ., Leiden.
- Thomaz SM, Bini LM, Bozelli R, 2007. Floods increase similarity among aquatic habitats in river-floodplain systems. *Hydrobiologia* 579:1-13.
- Train S, Rodrigues LC, 1998. Temporal fluctuations of the phytoplankton community of the Baía River, in the upper Paraná River floodplain, Mato Grosso do Sul, Brazil. *Hydrobiologia* 361:125-134.
- Train S, Oliveira MD, Quevedo MT, 2000. [Dinâmica sazonal da comunidade fitoplanctônica de um canal lateral (Canal Cortado) do Alto Rio Paraná (PR, Brasil)]. [Article in Portuguese]. *Acta Sci. Biol. Sci.* 22:389-395.
- Train S, Rodrigues LC, 2004. Phytoplankton assemblage, p. 103-124. In: S.M. Thomaz, A.A. Agostinho and N.S. Hahn (eds.), *The Upper Paraná River floodplain: physical aspects, ecology and conservation*. Backhuys Publ., Leiden.
- Utermöhl H, 1958. [Zur Vervollkommnung der quantitativen Phytoplankton-Methodik]. *Int. Rev. The.* 9:1-38.
- Ward JV, Tockner K, 2001. Biodiversity: towards a unifying theme for river ecology. *Freshwater Biol.* 46:807-819.
- Ward JV, Tockner K, Schiemer F, 1999. Biodiversity of floodplain river ecosystems: ecotones and connectivity. *Regul. River.* 15:125-134.
- Weyhenmeyer GA, Peter H, Willén E, 2013. Shifts in phytoplankton species richness and biomass along a latitudinal gradient - consequences for relationships between biodiversity and ecosystem functioning. *Freshwater Biol.* 58:612-623.

Non-commercial use only