

- Gikas GD, 2014. Water quality of drainage canals and assessment of nutrient loads using QUAL2Kw. *Environ. Proc.* 1:369-385.
- Hadgu LT, Nyadawa MO, Mwangi JK, Kibetu PM, Mehari BB, 2014. Application of water quality model QUAL2K to model the dispersion of pollutants in River Ndarugu, Kenya. *Comput. Water Energy Environ. Engin.* 3:162.
- Hassanin S. 2007. Evaluation of water quality of ElNasr-3 main drain in Egypt using qual2k model. Eleventh International Water Technology Conference, IWTC11.
- Hijmans RJ, Cameron SE, Parra JL, Jones PG, Jarvis A, 2005. Very high resolution interpolated climate surfaces for global land areas. *Int. J. Climatol.* 25:1965-1978.
- Hu K, Li Y, Chen W, Chen D, Wei Y, Edis R, Li B, Huang Y, Zhang Y, 2010. Modeling nitrate leaching and optimizing water and nitrogen management under irrigated maize in desert oases in Northwestern China. *J. Environ. Qual.* 39:667-677.
- Kannel PR, Lee S, Lee Y-S, Kanel S, Pelletier G, 2007. Application of automated QUAL2Kw for water quality modeling and management in the Bagmati River, Nepal. *Ecol. Modell.* 202:503-517.
- Laini A, Bartoli M, Castaldi S, Viaroli P, Capri E, Trevisan M, 2011. Greenhouse gases (CO₂, CH₄ and N₂O) in lowland springs within an agricultural impacted watershed (Po River Plain, northern Italy). *Chem. Ecol.* 27:177-187.
- Liangliang GAO, Daoliang LI, 2015. A review of hydrological/water-quality models. *Front. Agric. Sci. Engin.* 1:267-276.
- Loucks DP, van Beek E, 2017. Water quality modeling and prediction, p. 417-467. In: D.P. Loucks and E. van Beek (eds.), *Water resource systems planning and management*. Springer, Cham.
- Narula KK, Gosain A, 2013. Modeling hydrology, groundwater recharge and non-point nitrate loadings in the Himalayan Upper Yamuna basin. *Sci. Total Environ.* 448:S102-S116.
- Nash JE, Sutcliffe JV, 1970. River flow forecasting through conceptual models part I -A discussion of principles. *J. Hydrol.* 10:282-290.
- Pasini S, Torresan S, Rizzi L, Labato A, Critto A, Marcomini A, 2012. Climate change impact assessment in Veneto and Friuli Plain groundwater. Part II: A spatially resolved regional risk assessment. *Sci. Total Environ.* 440:219-235.
- Pedro-Monzonis M, Del Longo M, Solera A, Pecora S, Andreu J, 2016. Water Accounting in the Po River Basin Applied to Climate Change Scenarios. *Procedia Engineer.* 162:246-253.
- Pelletier GJ, Chapra SC, Tao H, 2006. QUAL2Kw—A framework for modeling water quality in streams and rivers using a genetic algorithm for calibration. *Environ. Modell. Softw.* 21:419-425.
- Pérez-Martín MA, Estrela T, Andreu J, Ferrer J, 2014. Modeling water resources and river-aquifer interaction in the Júcar River Basin, Spain. *Water Res. Manage.* 28:4337-4358.
- Potts MS, 2014. Integration of QUAL2Kw and ArcGIS for Silver Bow Creek, Montana. Graduate Theses & Non-Theses. Available from: https://digitalcommons.mtech.edu/grad_rsch/1
- Rehana S, Mujumdar P, 2011. River water quality response under hypothetical climate change scenarios in Tunga-Bhadra river, India. *Hydrol. Proc.* 25:3373-3386.
- Sacchi E, Acutis M, Bartoli M, Brenna S, Delconte C, Laini A, Pennisi M, 2013. Origin and fate of nitrates in groundwater from the central Po plain: insights from isotopic investigations. *Appl. Geochem.* 34:164-180.
- Savci S, 2012. An agricultural pollutant: chemical fertilizer. *Int. J. Environ. Sci. Dev.* 3:73.
- Steel RD, Torrie JH, 1960. Principles and procedures of statistics with special reference to the biological sciences. McGraw Hill: 481 pp.
- Soana E, Racchetti F, Laini A, Bartoli M, Viaroli P, 2011. Soil budget, net export, and potential sinks of nitrogen in the Lower Oglio River Watershed (Northern Italy). *Clean* 39:956-960.
- Sophocleous M, 2002. Interactions between groundwater and surface water: the state of the science. *Hydrogeol. J.* 10:52-67.
- Sutton MA, Howard CM, Erisman JW, Billen G, Bleeker A, Grennfelt P, Van Grinsven H, Grizzetti B, 2011. The European nitrogen assessment: sources, effects and policy perspectives. Cambridge University Press: 664 pp.
- Taviani S, Bonomi T, Fumagalli L, Rotiroli M, Stefania GA, Zanotti C, Faggioli M, Leoni B, 2017. Hydrogeological conceptual model of a highly impacted watershed: the case study of Oglio River (N Italy). *Proceedings 3rd Nat. Meet. on Hydrogeology, Cagliari.*
- Vassena C, Durante C, Giudici M, Ponzini G, 2008. The importance of observations on fluxes to constrain groundwater model calibration. *Phys. Chem. Earth* 33:1105-1110.
- Vassena C, Rienzner M, Ponzini G, Giudici M, Gandolfi C, Durante C, Agostani D, 2012. Modeling water resources of a highly irrigated alluvial plain (Italy): calibrating soil and groundwater models. *Hydrogeol. J.* 20:449-467.
- Viaroli P, Soana E, Pecora S, Laini A, Naldi M, Fano EA, Nizzoli D, 2018. Space and time variations of watershed N and P budgets and their relationships with reactive N and P loadings in a heavily impacted river basin (Po river, Northern Italy). *Sci. Total Environ.* 639:1574-1587.
- Wang Q, Li S, Jia P, Qi C, Ding F, 2013. A review of surface water quality models. *Sci. World J.* 2013: 231768.
- Zhang R, Qian X, Li H, Yuan X, Ye R, 2012. Selection of optimal river water quality improvement programs using QUAL2K: A case study of Taihu Lake Basin, China. *Sci. Total Environ.* 431:278-285.